



FY2021 SCHOOL UTILIZATION REPORT

Table of Contents

About the FY2021 School Utilization Report	2
Future Utilization Reports	5
Countywide Utilization Report	6
Individual School Utilization Report – High Schools	13
Individual School Utilization Report – Middle Schools	39
Individual School Utilization Report – Elementary Schools	80
Index (by School Level)	210
Index (by Cluster)	212



About the FY2021 School Utilization Report

On November 16, 2020, the Montgomery County Council adopted the 2020-2024 Growth and Infrastructure Policy, formerly known as the Subdivision Staging Policy. The new policy requires the Planning Department to provide a Utilization Report along with the Annual School Test to provide supplemental information about the utilization of the county's public school infrastructure.

The report includes little narrative or interpretation of the data – only brief explanation of the data presented in the graphs. It also consists of two main parts: a countywide component and an individual school component.

➤ The *Countywide Utilization Report* includes:

- Trends of past and projected collective enrollment, capacity, and utilization rates for schools across the county, at each school level.
- Share of school facilities at each school level operating at various adequacy levels. The levels chosen relate to the utilization thresholds used to determine Utilization Premium Payments.¹

➤ The *Individual School Utilization Report* includes:

- Trends of past and projected enrollment, capacity, and utilization rates of individual schools.

Data Sources & Modifications

The source of data and method of modifications is consistent with the Annual School Test.


- Past trends are all based on actual enrollment and capacity figures reported in 'MCPS Educational Facilities Master Plan and Capital Improvements Program' publications each fiscal year.
- Projected trends are taken from the current educational facilities master plan, however the same rules that govern the Annual School Test are used to make modifications for schools where a capacity solution has been approved but not reflected in the enrollment or capacity projections. The modification is applied to the school year in which the capacity solution is scheduled to be completed, and each subsequent projection year.

¹ Note that the Utilization Premium Payment requirements are identified as part of the Annual School Test and are based on projected utilization rates four years in the future along with corresponding seat deficits.




Countywide Data

There are two types of graphs currently provided in the Countywide Utilization Report. The first is a combination bar and line graph that shows the enrollment and capacity actuals, collectively, for all of Montgomery County's public elementary, middle or high schools. The actuals are shown from SY 2005 (school year 2005-06) through SY 2019. Projections, pulled from the FY 2021 MCPS Educational Facilities Master Plan, are also provided for SY 2020 through SY 2025. This graph also includes a line that shows the corresponding countywide rate of capacity utilization for the school level.



The second type of graph is a stacked bar graph that shows the distribution of the county's public elementary, middle or high schools by utilization rate. Again, the graph is based on actual utilization rate for SY 2005 through SY 2019, and projected utilization rate for SY 2020 through SY 2025. For example, the graph on page 12 demonstrates that 12% of the county's public elementary schools had a utilization rate below 90% in SY 2005. That same year, 22% of the high schools had a utilization rate of 135% or higher.



Individual School Data


The Individual School Utilization Report includes one primary graph for each school. The combination bar and line graph that shows the enrollment and capacity actuals for the school from SY 2005 through SY 2019. Projections, pulled from the FY 2021 MCPS Educational Facilities Master Plan, are also provided for SY 2020 through SY 2025. This graph also includes a line that shows the corresponding rate of capacity utilization for the school.

In addition to the graph, information pertaining to the school facility and site are provided, including the year the facility was built, when the facility was last renovated and/or expanded, the facility's gross floor area and the size of the school site. The number of relocatable classrooms on the site for purposes of relieving overcrowding in SY 2019 is also included.

For each school, links are included to the corresponding pages for each adjacent school at the same school level.

Finally, information is provided regarding the status of the school in the FY 2021 Annual School Test. This includes

identifying what level of Utilization Premium Payment (UPP) is required, if any, for development approved in the school's service area. This includes a graphic that demonstrates where the school's projected utilization falls relative to the UPP utilization rate thresholds and the seat deficit thresholds. In order to trigger a payment at a particular UPP tier, the projected utilization must meet the thresholds for both factors. The image below provides a visualization of how the UPP tier is determined based on the utilization rate and seat deficit thresholds.




Future Utilization Reports

Future School Utilization Reports, beginning with the FY2022 report, will be released in June of each year. Over time, additional information will be included as data are collected, reviewed and prepared for presentation. Such data may include information on individual school core capacity, as well as countywide trends in the use of relocatable classrooms. Historical trends in housing permits issued and real estate transactions by school service areas may also be provided to better demonstrate connections between these trends and school enrollment. The reports may also move to a purely digital format with interactive graphs.



Countywide Utilization Report

High Schools – Countywide Enrollment/Utilization Trend




School Year	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020*	2021*	2022*	2023*	2024*	2025*
Capacity	41,956	44,505	44,864	44,701	44,694	44,855	45,149	45,666	47,436	47,402	48,062	48,026	47,969	49,195	49,147	50,398	50,803	51,230	52,422	52,760	55,460
Enrollment	44,688	44,527	44,245	44,239	44,577	44,828	44,837	44,838	44,854	45,368	45,964	47,325	48,546	49,315	50,432	51,402	52,996	54,412	55,087	55,488	55,633
Utilization	106.5%	100.0%	98.6%	99.0%	99.7%	99.9%	99.3%	98.2%	94.6%	95.7%	95.6%	98.5%	101.2%	100.2%	102.6%	102.0%	104.3%	106.2%	105.1%	105.2%	100.3%
Enrollment Growth	-	-161	-282	-6	338	251	9	1	16	514	596	1,361	1,221	769	1,117	970	1,594	1,416	675	401	145


* MCPS projection.



High Schools – Individual School Utilization Level Trend




Middle Schools – Countywide Enrollment/Utilization Trend




* MCPS projection.



Middle Schools – Individual School Utilization Level Trend



Elementary Schools – Countywide Enrollment/Utilization Trend




School Year	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020*	2021*	2022*	2023*	2024*	2025*
Capacity	55,475	58,263	59,595	60,713	62,186	62,728	65,315	65,728	69,564	71,987	72,854	72,758	73,630	74,951	75,939	76,710	76,710	77,936	79,537	80,454	80,659
Enrollment	62,883	62,034	62,313	64,022	66,293	68,877	70,969	73,027	74,669	75,765	76,569	77,100	77,329	76,758	77,167	77,303	77,706	78,084	78,056	77,598	76,717
Utilization	113.4%	106.5%	104.6%	105.5%	106.6%	109.8%	108.7%	111.1%	107.3%	105.2%	105.1%	106.0%	105.0%	102.4%	101.6%	100.8%	101.3%	100.2%	98.1%	96.5%	95.1%
Enrollment Growth	-	-849	279	1,709	2,271	2,584	2,092	2,058	1,642	1,096	804	531	229	-571	409	136	403	378	-28	-458	-881

* MCPS projection.



Elementary Schools – Individual School Utilization Level Trend



Individual School Utilization Report

High Schools

Bethesda-Chevy Chase High School



Year Facility Built: 1934
 Last Renovation: 2001 (2018 add'n)
 Gross Floor Area: 392,833 sq.ft.
 Site Size: 16.36 acres
 Relocatables: -

Adjacent Schools

Albert Einstein HS
 Walter Johnson HS
 Walt Whitman HS

FY21 Annual School Test

- 4-Yr Projection
 - Utilization : 103.5%
 - Seat Deficit : 87



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Montgomery Blair High School



Year Facility Built: 1998
 Last Renovation: -
 Gross Floor Area: 386,567 sq.ft.
 Site Size: 30.15 acres
 Relocatables: 10

Adjacent Schools

Albert Einstein HS
 Northwood HS
 Springbrook HS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 122.6%
 - Seat Deficit : 654



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



James Hubert Blake High School

Year Facility Built: 1998
 Last Renovation: -
 Gross Floor Area: 297,125 sq.ft.
 Site Size: 91.09 acres
 Relocatables: -



Adjacent Schools

John F. Kennedy HS
 Northwood HS
 Paint Branch HS

Rockville HS
 Sherwood HS
 Springbrook HS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 112.1%
 - Seat Deficit : 211



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Winston Churchill High School



Year Facility Built: 1964
 Last Renovation: 2001
 Gross Floor Area: 322,078 sq.ft.
 Site Size: 30.28 acres
 Relocatables: -

Adjacent Schools

Richard Montgomery HS
 Walter Johnson HS
 Walt Whitman HS
 Thomas S. Wootton HS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 121.1%
 - Seat Deficit : 419



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Clarksburg High School



Year Facility Built: 1995
 Last Renovation: 2006 (2015 add'n)
 Gross Floor Area: 344,574 sq.ft.
 Site Size: 62.73 acres
 Relocatables: 13

Adjacent Schools

Damascus HS
 Poolsville HS
 Seneca Valley HS
 Watkins Mill HS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 120.7%
 - Seat Deficit : 421



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Damascus High School



Year Facility Built: 1950
 Last Renovation: 1978
 Gross Floor Area: 235,986 sq.ft.
 Site Size: 32.65 acres
 Relocatables: -

Adjacent Schools

Clarksburg HS
 Gaithersburg HS
 Seneca Valley HS
 Sherwood HS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 92.5%
 - Seat Surplus : 116



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Albert Einstein High School

Year Facility Built: 1962
 Last Renovation: 1997 (2007 add'n)
 Gross Floor Area: 276,462 sq.ft.
 Site Size: 26.67 acres
 Relocatables: 5



Adjacent Schools

Bethesda-Chevy Chase HS
 Montgomery Blair HS
 Northwood HS

Walter Johnson HS
 Wheaton HS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 128.2%
 - Seat Deficit : 459



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Gaithersburg High School



Year Facility Built: 1951
 Last Renovation: 2013
 Gross Floor Area: 427,048 sq.ft.
 Site Size: 40.97 acres
 Relocatables: -

Adjacent Schools

Damascus HS	Seneca Valley HS
Col. Zadok Magruder HS	Sherwood HS
Quince Orchard HS	Watkins Mill HS
Richard Montgomery HS	Thomas S. Wootton HS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 113.3%
 - Seat Deficit : 325



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Walter Johnson High School

Year Facility Built: 1956
 Last Renovation: 2009
 Gross Floor Area: 365,138 sq.ft.
 Site Size: 30.86 acres
 Relocatables: 6



Adjacent Schools

Bethesda-Chevy Chase HS
 Winston Churchill HS
 Albert Einstein HS
 Richard Montgomery HS

Rockville HS
 Wheaton HS
 Walt Whitman HS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 137.5%
 - Seat Deficit : 871



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



John F. Kennedy High School

Year Facility Built: 1964
 Last Renovation: 1999
 Gross Floor Area: 280,048 sq.ft.
 Site Size: 29.14 acres
 Relocatables: 0



Adjacent Schools

James H. Blake HS
 Northwood HS
 Rockville HS

Springbrook HS
 Wheaton HS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 92.9%
 - Seat Surplus : 158



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Col. Zadok Magruder High School



Year Facility Built: 1970
 Last Renovation: -
 Gross Floor Area: 295,478 sq.ft.
 Site Size: 29.99 acres
 Relocatables: -

Adjacent Schools

Gaithersburg HS
 Richard Montgomery HS
 Rockville HS
 Sherwood HS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 97.0%
 - Seat Surplus : 59



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Richard Montgomery High School

Year Facility Built: 1942
 Last Renovation: 2007
 Gross Floor Area: 311,500 sq.ft.
 Site Size: 29.05 acres
 Relocatables: 6



Adjacent Schools

Winston Churchill HS
 Gaithersburg HS
 Col. Zadok Magruder HS

Rockville HS
 Walter Johnson HS
 Thomas S. Wootton HS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 121.6%
 - Seat Deficit : 485



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Northwest High School



Year Facility Built: 1998
 Last Addition: 2006
 Gross Floor Area: 340,867 sq.ft.
 Site Size: 34.56 acres
 Relocatables: 10

Adjacent Schools

Poolesville HS
 Quince Orchard HS
 Seneca Valley HS
 Thomas S. Wootton HS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 109.8%
 - Seat Deficit : 225



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Northwood High School

Year Facility Built: 1956
 Last Renovation: 2004
 Gross Floor Area: 253,488 sq.ft.
 Site Size: 29.56 acres
 Relocatables: 10



Adjacent Schools

Montgomery Blair HS
 James H. Blake HS
 Albert Einstein HS

John F. Kennedy HS
 Springbrook HS
 Wheaton HS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 74.2%
 - Seat Surplus : 696
- Capacity modification : reflects temporary relocation to Woodward HS (2023)



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Paint Branch High School



Year Facility Built: 1969
 Last Renovation: 2012
 Gross Floor Area: 347,169 sq.ft.
 Site Size: 45.98 acres
 Relocatables: -

Adjacent Schools

James H. Blake HS
 Sherwood HS
 Springbrook HS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 105.5%
 - Seat Deficit : 112



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Poolesville High School



Year Facility Built: 1953
 Last Renovation: 1978 (2009 add'n)
 Gross Floor Area: 165,056 sq.ft.
 Site Size: 37.2 acres
 Relocatables: -

Adjacent Schools

Clarksburg HS
 Northwest HS
 Seneca Valley HS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 84.0%
 - Seat Surplus : 241



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Quince Orchard High School

Year Facility Built: 1988
 Last Renovation: -
 Gross Floor Area: 284,912 sq.ft.
 Site Size: 30.11 acres
 Relocatables: 9



Adjacent Schools

Gaithersburg HS
 Northwest HS
 Seneca Valley HS

Watkins Mill HS
 Thomas S. Wootton HS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 137.4%
 - Seat Deficit : 669



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Rockville High School

Year Facility Built: 1968
 Last Renovation: 2004
 Gross Floor Area: 316,973 sq.ft.
 Site Size: 30.32 acres
 Relocatables: -



Adjacent Schools

James H. Blake HS
 John F. Kennedy HS
 Col. Zadok Magruder HS

Richard Montgomery HS
 Walter Johnson HS
 Wheaton HS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 94.5%
 - Seat Surplus : 85



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Seneca Valley High School

Year Facility Built: 1974
 Last Renovation: -
 Gross Floor Area: 251,278 sq.ft.
 Site Size: 29.37 acres
 Relocatables: -



Adjacent Schools

Clarksburg HS
 Damascus HS
 Gaithersburg HS
 Northwest HS

Poolesville HS
 Quince Orchard HS
 Watkins Mill HS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 98.6%
 - Seat Surplus : 35



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Sherwood High School

Year Facility Built: 1950
 Last Renovation: 1991 (2007 add'n)
 Gross Floor Area: 333,154 sq.ft.
 Site Size: 49.33 acres
 Relocatables: -



Adjacent Schools

James H. Blake HS
 Damascus HS
 Gaithersburg HS

Col. Zadok Magruder HS
 Paint Branch HS
 Springbrook HS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 93.2%
 - Seat Surplus : 147



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Springbrook High School

Year Facility Built: 1960
 Last Renovation: 1994
 Gross Floor Area: 305,006 sq.ft.
 Site Size: 25.13 acres
 Relocatables: -



Adjacent Schools

Montgomery Blair HS
 James H. Blake HS
 John F. Kennedy HS

Northwood HS
 Paint Branch HS
 Sherwood HS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 91.1%
 - Seat Surplus : 189



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Watkins Mill High School



Year Facility Built: 1989
 Last Renovation: -
 Gross Floor Area: 305,288 sq.ft.
 Site Size: 50.99 acres
 Relocatables: -

Adjacent Schools

Clarksburg HS
 Gaithersburg HS
 Quince Orchard HS
 Seneca Valley HS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 87.4%
 - Seat Surplus : 245



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Wheaton High School

Year Facility Built: 1954
 Last Renovation: 2016 (2018 add'n)
 Gross Floor Area: 373,825 sq.ft.
 Site Size: 28.23 acres
 Relocatables: -



Adjacent Schools

Albert Einstein HS
 John F. Kennedy HS
 Northwood HS

Rockville HS
 Walter Johnson HS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 104.3%
 - Seat Deficit : 97



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Walt Whitman High School



Year Facility Built: 1962
 Last Renovation: 1992
 Gross Floor Area: 261,295 sq.ft.
 Site Size: 30.67 acres
 Relocatables: 8

Adjacent Schools

Bethesda-Chevy Chase HS
 Winston Churchill HS
 Walter Johnson HS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 89.9%
 - Seat Surplus : 228



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Thomas S. Wootton High School

Year Facility Built: 1970
 Last Renovation: -
 Gross Floor Area: 295,620 sq.ft.
 Site Size: 27.37 acres
 Relocatables: 3



Adjacent Schools

Winston Churchill HS
 Gaithersburg HS
 Northwest HS

Quince Orchard HS
 Richard Montgomery HS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 95.0%
 - Seat Surplus : 108



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Individual School Utilization Report

Middle Schools

Argyle Middle School

Year Facility Built: 1971
 Last Renovation: 1993
 Gross Floor Area: 120,205 sq.ft.
 Site Size: 19.9 acres
 Relocatables: 3



Adjacent Schools

William H. Farquhar MS
 Col. E. Brooke Lee MS
 A. Mario Loiederman MS

Parkland MS
 White Oak MS
 Earle B. Wood MS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 122.0%
 - Seat Deficit : 197



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



John T. Baker Middle School



Year Facility Built: 1971
 Last Renovation: -
 GSF: 120,532 sq.ft.
 Site Size: 22 acres
 Relocatables: 2

Adjacent Schools

Gaithersburg MS
 Hallie Wells MS
 Rocky Hill MS
 Rosa Parks MS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 114.6%
 - Seat Deficit : 108



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Benjamin Banneker Middle School



Year Facility Built: 1974
 Last Renovation: -
 GSF: 117,035 sq.ft.
 Site Size: 19.96 acres
 Relocatables: -

Adjacent Schools

Briggs Chaney MS
 Francis Scott Key MS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 101.7%
 - Seat Deficit : 14



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Briggs Chaney Middle School



Year Facility Built: 1991
 Last Renovation: -
 GSF: 115,000 sq.ft.
 Site Size: 29.37 acres
 Relocatables: -

Adjacent Schools

Benjamin Banneker MS
 William H. Farquhar MS
 Francis Scott Key MS
 White Oak MS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 113.1%
 - Seat Deficit : 121



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Cabin John Middle School

Year Facility Built: 1967
 Last Renovation: 2011
 GSF: 159,514 sq.ft.
 Site Size: 18.24 acres
 Relocatables: -



Adjacent Schools

Forest Oak MS
 Robert Frost MS
 Herbert Hoover MS

North Bethesda MS
 Thomas W. Pyle MS
 Julius West MS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 101.2%
 - Seat Deficit : 13



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Roberto Clemente Middle School

Year Facility Built: 1992
 Last Renovation: -
 GSF: 148,246 sq.ft.
 Site Size: 19.87 acres
 Relocatables: 3



Adjacent Schools

Martin Luther King, Jr. MS
 Kingsview MS
 Lakelands Park MS

Montgomery Village MS
 Rocky Hill MS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 89.2%
 - Seat Surplus : 133



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Eastern Middle School



Year Facility Built: 1951
 Last Renovation: 1976
 GSF: 152,030 sq.ft.
 Site Size: 14.51 acres
 Relocatables: -

Adjacent Schools

Francis Scott Key MS
 Silver Spring International MS
 Takoma Park MS
 White Oak MS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 94.9%
 - Seat Surplus : 52



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



William H. Farquhar Middle School

Year Facility Built: 1968
 Last Renovation: 2016
 GSF: 135,626 sq.ft.
 Site Size: 37.11 acres
 Relocatables: -



Adjacent Schools

Argyle MS
 Briggs Chaney MS
 Rosa Parks MS

White Oak MS
 Earle B. Wood MS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 96.6%
 - Seat Surplus : 27



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Forest Oak Middle School



Year Facility Built: 1999
 Last Renovation: -
 GSF: 132,259 sq.ft.
 Site Size: 41.92 acres
 Relocatables: -

Adjacent Schools

Cabin John MS	Redland MS
Robert Frost MS	Ridgeview MS
Gaithersburg MS	Rocky Hill MS
Lakelands Park MS	Shady Grove MS
Montgomery Village MS	Julius West MS
Neelsville MS	

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 101.7%
 - Seat Deficit : 16



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Robert Frost Middle School

Year Facility Built: 1971
 Last Renovation: -
 GSF: 143,757 sq.ft.
 Site Size: 24.79 acres
 Relocatables: -



Adjacent Schools

Cabin John MS
 Forest Oak MS
 Herbert Hoover MS

Lakelands Park MS
 Ridgeview MS
 Julius West MS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 92.5%
 - Seat Surplus : 81



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Gaithersburg Middle School



Year Facility Built: 1960
 Last Renovation: 1988
 GSF: 157,694 sq.ft.
 Site Size: 22.89 acres
 Relocatables: -

Adjacent Schools

John T. Baker MS	Neelsville MS
Forest Oak MS	Redland MS
Hallie Wells MS	Rosa Parks MS
Montgomery Village MS	Shady Grove MS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 92.6%
 - Seat Surplus : 75



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Herbert Hoover Middle School

Year Facility Built: 1966
 Last Renovation: 2013
 GSF: 165,367 sq.ft.
 Site Size: 19.14 acres
 Relocatables: -



Adjacent Schools

Cabin John MS
 Robert Frost MS
 North Bethesda MS

Thomas W. Pyle MS
 Tilden MS
 Julius West MS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 82.4%
 - Seat Surplus : 201



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Francis Scott Key Middle School



Year Facility Built: 1966
 Last Renovation: 2009
 GSF: 147,424 sq.ft.
 Site Size: 20.58 acres
 Relocatables: -

Adjacent Schools

Benjamin Banneker MS
 Briggs Chaney MS
 Eastern MS
 Col. E. Brooke Lee MS
 Silver Spring International MS
 White Oak MS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 106.9%
 - Seat Deficit : 66



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Martin Luther King, Jr. Middle School



Year Facility Built: 1996
 Last Renovation: -
 GSF: 135,867 sq.ft.
 Site Size: 18.61 acres
 Relocatables: -

Adjacent Schools

Roberto Clemente MS
 Kingsview MS
 Neelsville MS
 Rocky Hill MS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 93.7%
 - Seat Surplus : 58



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Kingsview Middle School

Year Facility Built: 1997
 Last Renovation: -
 GSF: 140,398 sq.ft.
 Site Size: 18.45 acres
 Relocatables: -



Adjacent Schools

Roberto Clemente MS
 Martin Luther King, Jr. MS
 Lakelands Park MS

Neelsville MS
 John Poole MS
 Ridgeview MS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 92.0%
 - Seat Surplus : 83



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Lakelands Park Middle School



Year Facility Built: 2005
 Last Renovation: -
 GSF: 153,588 sq.ft.
 Site Size: 8.11 acres
 Relocatables: -

Adjacent Schools

Roberto Clemente MS	Montgomery Village MS
Forest Oak MS	Neelsville MS
Robert Frost MS	John Poole MS
Kingsview MS	Ridgeview MS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 108.0%
 - Seat Deficit : 90



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Col. E. Brooke Lee Middle School



Year Facility Built: 1966
 Last Renovation: -
 GSF: 123,199 sq.ft.
 Site Size: 16.45 acres
 Relocatables: -

Adjacent Schools

Argyle MS Silver Spring International MS
 Francis Scott Key MS Sligo MS
 A. Mario Loiederman MS White Oak MS
 Newport Mill MS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 77.5%
 - Seat Surplus : 227



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



A. Mario Loiederman Middle School

Year Facility Built: 1956
 Last Renovation: 2005
 GSF: 131,746 sq.ft.
 Site Size: 17.08 acres
 Relocatables: 2



Adjacent Schools

Argyle MS
 Col. E. Brooke Lee MS
 Newport Mill MS

North Bethesda MS
 Parkland MS
 Tilden MS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 94.3%
 - Seat Surplus : 57



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Montgomery Village Middle School

Year Facility Built: 1968
 Last Renovation: 2003
 GSF: 141,615 sq.ft.
 Site Size: 15.14 acres
 Relocatables: -



Adjacent Schools

Roberto Clemente MS
 Forest Oak MS
 Gaithersburg MS

Lakelands Park MS
 Neelsville MS
 Rocky Hill MS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 97.1%
 - Seat Surplus : 25



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Neelsville Middle School



Year Facility Built: 1981
 Last Renovation: -
 GSF: 131,432 sq.ft.
 Site Size: 29.19 acres
 Relocatables: -

Adjacent Schools

Forest Oak MS	Montgomery Village MS
Gaithersburg MS	John Poole MS
Martin Luther King, Jr. MS	Rocky Hill MS
Kingsview MS	Hallie Wells MS
Lakelands Park MS	

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 82.6%
 - Seat Surplus : 207



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Newport Mill Middle School

Year Facility Built: 1958
 Last Renovation: 2002
 GSF: 108,240 sq.ft.
 Site Size: 8.4 acres
 Relocatables: -



Adjacent Schools

Col. E. Brooke Lee MS
 A. Mario Loiederman MS
 North Bethesda MS

Silver Creek MS
 Sligo MS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 84.8%
 - Seat Surplus : 129



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



North Bethesda Middle School

Year Facility Built: 1955
 Last Renovation: 1999 (2018 add'n)
 GSF: 178,252 sq.ft.
 Site Size: 19.99 acres
 Relocatables: -



Adjacent Schools

Cabin John MS
 Herbert Hoover MS
 A. Mario Loiederman MS
 Newport Mill MS

Thomas W. Pyle MS
 Silver Creek MS
 Tilden MS
 Westland MS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 103.2%
 - Seat Deficit : 39



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Parkland Middle School



Year Facility Built: 1963
 Last Renovation: 2007
 GSF: 151,169 sq.ft.
 Site Size: 9.18 acres
 Relocatables: 2

Adjacent Schools

Argyle MS
 A. Mario Loiederman MS
 Tilden MS
 Earle B. Wood MS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 95.7%
 - Seat Surplus : 52



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Rosa Parks Middle School



Year Facility Built: 1992
 Last Renovation: -
 GSF: 137,469 sq.ft.
 Site Size: 24.05 acres
 Relocatables: -

Adjacent Schools

John T. Baker MS
 William H. Farquhar MS
 Gaithersburg MS
 Redland MS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 96.8%
 - Seat Surplus : 31



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



John Poole Middle School



Year Facility Built: 1997
 Last Renovation: -
 GSF: 85,669 sq.ft.
 Site Size: 20.51 acres
 Relocatables: -

Adjacent Schools

Kingsview MS
 Lakelands Park MS
 Neelsville MS
 Rocky Hill MS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 98.9%
 - Seat Surplus : 5



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Thomas W. Pyle Middle School



Year Facility Built: 1962
 Last Renovation: 1993 (2008 add'n)
 GSF: 153,824 sq.ft.
 Site Size: 14.32 acres
 Relocatables: 3

Adjacent Schools

Cabin John MS
 Herbert Hoover MS
 North Bethesda MS
 Westland MS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 99.3%
 - Seat Surplus : 11



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Redland Middle School

Year Facility Built: 1971
 Last Renovation: -
 GSF: 112,297 sq.ft.
 Site Size: 20.64 acres
 Relocatables: -



Adjacent Schools

Forest Oak MS
 Gaithersburg MS
 Rosa Parks MS

Shady Grove MS
 Earle B. Wood MS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 80.7%
 - Seat Surplus : 148



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Ridgeview Middle School



Year Facility Built: 1975
 Last Renovation: -
 GSF: 145,168 sq.ft.
 Site Size: 20 acres
 Relocatables: 4

Adjacent Schools

Forest Oak MS
 Robert Frost MS
 Kingsview MS
 Lakelands Park MS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 88.6%
 - Seat Surplus : 109



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Rocky Hill Middle School

Year Facility Built: 2004
 Last Renovation: -
 GSF: 148,065 sq.ft.
 Site Size: 23.29 acres
 Relocatables: -



Adjacent Schools

John T. Baker MS
 Roberto Clemente MS
 Martin Luther King, Jr. MS

Montgomery Village MS
 Hallie Wells MS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 95.7%
 - Seat Surplus : 44



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Shady Grove Middle School

Year Facility Built: 1995
 Last Renovation: 1999
 GSF: 129,206 sq.ft.
 Site Size: 20.51 acres
 Relocatables: -



Adjacent Schools

Forest Oak MS
 Gaithersburg MS
 Redland MS

Julius West MS
 Earle B. Wood MS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 83.7%
 - Seat Surplus : 139



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Silver Creek Middle School

Year Facility Built:
Last Renovation:
GSF:
Site Size:
Relocatables:



2017
-
174,743 sq.ft.
13.38 acres
-

Adjacent Schools

Newport Mill MS
North Bethesda MS
Sligo MS
Westland MS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 98.4%
 - Seat Surplus : 15



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Silver Spring International Middle School

Year Facility Built: 1934
 Last Renovation: 1999
 GSF: 152,731 sq.ft.
 Site Size: 15.64 acres
 Relocatables: -



Adjacent Schools

Eastern MS
 Francis Scott Key MS
 Col. E. Brooke Lee MS

Sligo MS
 Takoma Park MS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 86.7%
 - Seat Surplus : 173



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Sligo Middle School

Year Facility Built: 1959
 Last Renovation: 1991
 GSF: 149,527 sq.ft.
 Site Size: 21.74 acres
 Relocatables: -

Adjacent Schools
 Col. E. Brooke Lee MS
 Newport Mill MS
 Silver Creek MS
 Silver Spring International MS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 76.5%
 - Seat Surplus : 221



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Takoma Park Middle School

Year Facility Built: 1939
 Last Renovation: 1999
 GSF: 137,348 sq.ft.
 Site Size: 18.83 acres
 Relocatables: 6

Adjacent Schools
 Eastern MS
 Silver Spring International MS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 92.9%
 - Seat Surplus : 94



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Tilden Middle School

Year Facility Built: 1967
 Last Renovation: 1991
 GSF: 135,150 sq.ft.
 Site Size: 28.06 acres
 Relocatables: -



Adjacent Schools

Herbert Hoover MS
 A. Mario Loiederman MS
 North Bethesda MS

Parkland MS
 Julius West MS
 Earle B. Wood MS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 96.5%
 - Seat Surplus : 42



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Hallie Wells Middle School



Year Facility Built: 2016
 Last Renovation: -
 GSF: 150,089 sq.ft.
 Site Size: 22.37 acres
 Relocatables: -

Adjacent Schools

John T. Baker MS
 Gaithersburg MS
 Neelsville MS
 Rocky Hill MS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 89.9%
 - Seat Surplus : 99



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Julius West Middle School

Year Facility Built: 1961
 Last Renovation: 1995 (2016 add'n)
 GSF: 182,617 sq.ft.
 Site Size: 21.31 acres
 Relocatables: -



Adjacent Schools

Cabin John MS
 Forest Oak MS
 Robert Frost MS
 Herbert Hoover MS

Shady Grove MS
 Tilden MS
 Earle B. Wood MS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 104.0%
 - Seat Deficit : 57



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Westland Middle School



Year Facility Built: 1951
 Last Renovation: 1997
 GSF: 146,006 sq.ft.
 Site Size: 25.09 acres
 Relocatables: -

Adjacent Schools

North Bethesda MS
 Thomas W. Pyle MS
 Silver Creek MS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 82.8%
 - Seat Surplus : 190



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



White Oak Middle School

Year Facility Built: 1962
 Last Renovation: 1993
 GSF: 141,163 sq.ft.
 Site Size: 17.34 acres
 Relocatables: -



Adjacent Schools

Argyle MS
 Briggs Chaney MS
 Eastern MS

William H. Farquhar MS
 Francis Scott Key MS
 Col. E. Brooke Lee MS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 95.0%
 - Seat Surplus : 50



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Earle B. Wood Middle School

Year Facility Built: 1965
 Last Renovation: 2001
 GSF: 152,588 sq.ft.
 Site Size: 8.5 acres
 Relocatables: -



Adjacent Schools

Argyle MS
 William H. Farquhar MS
 Parkland MS
 Redland MS

Shady Grove MS
 Tilden MS
 Julius West MS

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 105.7%
 - Seat Deficit : 54



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Individual School Utilization Report

Elementary Schools

Arcola Elementary School

Year Facility Built: 1956
 Last Renovation: 2007 (2015 add'n)
 GSF: 95,421 sq.ft.
 Site Size: 5 acres
 Relocatables: 6



Adjacent Schools

Forest Knolls ES
 Glen Haven ES
 Glenallan ES
 Highland ES
 Kemp Mill ES

Oakland Terrace ES
 Rock View ES
 Sargent Shriver ES
 Weller Road ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 112.1%
 - Seat Deficit : 79



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Ashburton Elementary School

Year Facility Built: 1957
 Last Renovation: 1993 (2019 add'n)
 GSF: 91,178 sq.ft.
 Site Size: 8.32 acres
 Relocatables: -



Adjacent Schools

Bells Mill ES
 Beverly Farms ES
 Burning Tree ES
 Garrett Park ES

Kensington-Parkwood ES
 Luxmanor ES
 Seven Locks ES
 Wyngate ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 119.6%
 - Seat Deficit : 155



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Bannockburn Elementary School

Year Facility Built: 1957
 Last Renovation: 1988
 GSF: 54,234 sq.ft.
 Site Size: 8.34 acres
 Relocatables: 2



Adjacent Schools

Burning Tree ES
 Carderock Springs ES
 Seven Locks ES

Westbrook ES
 Wood Acres ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 138.7%
 - Seat Deficit : 141



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Lucy V. Barnsley Elementary School

Year Facility Built: 1965
 Last Renovation: 1998 (2018 add'n)
 GSF: 97,524 sq.ft.
 Site Size: 10 acres
 Relocatables: -



Adjacent Schools

Bel Pre/Strathmore ES
 Brookhaven ES
 Flower Valley ES

Harmony Hills ES
 Meadow Hall ES
 Rock Creek Valley ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 116.6%
 - Seat Deficit : 108



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Beall Elementary School

Year Facility Built: 1954
 Last Renovation: 1991
 GSF: 79,477 sq.ft.
 Site Size: 8.44 acres
 Relocatables: -



Adjacent Schools

College Gardens ES
 Fallsmead ES
 Maryvale ES

Meadow Hall ES
 Ritchie Park ES
 Bayard Rustin ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 85.6%
 - Seat Surplus : 92



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Bel Pre/Strathmore Elementary School

	Bel Pre	Strathmore
Year Facility Built:	1968	1970
Last Renovation:	2014	-
GSF:	95,330 sq.ft.	59,497 sq.ft.
Site Size:	8.91 acres	10.79 acres
Relocatables:	-	-



Adjacent Schools

Lucy V. Barnsley ES
Brookhaven ES
Flower Valley ES
Georgian Forest ES

Glenallan ES
Harmony Hills ES
Stonegate ES
Westover ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 96.7%
 - Seat Surplus : 36



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Bells Mill Elementary School

Year Facility Built: 1968
 Last Renovation: 2009
 GSF: 77,244 sq.ft.
 Site Size: 9.6 acres
 Relocatables: -



Adjacent Schools

Ashburton ES
 Beverly Farms ES
 Potomac ES

Seven Locks ES
 Wayside ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 101.1%
 - Seat Deficit : 7



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Belmont Elementary School



Year Facility Built: 1974
 Last Renovation: -
 GSF: 49,279 sq.ft.
 Site Size: 10.52 acres
 Relocatables: -

Adjacent Schools

Cashell ES
 Greenwood ES
 Laytonsville ES
 Olney ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 80.5%
 - Seat Surplus : 83



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Bethesda Elementary School

Year Facility Built: 1952
 Last Renovation: 1999 (2015 add'n)
 GSF: 75,421 sq.ft.
 Site Size: 7.93 acres
 Relocatables: 5



Adjacent Schools

Bradley Hills ES
 Rosemary Hills/Chevy Chase ES
 Rosemary Hills/N. Chevy Chase ES

Somerset ES
 Wyngate ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 131.1%
 - Seat Deficit : 174



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Beverly Farms Elementary School

Year Facility Built: 1965
 Last Renovation: 2012
 GSF: 98,916 sq.ft.
 Site Size: 4.98 acres
 Relocatables: -



Adjacent Schools

Ashburton ES
 Bells Mill ES
 Cold Spring ES

Farmland ES
 Ritchie Park ES
 Wayside ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 87.5%
 - Seat Surplus : 86



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Bradley Hills Elementary School

Year Facility Built: 1951
 Last Renovation: 1984 (2013 add'n)
 GSF: 76,745 sq.ft.
 Site Size: 6.71 acres
 Relocatables: -



Adjacent Schools

Bethesda ES
 Burning Tree ES
 Somerset ES

Wood Acres ES
 Wyngate ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 80.5%
 - Seat Surplus : 129



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Brooke Grove Elementary School



Year Facility Built: 1990
 Last Renovation: -
 GSF: 73,080 sq.ft.
 Site Size: 10.96 acres
 Relocatables: -

Adjacent Schools

Greenwood ES
 Olney ES
 Sherwood ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 89.4%
 - Seat Surplus : 55



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Brookhaven Elementary School

Year Facility Built: 1961
 Last Renovation: 1995 (2011 add'n)
 GSF: 81,320 sq.ft.
 Site Size: 8.57 acres
 Relocatables: -



Adjacent Schools

Lucy V. Barnsley ES
 Bel Pre/Strathmore ES
 Flower Valley ES

Harmony Hills ES
 Rock Creek Valley ES
 Wheaton Woods ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 99.4%
 - Seat Surplus : 3



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Brown Station Elementary School

Year Facility Built: 1969
 Last Renovation: 2017
 GSF: 113,998 sq.ft.
 Site Size: 9 acres
 Relocatables: -



Adjacent Schools

Rachel Carson ES
 Clopper Mill ES
 Diamond ES
 Great Seneca Creek ES

Thurgood Marshall ES
 S. Christa McAuliffe
 South Lake ES
 Watkins Mill ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 94.7%
 - Seat Surplus : 40



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Burning Tree Elementary School

Year Facility Built: 1958
 Last Renovation: 1991
 GSF: 68,119 sq.ft.
 Site Size: 6.78 acres
 Relocatables: 4



Adjacent Schools

Ashburton ES
 Bannockburn ES
 Bradley Hills ES

Seven Locks ES
 Wyngate ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 128.3%
 - Seat Deficit : 107



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Burnt Mills Elementary School

Year Facility Built: 1964
 Last Renovation: 1990
 GSF: 57,318 sq.ft.
 Site Size: 15.14 acres
 Relocatables: 9



Adjacent Schools

Forest Knolls ES
 Galway ES
 Jackson Road ES

Kemp Mill ES
 Roscoe R. Nix/Cresthaven ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 78.4%
 - Seat Surplus : 160



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Burtonsville Elementary School



Year Facility Built: 1952
 Last Renovation: 1993
 GSF: 71,349 sq.ft.
 Site Size: 11.92 acres
 Relocatables: 6

Adjacent Schools

Cloverly ES
 Greencastle ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 119.7%
 - Seat Deficit : 97



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Candlewood Elementary School

Year Facility Built: 1968
 Last Renovation: 2015
 GSF: 82,222 sq.ft.
 Site Size: 11.78 acres
 Relocatables: -



Adjacent Schools

College Gardens ES
 Maryvale ES
 Mill Creek Towne ES

Sequoyah ES
 Washington Grove ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 77.9%
 - Seat Surplus : 114



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Cannon Road Elementary School



Year Facility Built: 1967
 Last Renovation: 2012
 GSF: 83,377 sq.ft.
 Site Size: 4.4 acres
 Relocatables: -

Adjacent Schools

Dr. Charles R. Drew ES Roscoe R. Nix/Cresthaven ES
 Fairland ES William T. Page ES
 Jackson Road ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 81.3%
 - Seat Surplus : 97



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Carderock Springs Elementary School



Year Facility Built: 1966
 Last Renovation: 2010
 GSF: 75,351 sq.ft.
 Site Size: 9 acres
 Relocatables: -

Adjacent Schools

Bannockburn ES
 Potomac ES
 Seven Locks ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 94.3%
 - Seat Surplus : 23



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Rachel Carson Elementary School

Year Facility Built: 1990
 Last Renovation: -
 GSF: 78,547 sq.ft.
 Site Size: 12.4 acres
 Relocatables: 10



Adjacent Schools

Brown Station ES
 Diamond ES
 DuFief ES
 Fields Road ES

Jones Lane ES
 Thurgood Marshall ES
 Rosemont ES
 Summit Hall ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 82.2%
 - Seat Surplus : 123
- Enrollment modification : reflects capacity solution at DuFief ES (2023)



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Cashell Elementary School



Year Facility Built: 1969
 Last Renovation: 2009
 GSF: 71,171 sq.ft.
 Site Size: 10.24 acres
 Relocatables: 2

Adjacent Schools

Belmont ES
 Flower Valley ES
 Olney ES
 Sequoyah ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 102.4%
 - Seat Deficit : 8



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Cedar Grove Elementary School

Year Facility Built: 1960
 Last Renovation: 1987
 GSF: 57,037
 Site Size: 10.12
 Relocatables: 3



Adjacent Schools

Damascus ES
 William B. Gibbs Jr. ES
 Laytonsville ES
 Little Bennett ES

Lois P. Rockwell ES
 Snowden Farm ES
 Wilson Wims ES
 Woodfield ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 100.0%
 - Seat Deficit : 0



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Clarksburg Elementary School

Year Facility Built: 1952
 Last Renovation: 1993
 GSF: 54,983 sq.ft.
 Site Size: 9.97 acres
 Relocatables: 9



Adjacent Schools

William B. Gibbs Jr. ES
 Lake Seneca ES
 Little Bennett ES
 Spark M. Matsunaga ES

Ronald McNair ES
 Monocacy ES
 Snowden Farm ES
 Waters Landing ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 90.7%
 - Seat Surplus : 29
- Enrollment modification : reflects capacity solution at Clarksburg ES #9 (2023)



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Clearspring Elementary School



Year Facility Built: 1988
 Last Renovation: -
 GSF: 77,535 sq.ft.
 Site Size: 10 acres
 Relocatables: -

Adjacent Schools

Damascus ES
 Laytonsville ES
 Lois P. Rockwell ES
 Woodfield ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 100.8%
 - Seat Deficit : 5



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Clopper Mill Elementary School

Year Facility Built: 1986
 Last Renovation: -
 GSF: 64,851 sq.ft.
 Site Size: 9 acres
 Relocatables: 5



Adjacent Schools

Brown Station ES
 Germantown ES
 Great Seneca Creek ES
 Lake Seneca ES

Spark M. Matsunaga ES
 S. Christa McAuliffe
 Ronald McNair ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 114.3%
 - Seat Deficit : 71



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Cloverly Elementary School

Year Facility Built: 1961
 Last Renovation: 1989
 GSF: 61,991 sq.ft.
 Site Size: 10 acres
 Relocatables: 2



Adjacent Schools

Burtonsville ES
 Dr. Charles R. Drew ES
 Fairland ES

Greencastle ES
 Sherwood ES
 Stonegate ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 112.1%
 - Seat Deficit : 56



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Cold Spring Elementary School



Year Facility Built: 1972
 Last Renovation: -
 GSF: 55,158 sq.ft.
 Site Size: 12.38 acres
 Relocatables: 1

Adjacent Schools

Beverly Farms ES
 Fallsmead ES
 Ritchie Park ES
 Wayside ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 75.5%
 - Seat Surplus : 112



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



College Gardens Elementary School

Year Facility Built: 1967
 Last Renovation: 2008
 GSF: 96,986 sq.ft.
 Site Size: 7.94 acres
 Relocatables: 2



Adjacent Schools

Beall ES
 Candlewood ES
 Maryvale ES

Ritchie Park ES
 Rosemont ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 90.7%
 - Seat Surplus : 63



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Capt. James E. Daly Elementary School

Year Facility Built: 1989
 Last Renovation: -
 GSF: 78,386 sq.ft.
 Site Size: 10 acres
 Relocatables: 4



Adjacent Schools

Fox Chapel ES
 William B. Gibbs Jr. ES
 Dr. Salley K. Ride ES

South Lake ES
 Stedwick ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 90.6%
 - Seat Surplus : 49
- Enrollment modification : reflects capacity solution at Clarksburg ES #9 (2023)



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Damascus Elementary School

Year Facility Built: 1934
 Last Renovation: 1980
 GSF: 53,239 sq.ft.
 Site Size: 9.42 acres
 Relocatables: 2



Adjacent Schools

Cedar Grove ES
 Clearspring ES
 Laytonsville ES

Little Bennett ES
 Lois P. Rockwell ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 113.8%
 - Seat Deficit : 49



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Darnestown Elementary School

Year Facility Built: 1954
 Last Renovation: 1980 (2013 add'n)
 GSF: 64,840 sq.ft.
 Site Size: 7.21 acres
 Relocatables: -



Adjacent Schools

Great Seneca Creek ES
 Jones Lane ES
 Thurgood Marshall ES
 Spark M. Matsunaga ES

Monocacy ES
 Poolesville ES
 Travilah ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 77.8%
 - Seat Surplus : 96



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Diamond Elementary School

Year Facility Built: 1975
 Last Renovation: - (2017 add'n)
 GSF: 83,177 sq.ft.
 Site Size: 10 acres
 Relocatables: 4



Adjacent Schools

Brown Station ES
 Rachel Carson ES
 Fields Road ES

Great Seneca Creek ES
 Jones Lane ES
 Thurgood Marshall ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 120.5%
 - Seat Deficit : 139



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Dr. Charles R. Drew Elementary School

Year Facility Built: 1991
 Last Renovation: -
 GSF: 73,975 sq.ft.
 Site Size: 12 acres
 Relocatables: -



Adjacent Schools

Cannon Road ES
 Cloverly ES
 Fairland ES
 William T. Page ES

Sherwood ES
 Stonegate ES
 Westover ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 106.0%
 - Seat Deficit : 30



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



DuFief Elementary School

Year Facility Built: 1975
 Last Renovation: -
 GSF: 59,013 sq.ft.
 Site Size: 10 acres
 Relocatables: 1



Adjacent Schools

Rachel Carson ES
 Fields Road ES
 Jones Lane ES

Thurgood Marshall ES
 Stone Mill ES
 Travilah ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 82.2%
 - Seat Surplus : 134
- Enrollment modification : reflects capacity solution for Rachel Carson ES (2023)



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





East Silver Spring Elementary School

Year Facility Built: 1929
 Last Renovation: 1975 (2010 add'n)
 GSF: 88,895 sq.ft.
 Site Size: 8.43 acres
 Relocatables: -

Adjacent Schools
 Rolling Terrace ES
 Sligo Creek ES
 Takoma Park/Piney Branch ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 88.2%
 - Seat Surplus : 68



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Fairland Elementary School

Year Facility Built: 1992
 Last Renovation: - (2011 add'n)
 GSF: 92,227 sq.ft.
 Site Size: 11.79 acres
 Relocatables: 1



Adjacent Schools

Cannon Road ES
 Cloverly ES
 Dr. Charles R. Drew ES
 Galway ES

Greencastle ES
 Jackson Road ES
 William T. Page ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 93.8%
 - Seat Surplus : 40



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Fallsmead Elementary School

Year Facility Built: 1974
 Last Renovation: - (2008 add'n)
 GSF: 67,472 sq.ft.
 Site Size: 8.98 acres
 Relocatables: -



Adjacent Schools

Beall ES
 Cold Spring ES
 Fields Road ES
 Jones Lane ES
 Lakewood ES

Ritchie Park ES
 Rosemont ES
 Bayard Rustin ES
 Wayside ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 102.9%
 - Seat Deficit : 16



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Farmland Elementary School

Year Facility Built: 1963
 Last Renovation: 2011
 GSF: 89,988 sq.ft.
 Site Size: 4.75 acres
 Relocatables: -



Adjacent Schools

Beverly Farms ES
 Garrett Park ES
 Luxmanor ES

Bayard Rustin ES
 Twinbrook ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 118.1%
 - Seat Deficit : 129



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Fields Road Elementary School

Year Facility Built: 1973
 Last Renovation: - (2008 add'n)
 GSF: 72,302 sq.ft.
 Site Size: 10 acres
 Relocatables: 4



Adjacent Schools

Rachel Carson ES
 Diamond ES
 DuFief ES

Fallsmead ES
 Jones Lane ES
 Rosemont ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 109.2%
 - Seat Deficit : 40



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Flower Hill Elementary School



Year Facility Built: 1985
 Last Renovation: -
 GSF: 58,770 sq.ft.
 Site Size: 10 acres
 Relocatables: 3

Adjacent Schools

Judith A. Resnik ES
 Sequoyah ES
 Strawberry Knoll ES
 Washington Grove ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 88.8%
 - Seat Surplus : 55



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Flower Valley Elementary School

Year Facility Built: 1967
 Last Renovation: 1996
 GSF: 61,567 sq.ft.
 Site Size: 9.28 acres
 Relocatables: 2



Adjacent Schools

Lucy V. Barnsley ES
 Bel Pre/Strathmore ES
 Brookhaven ES
 Cashell ES
 Maryvale ES

Meadow Hall ES
 Sequoyah ES
 Sherwood ES
 Stonegate ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 116.1%
 - Seat Deficit : 67



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Forest Knolls Elementary School

Year Facility Built: 1960
 Last Renovation: 1993 (2006 add'n)
 GSF: 89,564 sq.ft.
 Site Size: 7.77 acres
 Relocatables: 5



Adjacent Schools

Arcola ES
 Burnt Mills ES
 Glen Haven ES

Kemp Mill ES
 Montgomery Knolls/Pine Crest ES
 Flora M. Singer ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 99.2%
 - Seat Surplus : 4



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Fox Chapel Elementary School

Year Facility Built: 1974
 Last Renovation: - (2011 add'n)
 GSF: 85,182 sq.ft.
 Site Size: 10.34 acres
 Relocatables: -



Adjacent Schools

Capt. James E. Daly ES
 S. Christa McAuliffe
 Dr. Salley K. Ride ES

South Lake ES
 Watkins Mill ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 90.6%
 - Seat Surplus : 64
- Enrollment modification : reflects capacity solution at Clarksburg ES #9 (2023)



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Gaithersburg Elementary School

Year Facility Built: 1947
 Last Renovation: 1983
 GSF: 94,468 sq.ft.
 Site Size: 9.22 acres
 Relocatables: -



Adjacent Schools

Judith A. Resnik ES
 Rosemont ES
 South Lake ES

Strawberry Knoll ES
 Summit Hall ES
 Washington Grove ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 96.2%
 - Seat Surplus : 28
- Enrollment modification : reflects capacity solution at Gaithersburg ES #8 (2022)



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Galway Elementary School

Year Facility Built: 1967
 Last Renovation: 2009
 GSF: 103,170 sq.ft.
 Site Size: 9 acres
 Relocatables: 2



Adjacent Schools

Burnt Mills ES
 Fairland ES
 Greencastle ES

Jackson Road ES
 Roscoe R. Nix/Cresthaven ES
 William T. Page ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 104.0%
 - Seat Deficit : 30



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Garrett Park Elementary School



Year Facility Built: 1948
 Last Renovation: 2012
 GSF: 96,348 sq.ft.
 Site Size: 4.37 acres
 Relocatables: -

Adjacent Schools

Ashburton ES	Sargent Shriver ES
Farmland ES	Twinbrook ES
Kensington-Parkwood ES	Viers Mill ES
Luxmanor ES	Wheaton Woods ES
Rock Creek Valley ES	Wyngate ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 101.2%
 - Seat Deficit : 9



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Georgian Forest Elementary School



Year Facility Built: 1961
 Last Renovation: 1995 (2013 add'n)
 GSF: 88,111 sq.ft.
 Site Size: 10.94 acres
 Relocatables: -

Adjacent Schools

Bel Pre/Strathmore ES
 Glenallan ES
 Harmony Hills ES
 Weller Road ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 95.4%
 - Seat Surplus : 31



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Germantown Elementary School



Year Facility Built: 1935
 Last Renovation: 1978
 GSF: 57,668 sq.ft.
 Site Size: 7.75 acres
 Relocatables: 3

Adjacent Schools

Clopper Mill ES
 Great Seneca Creek ES
 Spark M. Matsunaga ES
 Ronald McNair ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 115.8%
 - Seat Deficit : 48



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



William B. Gibbs, Jr. Elementary School



Year Facility Built: 2009
 Last Renovation: -
 GSF: 88,042 sq.ft.
 Site Size: 10.75 acres
 Relocatables: -

Adjacent Schools

Cedar Grove ES	Dr. Salley K. Ride ES
Clarksburg ES	Snowden Farm ES
Capt. James E. Daly ES	Stedwick ES
Goshen ES	Waters Landing ES
Laytonsville ES	

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 83.7%
 - Seat Surplus : 117



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Glen Haven Elementary School



Year Facility Built: 1950
 Last Renovation: 2004
 GSF: 85,845 sq.ft.
 Site Size: 10 acres
 Relocatables: -

Adjacent Schools

Arcola ES
 Forest Knolls ES
 Oakland Terrace ES
 Flora M. Singer ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 88.7%
 - Seat Surplus : 63



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Glenallan Elementary School

Year Facility Built: 1966
 Last Renovation: 2013
 GSF: 98,700 sq.ft.
 Site Size: 12.1 acres
 Relocatables: -



Adjacent Schools

Arcola ES
 Bel Pre/Strathmore ES
 Georgian Forest ES
 Jackson Road ES

Kemp Mill ES
 Weller Road ES
 Westover ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 98.9%
 - Seat Surplus : 8



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Goshen Elementary School

Year Facility Built: 1988
 Last Renovation: -
 GSF: 76,740 sq.ft.
 Site Size: 10.47 acres
 Relocatables: -



Adjacent Schools

William B. Gibbs Jr. ES
 Laytonville ES
 Judith A. Resnik ES
 South Lake ES

Stedwick ES
 Strawberry Knoll ES
 Whetstone ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 92.3%
 - Seat Deficit : 46



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Great Seneca Creek Elementary School

Year Facility Built: 2006
 Last Renovation: -
 GSF: 82,511 sq.ft.
 Site Size: 13.71 acres
 Relocatables: 3



Adjacent Schools

Brown Station ES
 Clopper Mill ES
 Darnestown ES
 Diamond ES

Germantown ES
 Thurgood Marshall ES
 Spark M. Matsunaga ES
 Ronald McNair ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 103.6%
 - Seat Deficit : 20



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Greencastle Elementary School



Year Facility Built: 1988
 Last Renovation: -
 GSF: 78,275 sq.ft.
 Site Size: 18.88 acres
 Relocatables: 6

Adjacent Schools

Burtonsville ES
 Cloverly ES
 Fairland ES
 Galway ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 121.3%
 - Seat Deficit : 126



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Greenwood Elementary School

Year Facility Built: 1970
 Last Renovation: -
 GSF: 64,609 sq.ft.
 Site Size: 10 acres
 Relocatables: -



Adjacent Schools

Belmont ES
 Brooke Grove ES
 Laytonsville ES

Olney ES
 Sherwood ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 90.9%
 - Seat Surplus : 53



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Harmony Hills Elementary School

Year Facility Built: 1957
 Last Renovation: 1999 (2011 add'n)
 GSF: 85,648 sq.ft.
 Site Size: 10.19 acres
 Relocatables: 5



Adjacent Schools

Lucy V. Barnsley ES
 Bel Pre/Strathmore ES
 Brookhaven ES
 Georgian Forest ES

Sargent Shriver ES
 Weller Road ES
 Wheaton Woods ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 103.1%
 - Seat Deficit : 22



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Highland Elementary School



Year Facility Built: 1950
 Last Renovation: 1989
 GSF: 87,491 sq.ft.
 Site Size: 11.05 acres
 Relocatables: -

Adjacent Schools

Arcola ES
 Kemp Mill ES
 Rock View ES
 Sargent Shriver ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 103.3%
 - Seat Deficit : 18



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Highland View Elementary School



Year Facility Built: 1953
 Last Renovation: 1994
 GSF: 59,307 sq.ft.
 Site Size: 6.61 acres
 Relocatables: 6

Adjacent Schools

Montgomery Knolls/Pine Crest ES
 New Hampshire Estates/Oak View ES
 Sligo Creek ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 145.5%
 - Seat Deficit : 131



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Jackson Road Elementary School

Year Facility Built: 1959
 Last Renovation: 1995 (2011 add'n)
 GSF: 91,465 sq.ft.
 Site Size: 8.76 acres
 Relocatables: 1



Adjacent Schools

Burnt Mills ES
 Cannon Road ES
 Fairland ES
 Galway ES

Glenallan ES
 Kemp Mill ES
 Roscoe R. Nix/Cresthaven ES
 Westover ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 93.8%
 - Seat Surplus : 43



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Jones Lane Elementary School

Year Facility Built: 1987
 Last Renovation: -
 GSF: 60,679 sq.ft.
 Site Size: 12.06 acres
 Relocatables: -



Adjacent Schools

Rachel Carson ES
 Darnestown ES
 Diamond ES
 DuFief ES
 Fallsmead ES

Fields Road ES
 Thurgood Marshall ES
 Rosemont ES
 Summit Hall ES
 Travilah ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 81.4%
 - Seat Surplus : 96



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Kemp Mill Elementary School

Year Facility Built: 1960
 Last Renovation: 1996
 GSF: 68,222 sq.ft.
 Site Size: 10 acres
 Relocatables: 3



Adjacent Schools

Arcola ES
 Burnt Mills ES
 Forest Knolls ES

Glenallan ES
 Highland ES
 Jackson Road ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 105.0%
 - Seat Deficit : 23



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Kensington-Parkwood Elementary School

Year Facility Built: 1952
 Last Renovation: 2006 (2018 add'n)
 GSF: 102,382
 Site Size: 9.86 acres
 Relocatables: -



Adjacent Schools

Ashburton ES
 Garrett Park ES
 Luxmanor ES
 Oakland Terrace ES

Rock View ES
 Rosemary Hills/N. Chevy Chase ES
 Viers Mill ES
 Wyngate ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 84.9%
 - Seat Surplus : 114



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Lake Seneca Elementary School

Year Facility Built: 1985
 Last Renovation: -
 GSF: 58,770 sq.ft.
 Site Size: 9.35 acres
 Relocatables: 9



Adjacent Schools

Clarksburg ES
 Clopper Mill ES
 Spark M. Matsunaga ES
 S. Christa McAuliffe

Ronald McNair ES
 Dr. Salley K. Ride ES
 Waters Landing ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 113.9%
 - Seat Deficit : 59



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Lakewood Elementary School

Year Facility Built: 1968
 Last Renovation: 2003
 GSF: 77,526 sq.ft.
 Site Size: 13.07 acres
 Relocatables: -



Adjacent Schools

Fallsmead ES
 Ritchie Park ES
 Stone Mill ES

Travilah ES
 Wayside ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 79.7%
 - Seat Surplus : 113



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Laytonville Elementary School

Year Facility Built: 1951
 Last Renovation: 1989
 GSF: 64,160 sq.ft.
 Site Size: 10.43 acres
 Relocatables: -



Adjacent Schools

Belmont ES
 Cedar Grove ES
 Clearspring ES
 Damascus ES
 William B. Gibbs Jr. ES

Goshen ES
 Greenwood ES
 Judith A. Resnik ES
 Sequoyah ES
 Woodfield ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 96.6%
 - Seat Surplus : 15



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



JoAnn Leleck Elementary School



Year Facility Built: 1952
 Last Renovation: 1974 (2006 add'n)
 GSF: 88,922 sq.ft.
 Site Size: 6.15 acres
 Relocatables: 10

Adjacent Schools

Montgomery Knolls/Pine Crest ES
 New Hampshire Estates/Oak View ES
 Roscoe R. Nix/Cresthaven ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 87.4%
 - Seat Surplus : 90
- Enrollment modification : reflects capacity solution at Roscoe R. Nix/Cresthaven ES (2022)



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Little Bennett Elementary School

Year Facility Built: 2006
 Last Renovation: -
 GSF: 82,511 sq.ft.
 Site Size: 4.81 acres
 Relocatables: -



Adjacent Schools

Cedar Grove ES
 Clarksburg ES
 Damascus ES

Snowden Farm ES
 Wilson Wims ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 102.2%
 - Seat Deficit : 14



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Luxmanor Elementary School



Year Facility Built: 1966
 Last Renovation: - (2009 add'n)
 GSF: 61,694 sq.ft.
 Site Size: 6.49 acres
 Relocatables: -

Adjacent Schools

Ashburton ES
 Farmland ES
 Garrett Park ES
 Kensington-Parkwood ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 101.4%
 - Seat Deficit : 11



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Thurgood Marshall Elementary School

Year Facility Built: 1993
 Last Renovation: -
 GSF: 77,798 sq.ft.
 Site Size: 12 acres
 Relocatables: 5



Adjacent Schools

Brown Station ES
 Rachel Carson ES
 Darnestown ES
 Diamond ES

DuFief ES
 Great Seneca Creek ES
 Jones Lane ES
 Summit Hall ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 114.5%
 - Seat Deficit : 80



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Maryvale Elementary School

Year Facility Built: 1969
 Last Renovation: -
 GSF: 92,050 sq.ft.
 Site Size: 17.67 acres
 Relocatables: -



Adjacent Schools

Beall ES
 Candlewood ES
 College Gardens ES

Flower Valley ES
 Meadow Hall ES
 Sequoyah ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 87.0%
 - Seat Surplus : 90



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Spark M. Matsunaga Elementary School

Year Facility Built: 2001
 Last Renovation: -
 GSF: 90,718 sq.ft.
 Site Size: 11.8 acres
 Relocatables: 4



Adjacent Schools

Clarksburg ES
 Clopper Mill ES
 Darnestown ES
 Germantown ES
 Great Seneca Creek ES

Lake Seneca ES
 S. Christa McAuliffe
 Ronald McNair ES
 Monocacy ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 116.3%
 - Seat Deficit : 95



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



S. Christa McAuliffe Elementary School

Year Facility Built: 1987
 Last Renovation: - (2019 add'n)
 GSF: 102,111 sq.ft.
 Site Size: 10.59 acres
 Relocatables: -



Adjacent Schools

Brown Station ES
 Clopper Mill ES
 Fox Chapel ES
 Lake Seneca ES

Spark M. Matsunaga ES
 Dr. Salley K. Ride ES
 Watkins Mill ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 70.7%
 - Seat Surplus : 226



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Ronald McNair Elementary School

Year Facility Built: 1990
 Last Renovation: -
 GSF: 78,275 sq.ft.
 Site Size: 10 acres
 Relocatables: 7



Adjacent Schools

Clarksburg ES
 Clopper Mill ES
 Germantown ES

Great Seneca Creek ES
 Lake Seneca ES
 Spark M. Matsunaga ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 107.8%
 - Seat Deficit : 60



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Meadow Hall Elementary School

Year Facility Built: 1956
 Last Renovation: 1994
 GSF: 61,964 sq.ft.
 Site Size: 8.37 acres
 Relocatables: 7



Adjacent Schools

Lucy V. Barnsley ES
 Beall ES
 Flower Valley ES

Maryvale ES
 Rock Creek Valley ES
 Twinbrook ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 109.1%
 - Seat Deficit : 34



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Mill Creek Towne Elementary School

Year Facility Built: 1966
Last Renovation: 2000
GSF: 67,465 sq.ft.
Site Size: 8.38 acres
Relocatables: 9

Adjacent Schools
Candlewood ES
Judith A. Resnik ES
Sequoyah ES
Washington Grove ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 156.3%
 - Seat Deficit : 189



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Monocacy Elementary School



Year Facility Built: 1961
 Last Renovation: 1989
 GSF: 42,482 sq.ft.
 Site Size: 9.66 acres
 Relocatables: -

Adjacent Schools

Clarksburg ES
 Darnestown ES
 Spark M. Matsunaga ES
 Poolesville ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 71.7%
 - Seat Surplus : 62



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Montgomery Knolls/Pine Crest ES



	Mont. Knolls	Pine Crest
Year Facility Built:	1952	1941
Last Renovation:	1989 (2011 add'n)	1992
GSF:	97,213 sq.ft.	53,778 sq.ft.
Site Size:	10.33 acres	5.64 acres
Relocatables:	-	5

Adjacent Schools

Forest Knolls ES	Roscoe R. Nix/Cresthaven ES
Highland View ES	Rolling Terrace ES
JoAnn Leleck ES	Sligo Creek ES
New Hampshire Est/Oak View ES	Flora M. Singer ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 82.1%
 - Seat Surplus : 236



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



New Hampshire Estates/Oak View ES

	NHE		Oak View
Year Facility Built:	1954	/	1949
Last Renovation:	1988	/	1985
GSF:	73,306 sq.ft.	/	57,560 sq.ft.
Site Size:	5.42 acres	/	11.25 acres
Relocatables:	-	/	3



Adjacent Schools

Highland View ES
JoAnn Leleck ES
Montgomery Knolls/Pine Crest ES

Rolling Terrace ES
Sligo Creek ES
Takoma Park/Piney Branch ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 105.8%
 - Seat Deficit : 48



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Roscoe R. Nix/Cresthaven ES

	Roscoe R. Nix	Cresthaven
Year Facility Built:	2006	1962
Last Renovation:	-	2010
GSF:	88,351 sq.ft.	76,862 sq.ft.
Site Size:	8.97 acres	9.81 acres
Relocatables:	-	2



Adjacent Schools

Burnt Mills ES
Cannon Road ES
Galway ES

Jackson Road ES
JoAnn Leleck ES
Montgomery Knolls/PineCrest ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 87.3%
 - Seat Surplus : 183
- Enrollment modification : reflects capacity solution for JoAnn Leleck ES (2022)



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Oakland Terrace Elementary School

Year Facility Built: 1950
 Last Renovation: 1993
 GSF: 79,145 sq.ft.
 Site Size: 9.54 acres
 Relocatables: 2


Adjacent Schools

Arcola ES
 Glen Haven ES
 Kensington-Parkwood ES

Rock View ES
 Rosemary Hills/N. Chevy Chase ES
 Flora M. Singer ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 111.5%
 - Seat Deficit : 56



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Olney Elementary School

Year Facility Built: 1954
 Last Renovation: 1990
 GSF: 68,755 sq.ft.
 Site Size: 9.88 acres
 Relocatables: -



Adjacent Schools

Belmont ES
 Brooke Grove ES
 Cashell ES

Greenwood ES
 Sequoyah ES
 Sherwood ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 111.4%
 - Seat Deficit : 69



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



William T. Page Elementary School



Year Facility Built: 1965
 Last Renovation: 2003
 GSF: 58,726 sq.ft.
 Site Size: 9.76 acres
 Relocatables: 10

Adjacent Schools

Cannon Road ES
 Dr. Charles R. Drew ES
 Fairland ES
 Galway ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 103.9%
 - Seat Deficit : 29



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Poolsville Elementary School



Year Facility Built: 1960
 Last Renovation: 1978
 GSF: 64,803 sq.ft.
 Site Size: 12.28 acres
 Relocatables: -

Adjacent Schools

Darnestown ES
 Monocacy ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 100.4%
 - Seat Deficit : 2



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Potomac Elementary School

Year Facility Built: 1949
 Last Renovation: 1976
 GSF: 57,713 sq.ft.
 Site Size: 9.61 acres
 Relocatables: -



Adjacent Schools

Bells Mill ES
 Carderock Springs ES
 Seven Locks ES

Stone Mill ES
 Travilah ES
 Wayside ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 73.9%
 - Seat Surplus : 125



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Judith A. Resnik Elementary School

Year Facility Built: 1991
 Last Renovation: -
 GSF: 78,547 sq.ft.
 Site Size: 12.77 acres
 Relocatables: 6



Adjacent Schools

Flower Hill ES
 Gaithersburg ES
 Goshen ES
 Laytonsville ES

Mill Creek Towne ES
 Sequoyah ES
 Strawberry Knoll ES
 Washington Grove ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 122.3%
 - Seat Deficit : 110



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Dr. Sally K. Ride Elementary School

Year Facility Built: 1994
 Last Renovation: -
 GSF: 78,686 sq.ft.
 Site Size: 13.48 acres
 Relocatables: 2



Adjacent Schools

Capt. James E. Daly ES
 Fox Chapel ES
 William B. Gibbs Jr. ES

Lake Seneca ES
 S. Christa McAuliffe
 Waters Landing ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 101.3%
 - Seat Deficit : 6



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Ritchie Park Elementary School

Year Facility Built: 1966
 Last Renovation: 1997
 GSF: 58,500 sq.ft.
 Site Size: 9.22 acres
 Relocatables: 6



Adjacent Schools

Beall ES
 Beverly Farms ES
 Cold Spring ES
 College Gardens ES
 Fallsmead ES

Lakewood ES
 Rosemont ES
 Bayard Rustin ES
 Stone Mill ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 97.4%
 - Seat Surplus : 10



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Rock Creek Forest Elementary School

Year Facility Built: 1950
 Last Renovation: 2015
 GSF: 98,140 sq.ft.
 Site Size: 7.95 acres
 Relocatables: -

Adjacent Schools
 Rosemary Hills/Chevy Chase ES
 Rosemary Hills/N. Chevy Chase ES
 Woodlin ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 115.7%
 - Seat Deficit : 105



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Rock Creek Valley Elementary School

Year Facility Built: 1964
 Last Renovation: 2001
 GSF: 76,692 sq.ft.
 Site Size: 10.44 acres
 Relocatables: 3



Adjacent Schools

Lucy V. Barnsley ES
 Brookhaven ES
 Garrett Park ES

Meadow Hall ES
 Wheaton Woods ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 90.2%
 - Seat Surplus : 45



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Rock View Elementary School

Year Facility Built: 1955
 Last Renovation: 1999 (2011 add'n)
 GSF: 91,977 sq.ft.
 Site Size: 7.44 acres
 Relocatables: -



Adjacent Schools

Arcola ES
 Highland ES
 Kensington-Parkwood ES

Oakland Terrace ES
 Viers Mill ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 100.6%
 - Seat Deficit : 4



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Lois P. Rockwell Elementary School



Year Facility Built: 1992
 Last Renovation: -
 GSF: 75,520 sq.ft.
 Site Size: 10.56 acres
 Relocatables: -

Adjacent Schools

Cedar Grove ES
 Clearspring ES
 Damascus ES
 Woodfield ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 91.3%
 - Seat Surplus : 46



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Rolling Terrace Elementary School

Year Facility Built: 1988
 Last Renovation: -
 GSF: 88,835 sq.ft.
 Site Size: 4.33 acres
 Relocatables: 10



Adjacent Schools

East Silver Spring ES
 Montgomery Knolls/Pine Crest ES
 New Hampshire Est/Oak View ES

Sligo Creek ES
 Takoma Park/Piney Branch ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 102.3%
 - Seat Deficit : 17



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Rosemary Hills/Chevy Chase ES

Rosemary Hills / **Chevy Chase**
Year Facility Built: 1956 / 1936
Last Renovation: 1988 (2015 add'n) / 2000 (2015 add'n)
GSF: /
Site Size: 86,548 sq.ft. / 70,976 sq.ft.
Relocatables: 6.07 acres / 3.78 acres



Adjacent Schools

Bethesda ES
 Rock Creek Forest ES
 Rosemary Hills/N. Chevy Chase ES

Somerset ES
 Woodlin ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 88.4%
 - Seat Surplus : 128



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Rosemary Hills/North Chevy Chase ES



	Rosemary Hills	N. Chevy Chase
Year Facility Built:	1956	1953
Last Renovation:	1988 (2015 add'n)	1995
GSF:	86,548 sq.ft.	65,982 sq.ft.
Site Size:	6.07 acres	7.94 acres
Relocatables:	-	-

Adjacent Schools

Bethesda ES	Rosemary Hills/Chevy Chase ES
Kensington-Parkwood ES	Flora M. Singer ES
Oakland Terrace ES	Woodlin ES
Rock Creek Forest ES	Wyngate ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 80.8%
 - Seat Surplus : 189



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Rosemont Elementary School

Year Facility Built: 1965
 Last Renovation: 1995
 GSF: 88,764 sq.ft.
 Site Size: 8.91 acres
 Relocatables: -



Adjacent Schools

Rachel Carson ES
 College Gardens ES
 Fallsmead ES
 Fields Road ES
 Gaithersburg ES

Jones Lane ES
 Ritchie Park ES
 Stone Mill ES
 Summit Hall ES
 Washington Grove ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 96.1%
 - Seat Surplus : 22
- Enrollment modification : reflects capacity solution at Gaithersburg ES #8 (2022)



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Bayard Rustin Elementary School

Year Facility Built: 2018
 Last Renovation: -
 GSF: 97,397 sq.ft.
 Site Size: 11.06 acres
 Relocatables: -



Adjacent Schools

Beall ES
 Fallsmead ES
 Farmland ES

Ritchie Park ES
 Twinbrook ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 93.3%
 - Seat Surplus : 50



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Sequoyah Elementary School

Year Facility Built: 1990
 Last Renovation: -
 GSF: 73,808 sq.ft.
 Site Size: 11.63 acres
 Relocatables: -



Adjacent Schools

Candlewood ES
 Cashell ES
 Flower Hill ES
 Flower Valley ES
 Laytonsville ES

Maryvale ES
 Mill Creek Towne ES
 Olney ES
 Judith A. Resnik ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 76.2%
 - Seat Surplus : 121



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Seven Locks Elementary School

Year Facility Built: 1964
 Last Renovation: 2012
 GSF: 66,915 sq.ft.
 Site Size: 9.98 acres
 Relocatables: -



Adjacent Schools

Ashburton ES
 Bannockburn ES
 Bells Mill ES

Burning Tree ES
 Carderock Springs ES
 Potomac ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 104.5%
 - Seat Deficit : 19



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Sherwood Elementary School

Year Facility Built: 1977
 Last Renovation: - (2010 add'n)
 GSF: 81,727 sq.ft.
 Site Size: 10.85 acres
 Relocatables: -



Adjacent Schools

Brooke Grove ES
 Cloverly ES
 Dr. Charles R. Drew ES
 Flower Valley ES

Greenwood ES
 Olney ES
 Stonegate ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 100.2%
 - Seat Deficit : 1



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Sargent Shriver Elementary School

Year Facility Built: 1954
 Last Renovation: 2006
 GSF: 91,628 sq.ft.
 Site Size: 9.17 acres
 Relocatables: 9



Adjacent Schools

Arcola ES
 Garrett Park ES
 Harmony Hills ES
 Highland ES

Viers Mill ES
 Weller Road ES
 Wheaton Woods ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 110.9%
 - Seat Deficit : 72



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Flora M. Singer Elementary School

Year Facility Built: 1950
 Last Renovation: 2012
 GSF: 95,831 sq.ft.
 Site Size: 12.67 acres
 Relocatables: 3



Adjacent Schools

Forest Knolls ES
 Glen Haven ES
 Montgomery Knolls/Pine Crest ES
 Oakland Terrace ES

Rosemary Hills/N. Chevy Chase ES
 Sligo Creek ES
 Woodlin ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 96.9%
 - Seat Surplus : 21



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Sligo Creek Elementary School

Year Facility Built: 1934
 Last Renovation: 1999
 GSF: 98,799 sq.ft.
 Site Size: 15.64 acres
 Relocatables: -



Adjacent Schools

East Silver Spring ES
 Highland View ES
 Montgomery Knolls/Pine Crest ES
 New Hampshire Est/Oak View ES

Rolling Terrace ES
 Flora M. Singer ES
 Woodlin ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 91.1%
 - Seat Surplus : 63



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Snowden Farm Elementary School

Year Facility Built: 2019
 Last Renovation: -
 GSF: 92,366 sq.ft.
 Site Size: 9.79 acres
 Relocatables: -



Adjacent Schools

Cedar Grove ES
 Clarksburg ES
 William B. Gibbs Jr. ES

Little Bennett ES
 Wilson Wims ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 115.9%
 - Seat Deficit : 123



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Somerset Elementary School

Year Facility Built: 1949
 Last Renovation: 2005
 GSF: 80,122 sq.ft.
 Site Size: 3.71 acres
 Relocatables: -



Adjacent Schools

Bethesda ES
 Bradley Hills ES
 Rosemary Hills/Chewy Chase ES

Westbrook ES
 Wood Acres ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 85.6%
 - Seat Deficit : 74
- Enrollment modification : reflects non-capital capacity solution at Westbrook ES (2021)



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



South Lake Elementary School

Year Facility Built: 1972
 Last Renovation: -
 GSF: 83,038 sq.ft.
 Site Size: 10.2 acres
 Relocatables: 9



Adjacent Schools

Brown Station ES
 Capt. James E. Daly ES
 Fox Chapel ES
 Gaithersburg ES
 Goshen ES

Stedwick ES
 Strawberry Knoll ES
 Summit Hall ES
 Watkins Mill ES
 Whetstone ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 114.5%
 - Seat Deficit : 111



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Stedwick Elementary School

Year Facility Built: 1974
 Last Renovation: - (2008 add'n)
 GSF: 109,677 sq.ft.
 Site Size: 10 acres
 Relocatables: -



Adjacent Schools

Capt. James E. Daly ES
 William B. Gibbs Jr. ES
 Goshen ES

South Lake ES
 Watkins Mill ES
 Whetstone ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 76.0%
 - Seat Surplus : 165



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Stone Mill Elementary School

Year Facility Built: 1988
 Last Renovation: -
 GSF: 78,617 sq.ft.
 Site Size: 11.76 acres
 Relocatables: -



Adjacent Schools

DuFief ES
 Lakewood ES
 Potomac ES
 Ritchie Park ES

Rosemont ES
 Travilah ES
 Wayside ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 81.4%
 - Seat Surplus : 129



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Stonegate Elementary School

Year Facility Built: 1971
 Last Renovation: -
 GSF: 52,468 sq.ft.
 Site Size: 10.26 acres
 Relocatables: 7



Adjacent Schools

Bel Pre/Strathmore ES
 Cloverly ES
 Dr. Charles R. Drew ES

Flower Valley ES
 Sherwood ES
 Westover ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 75.3%
 - Seat Surplus : 157



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Strawberry Knoll Elementary School

Year Facility Built: 1988
 Last Renovation: -
 GSF: 78,723 sq.ft.
 Site Size: 10.82 acres
 Relocatables: -



Adjacent Schools

Flower Hill ES
 Gaithersburg ES
 Goshen ES

Judith A. Resnik ES
 South Lake ES
 Whetstone ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 96.1%
 - Seat Surplus : 18
- Enrollment modification : reflects capacity solution at Gaithersburg ES #8 (2022)



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Summit Hall Elementary School

Year Facility Built: 1971
 Last Renovation: -
 GSF: 68,059 sq.ft.
 Site Size: 10.16 acres
 Relocatables: -



Adjacent Schools

Rachel Carson ES
 Gaithersburg ES
 Jones Lane ES

Thurgood Marshall ES
 Rosemont ES
 South Lake ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 96.1%
 - Seat Surplus : 18
- Enrollment modification : reflects capacity solution at Gaithersburg ES #8 (2022)



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Takoma Park/Piney Branch ES



	Takoma Park	Piney Branch
Year Facility Built:	1979	1973
Last Renovation:	- (2010 add'n)	-
GSF:	85,553 sq.ft.	99,706 sq.ft.
Site Size:	4.7 acres	1.97 acres
Relocatables:	-	-

Adjacent Schools

East Silver Spring ES
New Hampshire Estates/Oak View ES
Rolling Terrace ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 97.7%
 - Seat Surplus : 28



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Travilah Elementary School

Year Facility Built: 1960
 Last Renovation: 1992 (2008 add'n)
 GSF: 65,378 sq.ft.
 Site Size: 9.3 acres
 Relocatables: -



Adjacent Schools

Darnestown ES
 DuFief ES
 Jones Lane ES

Lakewood ES
 Potomac ES
 Stone Mill ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 62.7%
 - Seat Surplus : 196



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Twinbrook Elementary School



Year Facility Built: 1952
 Last Renovation: 1986
 GSF: 79,818 sq.ft.
 Site Size: 10.45 acres
 Relocatables: 2

Adjacent Schools

Farmland ES
 Garrett Park ES
 Meadow Hall ES
 Bayard Rustin ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 99.8%
 - Seat Surplus : 1



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Viers Mill Elementary School



Year Facility Built: 1950
 Last Renovation: 1991 (2013 add'n)
 GSF: 120,572 sq.ft.
 Site Size: 10.52 acres
 Relocatables: -

Adjacent Schools

Garrett Park ES
 Kensington-Parkwood ES
 Rock View ES
 Sargent Shriver ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 78.1%
 - Seat Surplus : 163



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Washington Grove Elementary School

Year Facility Built: 1956
 Last Renovation: 1984 (2010 add'n)
 GSF: 86,266 sq.ft.
 Site Size: 10.66 acres
 Relocatables: -



Adjacent Schools

Candlewood ES
 Flower Hill ES
 Gaithersburg ES

Mill Creek Towne ES
 Judith A. Resnik ES
 Rosemont ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 96.1%
 - Seat Surplus : 24
- Enrollment modification : reflects capacity solution at Gaithersburg ES #8 (2022)



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Waters Landing Elementary School



Year Facility Built: 1988
 Last Renovation: - (2014 add'n)
 GSF: 101,352 sq.ft.
 Site Size: 9.99 acres
 Relocatables: -

Adjacent Schools

Clarksburg ES
 William B. Gibbs Jr. ES
 Lake Seneca ES
 Dr. Salley K. Ride ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 84.8%
 - Seat Surplus : 118



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Watkins Mill Elementary School

Year Facility Built: 1970
 Last Renovation: - (2006 add'n)
 GSF: 80,923 sq.ft.
 Site Size: 10 acres
 Relocatables: 6



Adjacent Schools

Brown Station ES
 Fox Chapel ES
 S. Christa McAuliffe

South Lake ES
 Stedwick ES
 Whetstone ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 120.1%
 - Seat Surplus : 129



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Wayside Elementary School

Year Facility Built: 1969
 Last Renovation: 2017
 GSF: 93,453 sq.ft.
 Site Size: 9.26 acres
 Relocatables: -



Adjacent Schools

Bells Mill ES
 Beverly Farms ES
 Cold Spring ES
 Fallsmead ES

Lakewood ES
 Potomac ES
 Stone Mill ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 79.3%
 - Seat Surplus : 134



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Weller Road Elementary School

Year Facility Built: 1953
 Last Renovation: 2013
 GSF: 121,346 sq.ft.
 Site Size: 11.1 acres
 Relocatables: -



Adjacent Schools

Arcola ES
 Georgian Forest ES
 Glenallan ES

Harmony Hills ES
 Sargent Shriver ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 104.1%
 - Seat Deficit : 32



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Westbrook Elementary School



Year Facility Built: 1939
 Last Renovation: 1990 (2013 add'n)
 GSF: 91,359 sq.ft.
 Site Size: 12.46 acres
 Relocatables: -

Adjacent Schools

Bannockburn ES
 Somerset ES
 Wood Acres ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 85.6%
 - Seat Surplus : 79
- Enrollment modification : reflects non-capital capacity solution for Somerset ES (2021)



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Westover Elementary School

Year Facility Built: 1946
 Last Renovation: 1998
 GSF: 54,645 sq.ft.
 Site Size: 7.56 acres
 Relocatables: 2



Adjacent Schools

Bel Pre/Strathmore ES
 Dr. Charles R. Drew ES
 Glenallan ES

Jackson Road ES
 Stonegate ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 121.4%
 - Seat Deficit : 57



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Wheaton Woods Elementary School

Year Facility Built: 1952
 Last Renovation: 2017
 GSF: 120,154 sq.ft.
 Site Size: 8.03 acres
 Relocatables: -



Adjacent Schools

Brookhaven ES
 Garrett Park ES
 Harmony Hills ES

Rock Creek Valley ES
 Sargent Shriver ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 65.9%
 - Seat Surplus : 261



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Whetstone Elementary School

Year Facility Built: 1968
 Last Renovation: - (2011 add'n)
 GSF: 96,946 sq.ft.
 Site Size: 8.82 acres
 Relocatables: 3



Adjacent Schools

Goshen ES
 South Lake ES
 Stedwick ES

Strawberry Knoll ES
 Watkins Mill ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 97.6%
 - Seat Surplus : 18



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Wilson Wims Elementary School



Year Facility Built: 2014
 Last Renovation: -
 GSF: 91,931 sq.ft.
 Site Size: 9.29 acres
 Relocatables: 6

Adjacent Schools

Cedar Grove ES
 Little Bennett ES
 Snowden Farm ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 90.5%
 - Seat Surplus : 70
- Enrollment modification : student reassignment due to opening of Clarksburg ES #9 (2023)



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Wood Acres Elementary School



Year Facility Built: 1952
 Last Renovation: 2002 (2016 add'n)
 GSF: 96,358 sq.ft.
 Site Size: 4.78 acres
 Relocatables: -

Adjacent Schools

Bannockburn ES
 Bradley Hills ES
 Somerset ES
 Westbrook ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 86.3%
 - Seat Surplus : 99



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Woodfield Elementary School



Year Facility Built: 1962
 Last Renovation: 1985
 GSF: 53,212 sq.ft.
 Site Size: 10 acres
 Relocatables: -

Adjacent Schools

Cedar Grove ES
 Clearspring ES
 Laytonsville ES
 Lois P. Rockwell ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 99.5%
 - Seat Surplus : 2



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Woodlin Elementary School



Year Facility Built: 1944
 Last Renovation: 1974
 GSF: 60,725 sq.ft.
 Site Size: 10.97 acres
 Relocatables: 7

Adjacent Schools

Rock Creek Forest ES
 Rosemary Hills/Chevy Chase ES
 Rosemary Hills/N. Chevy Chase ES
 Flora M. Singer ES
 Sligo Creek ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 72.5%
 - Seat Surplus : 204



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Wyngate Elementary School

Year Facility Built: 1952
 Last Renovation: 1997 (2013 add'n)
 GSF: 89,204 sq.ft.
 Site Size: 9.45 acres
 Relocatables: -



Adjacent Schools

Ashburton ES
 Bethesda ES
 Bradley Hills ES
 Burning Tree ES

Garrett Park ES
 Kensington-Parkwood ES
 Rosemary Hills/Chew Chase ES

FY21 Annual School Test:

- 4-Yr Projection
 - Utilization : 94.1%
 - Seat Surplus : 46



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Index (by School Level)

HIGH SCHOOLS		MIDDLE SCHOOLS					
Bethesda-Chevy Chase	14	Argyle	40	Thomas W. Pyle	65	Beverly Farms	90
Montgomery Blair	15	John T. Baker	41	Redland	66	Bradley Hills	91
James Hubert Blake	16	Benjamin Banneker	42	Ridgeview	67	Brooke Grove	92
Winston Churchill	17	Briggs Chaney	43	Rocky Hill	68	Brookhaven	93
Clarksburg	18	Cabin John	44	Shady Grove	69	Brown Station	94
Damascus	19	Roberto Clemente	45	Silver Creek	70	Burning Tree	95
Albert Einstein	20	Eastern	46	Silver Spring International	71	Burnt Mills	96
Gaithersburg	21	William H. Farquhar	47	Sligo	72	Burtonsville	97
Walter Johnson	22	Forest Oak	48	Takoma Park	73	Candlewood	98
John F. Kennedy	23	Robert Frost	49	Tilden	74	Cannon Road	99
Col. Zadok Magruder	24	Gaithersburg	50	Hallie Wells	75	Carderock Springs	100
Richard Montgomery	25	Herbert Hoover	51	Julius West	76	Rachel Carson	101
Northwest	26	Francis Scott Key	52	Westland	77	Cashell	102
Northwood	27	Martin Luther King, Jr	53	White Oak	78	Cedar Grove	103
Paint Branch	28	Kingsview	54	Earle B. Wood	79	Clarksburg	104
Poolesville	29	Lakelands Park	55	ELEMENTARY SCHOOLS		Clearspring	105
Quince Orchard	30	Col. E. Brooke Lee	56	Arcola	81	Clopper Mill	106
Rockville	31	A. Mario Loiederman	57	Ashburton	82	Cloverly	107
Seneca Valley	32	Montgomery Village	58	Bannockburn	83	Cold Spring	108
Sherwood	33	Neelsville	59	Lucy V. Barnsley	84	College Gardens	109
Springbrook	34	Newport Mill	60	Beall	85	Capt. James E. Daly	110
Watkins Mill	35	North Bethesda	61	Bel Pre/Strathmore	86	Damascus	111
Wheaton	36	Parkland	62	Bells Mill	87	Darnestown	112
Walt Whitman	37	Rosa Parks	63	Belmont	88	Diamond	113
Thomas S. Wootton	38	John Poole	64	Bethesda	89	Dr. Charles R. Drew	114
						DuFief	115



East Silver Spring	116	Kemp Mill	142	Ritchie Park	168	Twinbrook	194
Fairland	117	Kensington-Parkwood	143	Rock Creek Forest	169	Viers Mill	195
Fallsmead	118	Lake Seneca	144	Rock Creek Valley	170	Washington Grove	196
Farmland	119	Lakewood	145	Rock View	171	Waters Landing	197
Fields Road	120	Laytonsville	146	Lois P. Rockwell	172	Watkins Mill	198
Flower Hill	121	JoAnn Leleck	147	Rolling Terrace	173	Wayside	199
Flower Valley	122	Little Bennett	148	Rosemary Hills/Chevy Chase	174	Weller Road	200
Forest Knolls	123	Luxmanor	149	Rosemary Hills/North Chevy Chase	175	Westbrook	201
Fox Chapel	124	Thurgood Marshall	150	Rosemont	176	Westover	202
Gaithersburg	125	Maryvale	151	Bayard Rustin	177	Wheaton Woods	203
Galway	126	Spark M. Matsunaga	152	Sequoyah	178	Whetstone	204
Garrett Park	127	S. Christa McAuliffe	153	Seven Locks	179	Wilson Wims	205
Georgian Forest	128	Ronald McNair	154	Sherwood	180	Wood Acres	206
Germantown	129	Meadow Hall	155	Sargent Shriver	181	Woodfield	207
William B. Gibbs Jr.	130	Mill Creek Towne	156	Flora M. Singer	182	Woodlin	208
Glen Haven	131	Monocacy	157	Sligo Creek	183	Wyngate	209
Glenallan	132	Montgomery Knolls/Pine Crest	158	Snowden Farm	184		
Goshen	133	New Hampshire Estates/Oak View	159	Somerset	185		
Great Seneca Creek	134	Roscoe R. Nix/Cresthaven	160	South Lake	186		
Greencastle	135	Oakland Terrace	161	Stedwick	187		
Greenwood	136	Olney	162	Stone Mill	188		
Harmony Hills	137	William T. Page	163	Stonegate	189		
Highland	138	Poolesville	164	Strawberry Knoll	190		
Highland View	139	Potomac	165	Summit Hall	191		
Jackson Road	140	Judith A. Resnik	166	Takoma Park/Piney Branch	192		
Jones Lane	141	Dr. Sally K. Ride	167	Travilah	193		



Index (by Cluster)

BETHESDA-CHEVY CHASE CLUSTER	
Bethesda-Chevy Chase HS	14
Silver Creek MS	70
Westland MS	77
Bethesda ES	89
Rock Creek Forest ES	169
Rosemary Hills/Chevy Chase ES	174
Rosemary Hills/North Chevy Chase ES	175
Somerset ES	185
Westbrook ES	201

WINSTON CHURCHILL CLUSTER	
Winston Churchill HS	17
Cabin John MS	44
Herbert Hoover MS	51
Bells Mill ES	87
Beverly Farms ES	90
Potomac ES	165
Seven Locks ES	179
Wayside ES	199

CLARKSBURG CLUSTER	
Clarksburg HS	18
Rocky Hill MS	68
Hallie Wells MS	75
Clarksburg ES	104

Capt. James E. Daly ES	110
Fox Chapel ES	124
Little Bennett ES	148
Snowden Farm ES	184
Wilson Wims ES	205

DAMASCUS CLUSTER	
Damascus HS	19
John T. Baker MS	41
Hallie Wells MS	75
Cedar Grove ES	103
Clearspring ES	105
Damascus ES	111
Lois P. Rockwell ES	172
Snowden Farm ES	184
Woodfield ES	207

DOWNCOUNTY CONSORTIUM	
Montgomery Blair HS	15
Albert Einstein HS	20
John F. Kennedy HS	23
Northwood HS	27
Wheaton HS	36
Argyle MS	40
Eastern MS	46
Col. E. Brooke Lee MS	56

A. Mario Loiederman MS	57
Newport Mill MS	60
Parkland MS	62
Silver Spring International MS	71
Sligo MS	72
Takoma Park MS	73
Arcola ES	81
Bel Pre/Strathmore ES	86
Brookhaven ES	93
East Silver Spring ES	116
Forest Knolls ES	123
Georgian Forest ES	128
Glen Haven ES	131
Glenallan ES	132
Harmony Hills ES	137
Highland ES	138
Highland View ES	139
Kemp Mill ES	142
Montgomery Knolls/Pine Crest ES	158
New Hampshire Estates/Oak View ES	159
Oakland Terrace ES	161
Rock View ES	171
Rolling Terrace ES	173
Sargent Shriver ES	181
Flora M. Singer ES	182
Sligo Creek ES	183

Takoma Park/Pine Branch ES	192
Viers Mills ES	195
Weller Road ES	200
Wheaton Woods ES	203
Woodlin ES	208

GAITHERSBURG CLUSTER	
Gaithersburg HS	21
Forest Oak MS	48
Gaithersburg MS	50
Gaithersburg ES	125
Goshen ES	133
Laytonsville ES	146
Rosemont ES	176
Strawberry Knoll ES	190
Summit Hall ES	191
Washington Grove ES	196

WALTER JOHNSON CLUSTER	
Walter Johnson HS	22
North Bethesda MS	61
Tilden MS	74
Ashburton ES	82
Farmland ES	119
Garrett Park ES	127
Kensington-Parkwood ES	143



Luxmanor ES	149
Wyngate ES	209

COL. ZADOK MAGRUDER CLUSTER

Col. Zadok Magruder HS	24
Redland MS	66
Shady Grove MS	69
Candlewood ES	98
Cashell ES	102
Flower Hill ES	121
Mill Creek Towne ES	156
Judith A. Resnik ES	166
Sequoyah ES	178

RICHARD MONTGOMERY CLUSTER

Richard Montgomery HS	25
Julius West MS	76
Beall ES	85
College Gardens ES	109
Ritchie Park ES	168
Bayard Rustin ES	177
Twinbrook ES	194

NORTHEAST CONSORTIUM

James Hubert Blake HS	16
Paint Branch HS	28

Springbrook HS	34
Benjamin Banneker MS	42
Briggs Chaney MS	43
William H. Farquhar MS	47
Francis Scott Key MS	52
White Oak MS	78
Burnt Mills ES	96
Burtonsville ES	97
Cannon Road ES	99
Cloverly ES	107
Dr. Charles R. Drew ES	114
Fairland ES	117
Galway ES	126
Greencastle ES	135
Jackson Road ES	140
JoAnn Leleck ES	147
Roscoe R. Nix/Cresthaven ES	160
William T. Page ES	163
Sherwood ES	180
Stonegate ES	189
Westover ES	202

NORTHWEST CLUSTER

Northwest HS	26
Roberto Clemente MS	45
Kingsview MS	54

Lakelands Park MS	55
Clopper Mill ES	106
Darnestown ES	112
Diamond ES	113
Germantown ES	129
Great Seneca Creek ES	134
Spark M. Matsunaga ES	152
Ronald McNair ES	154

POOLESVILLE CLUSTER

Poolesville HS	29
John Poole MS	64
Monocacy ES	157
Poolesville ES	164

QUINCE ORCHARD CLUSTER

Quince Orchard HS	30
Lakelands Park MS	55
Ridgeview MS	67
Brown Station ES	94
Rachel Carson ES	101
Fields Road ES	120
Jones Lane ES	141
Thurgood Marshall ES	150

ROCKVILLE CLUSTER

Rockville HS	31
Earle B. Wood MS	79
Lucy V. Barnsley ES	84
Flower Valley ES	122
Maryvale ES	151
Meadow Hall ES	155
Rock Creek Valley ES	170

SENECA VALLEY CLUSTER

Seneca Valley HS	32
Roberto Clemente MS	45
Martin Luther King, Jr. MS	53
Neelsville MS	59
Clarksburg ES	104
Germantown ES	129
William B. Gibbs, Jr. ES	130
Lake Seneca ES	144
S. Christa McAuliffe ES	153
Dr. Sally K. Ride ES	167
Waters Landing ES	197

SHERWOOD CLUSTER

Sherwood HS	33
William H. Farquhar MS	47
Rosa Parks MS	63



Belmont ES	88
Brooke Grove ES	92
Greenwood ES	136
Olney ES	162
Sherwood ES	180

WATKINS MILL CLUSTER

Watkins Mill HS	35
Montgomery Village MS	58
Neelsville MS	59
South Lake ES	186
Stedwick ES	187
Watkins Mill ES	198
Whetstone ES	204

WALT WHITMAN CLUSTER

Walt Whitman HS	37
Thomas W. Pyle MS	65
Bannockburn ES	83
Bradley Hills ES	91
Burning Tree ES	95
Carderock Springs ES	100
Wood Acres ES	206

THOMAS S. WOOTTON CLUSTER

Thomas S. Wootton HS	38
----------------------	----

Cabin John MS	44
Robert Frost MS	49
Cold Spring ES	108
DuFief ES	115
Fallsmead ES	118
Lakewood ES	145
Stone Mill ES	188
Travilah ES	193

