

 **Montgomery Planning**
THE MARYLAND-NATIONAL CAPITAL PARK AND PLANNING COMMISSION

FY2026 SCHOOL UTILIZATION REPORT

Table of Contents

About the FY 2026 School Utilization Report	2
Future Utilization Reports	5
Countywide Utilization Report	6
Individual School Utilization Report – High Schools	23
Individual School Utilization Report – Middle Schools	49
Individual School Utilization Report – Elementary Schools	90
Index (by School Level)	222
Index (by Cluster)	223



About the School Utilization Report

Since the adoption of the Growth and Infrastructure Policy in 2020, the Planning Department is required to provide a School Utilization Report along with the Annual School Test to provide supplemental information about the utilization of the county's public school infrastructure.

The report consists of two main parts: a countywide component and an individual school component. Each part provides a graphic representation of the enrollment and capacity data of Montgomery County Public Schools and their facility utilization trends.

- The *Countywide Utilization Report* includes:
 - Trends of the countywide enrollment, capacity, and utilization rates of all schools collectively, for each school level.
 - Trends of the share of school facilities operating at various adequacy levels, for each school level.
 - A snapshot of single-family home sales, residential development and total housing units for each school service area.

- The *Individual School Utilization Report* includes:
 - Trends of past and projected enrollment, capacity, and utilization rates of individual schools.
 - Facility data, adjacent schools, and Annual School Test results of individual schools.

Data Sources & Modifications


The source of data and method of modifications is consistent with the Annual School Test.

- Past trends are based on the actual enrollment and capacity data reported in 'MCPS Educational Facilities Master Plan and Capital Improvements Program' publications each fiscal year.
- Projected trends are based on the enrollment and capacity projections provided in the current fiscal year's educational facilities master plan publication. However, in schools where the projections do not reflect an approved capacity relief plan, the rules outlined in the Annual School Test Guidelines are used to make modifications. The modification is applied to each school year following the anticipated completion or execution of the capacity solution.




Countywide Data

There are two types of graphs provided in the Countywide Utilization Report related to schools. The first is a combination bar and line graph that shows past and projected enrollment and capacity trends for MCPS' elementary, middle or high schools collectively. The past trend shows actual enrollment and capacity of the last 15 school years. The projected trend shows enrollment and capacity data for the next five school years. This graph also includes a trend line that shows the countywide capacity utilization rate for the school level.



The second type of graph is a stacked bar graph that shows the distribution of the county's public elementary, middle or high

schools by utilization rate. Again, the graph shows actual enrollment and capacity of the last 15 school years, and projected utilization rates for the next five school years. The levels of utilization are based on the utilization rate thresholds used to determine Utilization Premium Payments.¹



Since FY 2022, a snapshot of housing data has been included, showing the total annual single-family home sales, residential development and total housing units for each school service area.

¹ Utilization Premium Payment requirements are determined as part of the Annual School Test and are based on the combination of an individual school's projected utilization rate and seat deficit four years in the future.



Individual School Data


The Individual School Utilization Report includes one primary graph for each school. The combination bar and line graph shows the enrollment and capacity trends for the school – the actual trend of the last 15 school years, and the projected trend for the next five school years. This graph also includes a line that shows the corresponding rate of capacity utilization for the school.

In addition to the graph, information pertaining to the school facility and site are provided, including the year the facility was built, when the facility was last renovated and/or expanded, the facility's gross floor area and the size of the school site. The number of relocatable classrooms that were used to relieve overcrowding during the last school year is also included.

For each school, there is also a list of schools that share boundaries, and links are included to the corresponding page of each adjacent school.

Finally, information is provided regarding the status of the school in the Annual School Test. This includes identifying

what level of Utilization Premium Payment (UPP) is required, if any, for development approved in the school's service area. There is a graphic that demonstrates where the school's projected utilization falls relative to the UPP utilization rate thresholds and the seat deficit thresholds. In order to trigger a payment at a particular UPP tier, the projected utilization must meet the thresholds for both factors. The image below provides a visualization of how the UPP tier is determined based on the utilization rate and seat deficit thresholds.




Future Utilization Reports

School Utilization Reports will continue to be released in June of each year. Over time, additional information will be included as data are collected, reviewed and prepared for presentation. Such data may include information on individual school core capacity, as well as countywide trends in the use of relocatable classrooms. Trends in housing by school service area may also be provided to better demonstrate connections between these trends and school enrollment. The reports may also move to a purely digital format with interactive graphs.



Countywide Utilization Report


High Schools – Countywide Enrollment/Utilization Trend



* MCPS FY26 CIP projection.




High Schools – Individual School Utilization Level Trend



*MCPS FY26 CIP projection.




Middle Schools – Countywide Enrollment/Utilization Trend



*MCPS FY26 CIP projection.




Middle Schools – Individual School Utilization Level Trend



*MCPS FY26 CIP projection.




Elementary Schools – Countywide Enrollment/Utilization Trend



*MCPS FY26 CIP projection.



Elementary Schools – Individual School Utilization Level Trend



*MCPS FY26 CIP projection.




2024 Housing Analysis – HS Service Areas

Sold Units*


- Single-Family Detached Units
- Single-Family Attached Units

* Includes sales of existing units and newly built units.




New Units

- Single-Family Units (detached & attached, includes teardown-rebuild units)
- Multi-Family Units



Total DUs




2024 Housing Analysis – MS Service Areas

Sold Units*


- Single-Family Detached Units
- Single-Family Attached Units

* Includes sales of existing units and newly built units.




New Units

- Single-Family Units (detached & attached, includes teardown-rebuild units)
- Multi-Family Units




Total DUs



2024 Housing Analysis – ES Service Areas (1/3)


Sold Units*

- Single-Family Detached Units
- Single-Family Attached Units
- * Includes sales of existing units and newly built units.




New Units

- Single-Family Units (detached & attached, includes teardown-rebuild units)
- Multi-Family Units



Total DUs




2024 Housing Analysis – ES Service Areas (2/3)

Sold Units*


- Single-Family Detached Units
- Single-Family Attached Units

* Includes sales of existing units and newly built units.




New Units

- Single-Family Units (detached & attached, includes teardown-rebuild units)
- Multi-Family Units



Total DUs



2024 Housing Analysis – ES Service Areas (3/3)

Sold Units*


- Single-Family Detached Units
- Single-Family Attached Units

* Includes sales of existing units and newly built units.

New Units

- Single-Family Units (detached & attached, includes teardown-rebuild units)
- Multi-Family Units

Total DUs



Individual School Utilization Report

High Schools

Bethesda-Chevy Chase High School



Year Facility Built: 1934
 Last Renovation: 2001 (2018 add'n)
 Gross Floor Area: 392,833 sq.ft.
 Site Size: 16.4 acres
 Relocatables in 2024: -

Adjacent Schools

Albert Einstein HS
 Walter Johnson HS
 Walt Whitman HS

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 94.7%
 - Seat Differential: +130
- Enrollment projection modified to reflect student reassignment in 2027 between high schools included in Woodward HS boundary study scope.



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Montgomery Blair High School



Year Facility Built: 1998
 Last Renovation: -
 Gross Floor Area: 386,567 sq.ft.
 Site Size: 29.7 acres
 Relocatables in 2024: 19

Adjacent Schools

James H. Blake HS
 Albert Einstein HS
 Northwood HS
 Springbrook HS

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 94.7%
 - Seat Differential: +152
- Enrollment projection modified to reflect student reassignment in 2027 between high schools included in Woodward HS boundary study scope.



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



James Hubert Blake High School

Year Facility Built: 1998
 Last Renovation: -
 Gross Floor Area: 297,125 sq.ft.
 Site Size: 91.1 acres
 Relocatables in 2024: 4



Adjacent Schools

Montgomery Blair HS
 John F. Kennedy HS
 Col. Zadok Magruder HS
 Northwood HS

Paint Branch HS
 Rockville HS
 Sherwood HS
 Springbrook HS

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 136.3%
 - Seat Differential: -633



Winston Churchill High School



Year Facility Built: 1964
 Last Renovation: 2001
 Gross Floor Area: 322,078 sq.ft.
 Site Size: 30.3 acres
 Relocatables in 2024: 4

Adjacent Schools

Richard Montgomery HS
 Walter Johnson HS
 Walt Whitman HS
 Thomas S. Wootton HS

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 93.1%
 - Seat Differential: +133
- Enrollment projection modified to reflect student reassignment in 2027 between high schools included in Crown/Damascus HS boundary study scope.



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Clarksburg High School



Year Facility Built: 1995
 Last Renovation: 2006 (2015 add'n)
 Gross Floor Area: 344,574 sq.ft.
 Site Size: 62.7 acres
 Relocatables in 2024: 13

Adjacent Schools

Damascus HS
 Poolesville HS
 Seneca Valley HS
 Watkins Mill HS

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 93.1%
 - Seat Differential: +139
- Enrollment projection modified to reflect student reassignment in 2027 between high schools included in Crown/Damascus HS boundary study scope.



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Damascus High School



Year Facility Built: 1950
 Last Renovation: 1978
 Gross Floor Area: 235,986 sq.ft.
 Site Size: 32.7 acres
 Relocatables in 2024: -

Adjacent Schools

Clarksburg HS
 Gaithersburg HS
 Seneca Valley HS
 Sherwood HS

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 93.1%
 - Seat Differential: +106
- Enrollment projection modified to reflect student reassignment in 2027 between high schools included in Crown/Damascus HS boundary study scope.



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Albert Einstein High School



Year Facility Built: 1962
 Last Renovation: 1997 (2007 add'n)
 Gross Floor Area: 276,462 sq.ft.
 Site Size: 26.7 acres
 Relocatables in 2024: 15

Adjacent Schools

Bethesda-Chevy Chase HS
 Montgomery Blair HS
 Northwood HS
 Walter Johnson HS
 Wheaton HS

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 94.7%
 - Seat Differential: +85
- Enrollment projection modified to reflect student reassignment in 2027 between high schools included in Woodward HS boundary study scope.



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Gaithersburg High School



Year Facility Built: 1951
 Last Renovation: 2013
 Gross Floor Area: 427,048 sq.ft.
 Site Size: 41 acres
 Relocatables in 2024: -

Adjacent Schools

Damascus HS	Seneca Valley HS
Col. Zadok Magruder HS	Sherwood HS
Quince Orchard HS	Watkins Mill HS
Richard Montgomery HS	Thomas S. Wootton HS

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 93.1%
 - Seat Differential: +168
- Enrollment projection modified to reflect student reassignment in 2027 between high schools included in Crown/Damascus HS boundary study scope.



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Walter Johnson High School

Year Facility Built: 1956
 Last Renovation: 2009
 Gross Floor Area: 365,138 sq.ft.
 Site Size: 30.9 acres
 Relocatables in 2024: 19



Adjacent Schools

Bethesda-Chevy Chase HS
 Winston Churchill HS
 Albert Einstein HS
 Richard Montgomery HS

Rockville HS
 Wheaton HS
 Walt Whitman HS

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 94.8%
 - Seat Differential: +118
- Enrollment projection modified to reflect student reassignment in 2027 between high schools included in Woodward HS boundary study scope.



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



John F. Kennedy High School



Year Facility Built: 1964
 Last Renovation: 1999 (2022 add'n)
 Gross Floor Area: 332,133 sq.ft.
 Site Size: 29.1 acres
 Relocatables in 2024: -

Adjacent Schools

James H. Blake HS
 Northwood HS
 Rockville HS
 Springbrook HS
 Wheaton HS

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 94.8%
 - Seat Differential: +114
- Enrollment projection modified to reflect student reassignment in 2027 between high schools included in Woodward HS boundary study scope.



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Col. Zadok Magruder High School



Year Facility Built: 1970
 Last Renovation: -
 Gross Floor Area: 295,478 sq.ft.
 Site Size: 30 acres
 Relocatables in 2024: -

Adjacent Schools

James H. Blake HS
 Gaithersburg HS
 Richard Montgomery HS
 Rockville HS
 Sherwood HS

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 89.1%
 - Seat Differential: +206



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Richard Montgomery High School

Year Facility Built: 1942
 Last Renovation: 2007
 Gross Floor Area: 311,500 sq.ft.
 Site Size: 29.1 acres
 Relocatables in 2024: 9



Adjacent Schools

Winston Churchill HS
 Gaithersburg HS
 Col. Zadok Magruder HS

Rockville HS
 Walter Johnson HS
 Thomas S. Wootton HS

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 93.1%
 - Seat Differential: +154
- Enrollment projection modified to reflect student reassignment in 2027 between high schools included in Crown/Damascus HS boundary study scope.



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Northwest High School



Year Facility Built: 1998
 Last Renovation: - (2006 add'n)
 Gross Floor Area: 342,101 sq.ft.
 Site Size: 34.6 acres
 Relocatables in 2024: 11

Adjacent Schools

Poolesville HS
 Quince Orchard HS
 Seneca Valley HS
 Thomas S. Wootton HS

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 93.1%
 - Seat Differential: +156
- Enrollment projection modified to reflect student reassignment in 2027 between high schools included in Crown/Damascus HS boundary study scope.



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Northwood High School

Year Facility Built: 1956
 Last Renovation: 2004
 Gross Floor Area: 254,054 sq.ft.
 Site Size: 29.6 acres
 Relocatables in 2024: -



Adjacent Schools

Montgomery Blair HS
 James H. Blake HS
 Albert Einstein HS

John F. Kennedy HS
 Springbrook HS
 Wheaton HS

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 94.7%
 - Seat Differential: +119
- Enrollment projection modified to reflect student reassignment in 2027 between high schools included in Woodward HS boundary study scope.



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Paint Branch High School



FY26 Annual School Test

Year Facility Built: 1969
 Last Renovation: 2012
 Gross Floor Area: 347,169 sq.ft.
 Site Size: 45.8 acres
 Relocatables in 2024: 6

Adjacent Schools

James H. Blake HS
 Sherwood HS
 Springbrook HS

- 4-Yr Projection
 - Utilization : 103.4%
 - Seat Differential: -67



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Poolesville High School



Year Facility Built: 1953
 Last Renovation: 1978 (2009 add'n)
 Gross Floor Area: 165,056 sq.ft.
 Site Size: 37.2 acres
 Relocatables in 2024: -

Adjacent Schools

Clarksburg HS
 Northwest HS
 Seneca Valley HS

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 93.1%
 - Seat Differential: +104
- Enrollment projection modified to reflect student reassignment in 2027 between high schools included in Crown/Damascus HS boundary study scope.



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Quince Orchard High School



Year Facility Built: 1988
 Last Renovation: -
 Gross Floor Area: 284,912 sq.ft.
 Site Size: 30.1 acres
 Relocatables in 2024: 15

Adjacent Schools

Gaithersburg HS
 Northwest HS
 Seneca Valley HS
 Watkins Mill HS
 Thomas S. Wootton HS

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 93.2%
 - Seat Differential: +122
- Enrollment projection modified to reflect student reassignment in 2027 between high schools included in Crown/Damascus HS boundary study scope.



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Rockville High School



FY26 Annual School Test

Year Facility Built: 1968
Last Renovation: 2004
Gross Floor Area: 317,731 sq.ft.
Site Size: 29.6 acres
Relocatables in 2024: -

Adjacent Schools

James H. Blake HS	Sherwood HS
John F. Kennedy HS	Walter Johnson HS
Col. Zadok Magruder HS	Wheaton HS
Richard Montgomery HS	

- 4-Yr Projection
 - Utilization : 102.8%
 - Seat Differential: -43



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Seneca Valley High School

Year Facility Built: 1974
 Last Renovation: 2020
 Gross Floor Area: 457,600 sq.ft.
 Site Size: 29.4 acres
 Relocatables in 2024: -



Adjacent Schools

Clarksburg HS
 Damascus HS
 Gaithersburg HS
 Northwest HS

Poolesville HS
 Quince Orchard HS
 Watkins Mill HS

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 93.1%
 - Seat Differential: +173
- Enrollment projection modified to reflect student reassignment in 2027 between high schools included in Crown/Damascus HS boundary study scope.



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Sherwood High School

Year Facility Built:	1950
Last Renovation:	1991 (2007 add'n)
Gross Floor Area:	333,154 sq.ft.
Site Size:	49.3 acres
Relocatables in 2024:	-



Adjacent Schools

James H. Blake HS
Damascus HS
Gaithersburg HS
Col. Zadok Magruder HS

Paint Branch HS
Rockville HS
Springbrook HS

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 80.3%
 - Seat Differential: +425



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Springbrook High School



Year Facility Built: 1960
 Last Renovation: 1994
 Gross Floor Area: 305,006 sq.ft.
 Site Size: 25.1 acres
 Relocatables in 2024: -

Adjacent Schools

Montgomery Blair HS
 James H. Blake HS
 John F. Kennedy HS

Northwood HS
 Paint Branch HS
 Sherwood HS

- 4-Yr Projection
 - Utilization : 87.0%
 - Seat Differential: +272



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Watkins Mill High School



Year Facility Built: 1989
 Last Renovation: -
 Gross Floor Area: 305,288 sq.ft.
 Site Size: 51 acres
 Relocatables in 2024: -

Adjacent Schools

Clarksburg HS
 Gaithersburg HS
 Quince Orchard HS
 Seneca Valley HS

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 93.1%
 - Seat Differential: +126
- Enrollment projection modified to reflect student reassignment in 2027 between high schools included in Crown/Damascus HS boundary study scope.



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Wheaton High School



FY26 Annual School Test

Year Facility Built: 1954
 Last Renovation: 2016 (2018 add'n)
 Gross Floor Area: 373,825 sq.ft.
 Site Size: 28.2 acres
 Relocatables in 2024: -

Adjacent Schools

Albert Einstein HS
 John F. Kennedy HS
 Northwood HS
 Rockville HS
 Walter Johnson HS

- 4-Yr Projection
 - Utilization : 94.8%
 - Seat Differential: +118
- Enrollment projection modified to reflect student reassignment in 2027 between high schools included in Woodward HS boundary study scope.



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Walt Whitman High School



Year Facility Built: 1962
 Last Renovation: 1992 (2021 add'n)
 Gross Floor Area: 312,270 sq.ft.
 Site Size: 30.7 acres
 Relocatables in 2023: -

Adjacent Schools

Bethesda-Chevy Chase HS
 Winston Churchill HS
 Walter Johnson HS

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 94.7%
 - Seat Differential: +117
- Enrollment projection modified to reflect student reassignment in 2027 between high schools included in Woodward HS boundary study scope.



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Thomas S. Wootton High School



Year Facility Built: 1970
 Last Renovation: -
 Gross Floor Area: 295,620 sq.ft.
 Site Size: 27.4 acres
 Relocatables in 2024: -

Adjacent Schools

Winston Churchill HS
 Gaithersburg HS
 Northwest HS
 Quince Orchard HS
 Richard Montgomery HS

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 93.1%
 - Seat Differential: +146
- Enrollment projection modified to reflect student reassignment in 2027 between high schools included in Crown/Damascus HS boundary study scope.



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Individual School Utilization Report

Middle Schools

Argyle Middle School

FY26 Annual School Test



Year Facility Built: 1971
 Last Renovation: 1993
 Gross Floor Area: 120,205 sq.ft.
 Site Size: 19.9 acres
 Relocatables in 2024: 3

Adjacent Schools

William H. Farquhar MS
 Odessa Shannon MS
 A. Mario Loiederman MS

Parkland MS
 White Oak MS
 Earle B. Wood MS

- 4-Yr Projection
 - Utilization : 102.9%
 - Seat Differential: -26



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



John T. Baker Middle School



Year Facility Built: 1971
 Last Renovation: -
 Gross Floor Area: 120,532 sq.ft.
 Site Size: 21.7 acres
 Relocatables in 2024: -

Adjacent Schools

Gaithersburg MS
 Rocky Hill MS
 Rosa Parks MS
 Hallie Wells MS

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 114.8%
 - Seat Differential: -111



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Benjamin Banneker Middle School



Year Facility Built: 1974
 Last Renovation: -
 Gross Floor Area: 117,035 sq.ft.
 Site Size: 20 acres
 Relocatables in 2024: 2

Adjacent Schools

Briggs Chaney MS
 Francis Scott Key MS

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 91.5%
 - Seat Differential: +68



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Briggs Chaney Middle School



Year Facility Built: 1991
 Last Renovation: -
 Gross Floor Area: 115,000 sq.ft.
 Site Size: 29.4 acres
 Relocatables in 2024: -

Adjacent Schools

Benjamin Banneker MS
 William H. Farquhar MS
 Francis Scott Key MS
 White Oak MS

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 94.5%
 - Seat Differential: +52



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Cabin John Middle School

FY26 Annual School Test



Year Facility Built: 1967
 Last Renovation: 2011
 Gross Floor Area: 159,514 sq.ft.
 Site Size: 18.2 acres
 Relocatables in 2024: -

Adjacent Schools

Forest Oak MS
 Robert Frost MS
 Herbert Hoover MS
 North Bethesda MS

Thomas W. Pyle MS
 Ridgeview MS
 Julius West MS

- 4-Yr Projection
 - Utilization : 90.4%
 - Seat Differential: +108



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Roberto Clemente Middle School



Year Facility Built: 1992
 Last Renovation: -
 Gross Floor Area: 148,246 sq.ft.
 Site Size: 19.9 acres
 Relocatables in 2024: -

Adjacent Schools

Martin Luther King, Jr. MS
 Kingsview MS
 Lakelands Park MS
 Montgomery Village MS
 Rocky Hill MS

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 84.0%
 - Seat Differential: +189



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Eastern Middle School



FY26 Annual School Test

Year Facility Built: 1951
 Last Renovation: 1976
 Gross Floor Area: 152,030 sq.ft.
 Site Size: 14.5 acres
 Relocatables in 2024: -

Adjacent Schools

Francis Scott Key MS
 Silver Spring International MS
 Takoma Park MS
 White Oak MS

- 4-Yr Projection
 - Utilization : 102.7%
 - Seat Differential: -27



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



William H. Farquhar Middle School

FY26 Annual School Test



Year Facility Built: 1968
 Last Renovation: 2016
 Gross Floor Area: 135,626 sq.ft.
 Site Size: 20 acres
 Relocatables in 2024: -

Adjacent Schools

Argyle MS
 Briggs Chaney MS
 Rosa Parks MS

Redland MS
 White Oak MS
 Earle B. Wood MS

- 4-Yr Projection
 - Utilization : 92.6%
 - Seat Differential: +59



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Forest Oak Middle School



FY26 Annual School Test

Year Facility Built: 1999
 Last Renovation: -
 Gross Floor Area: 132,259 sq.ft.
 Site Size: 41.2 acres
 Relocatables in 2024: -

Adjacent Schools

Cabin John MS	Neelsville MS
Robert Frost MS	Redland MS
Gaithersburg MS	Ridgeview MS
Lakelands Park MS	Julius West MS
Montgomery Village MS	

- 4-Yr Projection
 - Utilization : 89.5%
 - Seat Differential: +102



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Robert Frost Middle School

FY26 Annual School Test



Year Facility Built: 1971
 Last Renovation: -
 Gross Floor Area: 143,757 sq.ft.
 Site Size: 24.8 acres
 Relocatables in 2024: -

Adjacent Schools

Cabin John MS
 Forest Oak MS
 Gaithersburg MS
 Herbert Hoover MS

Lakelands Park MS
 Ridgeview MS
 Julius West MS

- 4-Yr Projection
 - Utilization : 91.1%
 - Seat Differential: +92



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Gaithersburg Middle School



FY26 Annual School Test

Year Facility Built: 1960
 Last Renovation: 1988
 Gross Floor Area: 157,694 sq.ft.
 Site Size: 22.8 acres
 Relocatables in 2024: -

Adjacent Schools

John T. Baker MS	Redland MS
Forest Oak MS	Ridgeview MS
Robert Frost MS	Shady Grove MS
Montgomery Village MS	Hallie Wells MS
Neelsville MS	Julius West MS
Rosa Parks MS	

- 4-Yr Projection
 - Utilization : 87.0%
 - Seat Differential: +134



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Herbert Hoover Middle School

FY26 Annual School Test



Year Facility Built: 1966
 Last Renovation: 2013
 Gross Floor Area: 165,367 sq.ft.
 Site Size: 19.1 acres
 Relocatables in 2024: -

Adjacent Schools

Cabin John MS
 Robert Frost MS
 North Bethesda MS

Thomas W. Pyle MS
 Tilden MS
 Julius West MS

- 4-Yr Projection
 - Utilization : 82.9%
 - Seat Differential: +195



Francis Scott Key Middle School



FY26 Annual School Test

Year Facility Built: 1966
 Last Renovation: 2009
 Gross Floor Area: 147,424 sq.ft.
 Site Size: 20.6 acres
 Relocatables in 2024: -

Adjacent Schools

Benjamin Banneker MS
 Briggs Chaney MS
 Eastern MS
 Odessa Shannon MS
 Silver Spring International MS
 White Oak MS

- 4-Yr Projection
 - Utilization : 104.7%
 - Seat Differential: -45



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Dr. Martin Luther King, Jr. Middle School



Year Facility Built: 1996
 Last Renovation: -
 Gross Floor Area: 135,867 sq.ft.
 Site Size: 18.6 acres
 Relocatables in 2024: -

Adjacent Schools

Roberto Clemente MS
 Kingsview MS
 Neelsville MS
 Rocky Hill MS

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 94.3%
 - Seat Differential: +52



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Kingsview Middle School

FY26 Annual School Test



Year Facility Built: 1997
 Last Renovation: -
 Gross Floor Area: 140,398 sq.ft.
 Site Size: 18.5 acres
 Relocatables in 2024: -

Adjacent Schools

Roberto Clemente MS
 Martin Luther King, Jr. MS
 Lakelands Park MS

Neelsville MS
 John Poole MS
 Ridgeview MS

- 4-Yr Projection
 - Utilization : 90.0%
 - Seat Differential: +103



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Lakelands Park Middle School

FY26 Annual School Test



Year Facility Built: 2005
 Last Renovation: -
 Gross Floor Area: 153,588 sq.ft.
 Site Size: 8.1 acres
 Relocatables in 2024: -

Adjacent Schools

Roberto Clemente MS
 Forest Oak MS
 Robert Frost MS
 Kingsview MS

Montgomery Village MS
 Neelsville MS
 John Poole MS
 Ridgeview MS

- 4-Yr Projection
 - Utilization : 88.0%
 - Seat Differential: +139



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



A. Mario Loiederman Middle School

Year Facility Built: 1956
 Last Renovation: 2005 (2020 add'n)
 Gross Floor Area: 148,718 sq.ft.
 Site Size: 17.1 acres
 Relocatables in 2024: 2



Adjacent Schools

Argyle MS
 Newport Mill MS
 North Bethesda MS

Parkland MS
 Odessa Shannon MS
 Tilden MS

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 102.6%
 - Seat Differential: -26



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Montgomery Village Middle School

FY26 Annual School Test

Year Facility Built:	1968
Last Renovation:	2003
Gross Floor Area:	141,615 sq.ft.
Site Size:	15.1 acres
Relocatables in 2024:	-

Adjacent Schools	
Roberto Clemente MS	Lakelands Park MS
Forest Oak MS	Neelsville MS
Gaithersburg MS	Rocky Hill MS

- 4-Yr Projection
 - Utilization : 95.3%
 - Seat Differential: +40



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Neelsville Middle School

Year Facility Built: 1981
 Last Renovation: -
 Gross Floor Area: 131,432 sq.ft.
 Site Size: 29.2 acres
 Relocatables in 2024: -

Adjacent Schools

Forest Oak MS	Montgomery Village MS
Gaithersburg MS	John Poole MS
Martin Luther King, Jr. MS	Ridgeview MS
Kingsview MS	Rocky Hill MS
Lakelands Park MS	Hallie Wells MS

- 4-Yr Projection
 - Utilization : 84.1%
 - Seat Differential: +152



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Newport Mill Middle School



FY26 Annual School Test

Year Facility Built: 1958
 Last Renovation: 2002
 Gross Floor Area: 109,011 sq.ft.
 Site Size: 8.4 acres
 Relocatables in 2024: -

Adjacent Schools

A. Mario Loiederman MS
 North Bethesda MS
 Odessa Shannon MS
 Silver Creek MS
 Sligo MS

- 4-Yr Projection
 - Utilization : 81.3%
 - Seat Differential: +154



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



North Bethesda Middle School

FY26 Annual School Test



Year Facility Built: 1955
 Last Renovation: 1999 (2018 add'n)
 Gross Floor Area: 178,252 sq.ft.
 Site Size: 19.1 acres
 Relocatables in 2024: -

Adjacent Schools

Cabin John MS
 Herbert Hoover MS
 A. Mario Loiederman MS
 Newport Mill MS

Thomas W. Pyle MS
 Silver Creek MS
 Tilden MS
 Westland MS

- 4-Yr Projection
 - Utilization : 110.0%
 - Seat Differential: -120



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Parkland Middle School



FY26 Annual School Test

Year Facility Built: 1963
 Last Renovation: 2007
 Gross Floor Area: 178,929 sq.ft.
 Site Size: 9.2 acres
 Relocatables in 2024: -

Adjacent Schools

Argyle MS
 A. Mario Loiederman MS
 Tilden MS
 Earle B. Wood MS

- 4-Yr Projection
 - Utilization : 100.4%
 - Seat Differential: -5



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Rosa Parks Middle School



FY26 Annual School Test

Year Facility Built: 1992
 Last Renovation: -
 Gross Floor Area: 137,469 sq.ft.
 Site Size: 24.1 acres
 Relocatables in 2024: -

Adjacent Schools

John T. Baker MS
 William H. Farquhar MS
 Gaithersburg MS
 Redland MS
 Earle B. Wood MS

- 4-Yr Projection
 - Utilization : 94.4%
 - Seat Differential: +53



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



John Poole Middle School



Year Facility Built: 1997
 Last Renovation: -
 Gross Floor Area: 85,669 sq.ft.
 Site Size: 20.5 acres
 Relocatables in 2024: -

Adjacent Schools

Kingsview MS
 Lakelands Park MS
 Neelsville MS
 Rocky Hill MS

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 96.2%
 - Seat Differential: +19



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Thomas W. Pyle Middle School



Year Facility Built: 1962
 Last Renovation: 1993 (2020 add'n)
 Gross Floor Area: 209,464 sq.ft.
 Site Size: 14.3 acres
 Relocatables in 2024: -

Adjacent Schools

Cabin John MS
 Herbert Hoover MS
 North Bethesda MS
 Westland MS

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 86.4%
 - Seat Differential: +204



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Redland Middle School

Year Facility Built: 1971
 Last Renovation: -
 Gross Floor Area: 112,297 sq.ft.
 Site Size: 20.6 acres
 Relocatables in 2024: -



Adjacent Schools

William H. Farquhar MS
 Forest Oak MS
 Gaithersburg MS

Rosa Parks MS
 Shady Grove MS
 Earle B. Wood MS

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 80.4%
 - Seat Differential: +142



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Ridgeview Middle School

FY26 Annual School Test



Year Facility Built: 1975
 Last Renovation: -
 Gross Floor Area: 145,168 sq.ft.
 Site Size: 20 acres
 Relocatables in 2024: -

Adjacent Schools

Cabin John MS
 Forest Oak MS
 Robert Frost MS
 Gaithersburg MS

Kingsview MS
 Lakelands Park MS
 Neelsville MS

- 4-Yr Projection
 - Utilization : 78.4%
 - Seat Differential: +206



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Rocky Hill Middle School

FY26 Annual School Test



Year Facility Built: 2004
 Last Renovation: -
 Gross Floor Area: 148,065 sq.ft.
 Site Size: 23.3 acres
 Relocatables in 2024: -

Adjacent Schools

John T. Baker MS
 Roberto Clemente MS
 Martin Luther King, Jr. MS
 Montgomery Village MS

Neelsville MS
 John Poole MS
 Hallie Wells MS

- 4-Yr Projection
 - Utilization : 102.3%
 - Seat Differential: -23



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Shady Grove Middle School



Year Facility Built: 1995
 Last Renovation: 1999
 Gross Floor Area: 129,206 sq.ft.
 Site Size: 20.5 acres
 Relocatables in 2024: -

Adjacent Schools

Gaithersburg MS
 Redland MS
 Julius West MS
 Earle B. Wood MS

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 61.5%
 - Seat Differential: +326



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Odessa Shannon Middle School

Year Facility Built: 1966
 Last Renovation: 2022
 Gross Floor Area: 164,307 sq.ft.
 Site Size: 16.5 acres
 Relocatables in 2024: -

Adjacent Schools

Argyle MS

Silver Spring International MS

Francis Scott Key MS



Sligo MS

A. Mario Loiederman MS

White Oak MS

Newport Mill MS

- 4-Yr Projection
 - Utilization : 90.4%
 - Seat Differential: +85



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Silver Creek Middle School



Year Facility Built: 2017
 Last Renovation: -
 Gross Floor Area: 174,743 sq.ft.
 Site Size: 13.3 acres
 Relocatables in 2024: -

Adjacent Schools

Newport Mill MS
 North Bethesda MS
 Sligo MS
 Westland MS

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 84.8%
 - Seat Differential: +139



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Silver Spring International Middle School



Year Facility Built: 1934
 Last Renovation: 1999
 Gross Floor Area: 152,731 sq.ft.
 Site Size: 10.6 acres
 Relocatables in 2024: -

Adjacent Schools

Eastern MS
 Francis Scott Key MS
 Odessa Shannon MS
 Sligo MS
 Takoma Park MS

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 87.6%
 - Seat Differential: +148
- Capacity projection assumes completion of classroom addition project in 2025.



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Sligo Middle School



Year Facility Built: 1959
 Last Renovation: 1991
 Gross Floor Area: 149,527 sq.ft.
 Site Size: 21.7 acres
 Relocatables in 2024: -

Adjacent Schools

Newport Mill MS
 Odessa Shannon MS
 Silver Creek MS
 Silver Spring International MS

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 76.2%
 - Seat Differential: +220



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Takoma Park Middle School

FY26 Annual School Test

Year Facility Built: 1939
 Last Renovation: 1999 (2021 add'n)
 Gross Floor Area: 195,739 sq.ft.
 Site Size: 18.8 acres
 Relocatables in 2024: -

Adjacent Schools
 Eastern MS
 Silver Spring International MS

- 4-Yr Projection
 - Utilization : 97.0%
 - Seat Differential: +39



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Tilden Middle School

FY26 Annual School Test



Year Facility Built: 1967
 Last Renovation: 2020
 Gross Floor Area: 244,561 sq.ft.
 Site Size: 19.67 acres
 Relocatables in 2024: -

Adjacent Schools

Herbert Hoover MS
 A. Mario Loiederman MS
 North Bethesda MS

Parkland MS
 Julius West MS
 Earle B. Wood MS

- 4-Yr Projection
 - Utilization : 93.5%
 - Seat Differential: +82



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Hallie Wells Middle School



FY26 Annual School Test

Year Facility Built: 2016
 Last Renovation: -
 Gross Floor Area: 150,089 sq.ft.
 Site Size: 22.4 acres
 Relocatables in 2024: -

Adjacent Schools

John T. Baker MS
 Gaithersburg MS
 Neelsville MS
 Rocky Hill MS

- 4-Yr Projection
 - Utilization : 96.9%
 - Seat Differential: +30



Julius West Middle School

FY26 Annual School Test



Year Facility Built: 1961
 Last Renovation: 1995 (2016 add'n)
 GSF: 182,617 sq.ft.
 Site Size: 21.3 acres
 Relocatables in 2024: -

Adjacent Schools

Cabin John MS
 Forest Oak MS
 Robert Frost MS
 Gaithersburg MS

Herbert Hoover MS
 Shady Grove MS
 Tilden MS
 Earle B. Wood MS

- 4-Yr Projection
 - Utilization : 101.9%
 - Seat Differential: -27



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Westland Middle School



Year Facility Built: 1951
 Last Renovation: 1997
 Gross Floor Area: 146,006 sq.ft.
 Site Size: 25.1 acres
 Relocatables in 2024: -

Adjacent Schools

North Bethesda MS
 Thomas W. Pyle MS
 Silver Creek MS

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 80.4%
 - Seat Differential: +209



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



White Oak Middle School

Year Facility Built:

1962

Last Renovation:

1993

Gross Floor Area:

141,163 sq.ft.

Site Size:

17.3 acres

Relocatables in 2024:

-

Adjacent Schools

Argyle MS

Briggs Chaney MS

Eastern MS

William H. Farquhar MS



Francis Scott Key MS

Odessa Shannon MS

- 4-Yr Projection

Utilization : 84.5%

Seat Differential: +153



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Earle B. Wood Middle School

FY26 Annual School Test



Year Facility Built: 1965
 Last Renovation: 2001
 Gross Floor Area: 152,588 sq.ft.
 Site Size: 8.5 acres
 Relocatables in 2024: -

Adjacent Schools

Argyle MS
 William H. Farquhar MS
 Parkland MS
 Rosa Parks MS

Redland MS
 Shady Grove MS
 Tilden MS
 Julius West MS

- 4-Yr Projection
 - Utilization : 111.9%
 - Seat Differential: -111



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Individual School Utilization Report

Elementary Schools

Arcola Elementary School

Year Facility Built: 1956
 Last Renovation: 2007 (2015 add'n)
 Gross Floor Area: 95,421 sq.ft.
 Site Size: 5 acres
 Relocatables in 2024: 4



Adjacent Schools

Forest Knolls ES
 Glen Haven ES
 Glenallan ES
 Highland ES
 Kemp Mill ES

Oakland Terrace ES
 Rock View ES
 Sargent Shriver ES
 Weller Road ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 113.0%
 - Seat Differential: -83



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Ashburton Elementary School

FY26 Annual School Test



Year Facility Built: 1957
 Last Renovation: 1993 (2019 add'n)
 Gross Floor Area: 91,178 sq.ft.
 Site Size: 8.3 acres
 Relocatables in 2024: 8 (modular bldg.)

Adjacent Schools

Bells Mill ES
 Beverly Farms ES
 Burning Tree ES
 Farmland ES
 Garrett Park ES

Kensington-Parkwood ES
 Luxmanor ES
 Seven Locks ES
 Wyngate ES

- 4-Yr Projection
 - Utilization : 111.3%
 - Seat Differential: -93



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Bannockburn Elementary School

Year Facility Built:
Last Renovation:
Gross Floor Area:
Site Size:
Relocatables in 2024:

1957
1988
54,234 sq.ft.
8.3 acres
2

Adjacent Schools



Bradley Hills ES
Burning Tree ES
Carderock Springs ES

Seven Locks ES
Westbrook ES
Wood Acres ES

- 4-Yr Projection

Utilization : 105.9%

Seat Differential: -23



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Lucy V. Barnsley Elementary School



Year Facility Built: 1965
Last Renovation: 1998 (2018 add'n)
Gross Floor Area: 97,524 sq.ft.
Site Size: 10 acres
Relocatables in 2024: -

Adjacent Schools

Bel Pre/Strathmore ES	Harmony Hills ES
Brookhaven ES	Meadow Hall ES
Flower Valley ES	Rock Creek Valley ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 82.9%
 - Seat Differential: +120



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Beall Elementary School

Year Facility Built: 1954
 Last Renovation: 1991
 Gross Floor Area: 79,477 sq.ft.
 Site Size: 8.4 acres
 Relocatables in 2024: -



Adjacent Schools

College Gardens ES
 Fallsmead ES
 Maryvale ES
 Meadow Hall ES

Ritchie Park ES
 Bayard Rustin ES
 Twinbrook ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 73.0%
 - Seat Differential: +179



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Bel Pre/Strathmore Elementary School

FY26 Annual School Test

	Bel Pre	Strathmore
Year Facility Built:	1968	1970
Last Renovation:	2014	-
GSF:	95,330 sq.ft.	59,497 sq.ft.
Site Size:	8.9 acres	10.8 acres
Relocatables in 2024:	-	-

Adjacent Schools	
Lucy V. Barnsley ES	Glenallan ES
Brookhaven ES	Harmony Hills ES
Flower Valley ES	Stonegate ES
Georgian Forest ES	Westover ES

- 4-Yr Projection
 - Utilization : 96.1%
 - Seat Differential: +42



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Bells Mill Elementary School



Year Facility Built: 1968
 Last Renovation: 2009
 Gross Floor Area: 77,244 sq.ft.
 Site Size: 9.6 acres
 Relocatables in 2024: -

Adjacent Schools

Ashburton ES
 Beverly Farms ES
 Potomac ES
 Seven Locks ES
 Wayside ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 85.8%
 - Seat Differential: +89



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Belmont Elementary School



Year Facility Built: 1974
 Last Renovation: -
 Gross Floor Area: 49,279 sq.ft.
 Site Size: 10.5 acres
 Relocatables in 2024: -

Adjacent Schools

Cashell ES
 Greenwood ES
 Laytonsville ES
 Olney ES
 Sequoyah ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 78.8%
 - Seat Differential: +87



Bethesda Elementary School

FY26 Annual School Test



Year Facility Built: 1952
 Last Renovation: 1999 (2015 add'n)
 Gross Floor Area: 75,421 sq.ft.
 Site Size: 7.9 acres
 Relocatables in 2024: 4

Adjacent Schools

Bradley Hills ES
 Rosemary Hills/Chevy Chase ES
 Rosemary Hills/N. Chevy Chase ES

Somerset ES
 Westbrook ES
 Wyngate ES

- 4-Yr Projection
 - Utilization : 114.6%
 - Seat Differential: -82



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Beverly Farms Elementary School

Year Facility Built: 1965
 Last Renovation: 2012
 Gross Floor Area: 98,916 sq.ft.
 Site Size: 5 acres
 Relocatables in 2024: -



Adjacent Schools

Ashburton ES
 Bells Mill ES
 Cold Spring ES
 Farmland ES

Luxmanor ES
 Ritchie Park ES
 Bayard Rustin ES
 Wayside ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 71.1%
 - Seat Differential: +212



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Bradley Hills Elementary School

Year Facility Built: 1951
 Last Renovation: 1984 (2013 add'n)
 Gross Floor Area: 76,745 sq.ft.
 Site Size: 6.7 acres
 Relocatables in 2024: -



Adjacent Schools

Bannockburn ES
 Bethesda ES
 Burning Tree ES

Westbrook ES
 Wood Acres ES
 Wyngate ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 65.5%
 - Seat Differential: +237



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Brooke Grove Elementary School



Year Facility Built: 1990
 Last Renovation: -
 Gross Floor Area: 73,080 sq.ft.
 Site Size: 11 acres
 Relocatables in 2024: -

Adjacent Schools

Greenwood ES
 Olney ES
 Sherwood ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 70.3%
 - Seat Differential: +152



Brookhaven Elementary School

Year Facility Built: 1961
 Last Renovation: 1995 (2011 add'n)
 Gross Floor Area: 81,320 sq.ft.
 Site Size: 8.6 acres
 Relocatables in 2024: -



Adjacent Schools

Lucy V. Barnsley ES
 Bel Pre/Strathmore ES
 Flower Valley ES
 Georgian Forest ES

Harmony Hills ES
 Rock Creek Valley ES
 Wheaton Woods ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 91.0%
 - Seat Differential: +45



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Brown Station Elementary School

FY26 Annual School Test



Year Facility Built: 1969
 Last Renovation: 2017
 Gross Floor Area: 113,998 sq.ft.
 Site Size: 9 acres
 Relocatables in 2024: -

Adjacent Schools

Rachel Carson ES
 Clopper Mill ES
 Diamond ES
 Great Seneca Creek ES
 Thurgood Marshall ES

S. Christa McAuliffe
 Rosemont ES
 South Lake ES
 Watkins Mill ES

- 4-Yr Projection
 - Utilization : 84.1%
 - Seat Differential: +115



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Burning Tree Elementary School

Year Facility Built: 1958
Last Renovation: 1991
Gross Floor Area: 68,119 sq.ft.
Site Size: 6.8 acres
Relocatables in 2024: 4



Adjacent Schools

Ashburton ES
Bannockburn ES
Bradley Hills ES

Seven Locks ES
Wood Acres ES
Wyngate ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 129.6%
 - Seat Differential: -115



Burnt Mills Elementary School

Year Facility Built: 1964
 Last Renovation: 2023
 Gross Floor Area: 94,398 sq.ft.
 Site Size: 15.1 acres
 Relocatables in 2024: -



Adjacent Schools

Fairland ES
 Forest Knolls ES
 Galway ES
 Jackson Road ES

Kemp Mill ES
 Montgomery Knolls/Pine Crest ES
 Roscoe R. Nix/Cresthaven ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 105.8%
 - Seat Differential: -42



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Burtonsville Elementary School



Year Facility Built: 1952
 Last Renovation: 1993
 Gross Floor Area: 71,349 sq.ft.
 Site Size: 11.9 acres
 Relocatables in 2024: 6

Adjacent Schools

Cloverly ES
 Greencastle ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 74.6%
 - Seat Differential: +202



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Cabin Branch Elementary School



Year Facility Built: 2023
Last Renovation: -
Gross Floor Area: 95,327 sq.ft.
Site Size: 9.6 acres
Relocatables in 2024: -

Adjacent Schools

Clarksburg ES
William B. Gibbs Jr. ES
Monocacy ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 104.2%
 - Seat Differential: -29



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Candlewood Elementary School

Year Facility Built: 1968
 Last Renovation: 2015
 Gross Floor Area: 82,222 sq.ft.
 Site Size: 11.8 acres
 Relocatables in 2024: -



Adjacent Schools

College Gardens ES
 Maryvale ES
 Mill Creek Towne ES

Sequoyah ES
 Washington Grove ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 63.1%
 - Seat Differential: +192



Cannon Road Elementary School

Year Facility Built: 1967
 Last Renovation: 2012
 Gross Floor Area: 83,377 sq.ft.
 Site Size: 4.4 acres
 Relocatables in 2024: -



Adjacent Schools

Dr. Charles R. Drew ES
 Fairland ES
 Jackson Road ES

Roscoe R. Nix/Cresthaven ES
 William T. Page ES
 Westover ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 84.2%
 - Seat Differential: +71



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Carderock Springs Elementary School



Year Facility Built: 1966
Last Renovation: 2010
Gross Floor Area: 75,351 sq.ft.
Site Size: 9 acres
Relocatables in 2024: -

Adjacent Schools

Bannockburn ES
Potomac ES
Seven Locks ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 92.5%
 - Seat Differential: +32



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Rachel Carson Elementary School

FY26 Annual School Test



Year Facility Built: 1990
 Last Renovation: -
 Gross Floor Area: 78,547 sq.ft.
 Site Size: 12.4 acres
 Relocatables in 2024: -

Adjacent Schools

Brown Station ES
 Diamond ES
 DuFief ES
 Fields Road ES

Jones Lane ES
 Thurgood Marshall ES
 Rosemont ES
 Summit Hall ES

- 4-Yr Projection
 - Utilization : 96.4%
 - Seat Differential: +26



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Cashell Elementary School



Year Facility Built: 1969
Last Renovation: 2009
Gross Floor Area: 71,171 sq.ft.
Site Size: 10.2 acres
Relocatables in 2024: 2

Adjacent Schools

Belmont ES
Flower Valley ES
Olney ES
Sequoyah ES
Sherwood ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 129.0%
 - Seat Differential: -89



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Cedar Grove Elementary School

Year Facility Built: 1960
Last Renovation: 1987
Gross Floor Area: 57,037 sq.ft.
Site Size: 10.1 acres
Relocatables in 2024: -



Adjacent Schools

Damascus ES
William B. Gibbs Jr. ES
Laytonsville ES
Little Bennett ES

Lois P. Rockwell ES
Snowden Farm ES
Wilson Wims ES
Woodfield ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 68.0%
 - Seat Differential: +134



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Clarksburg Elementary School

Year Facility Built: 1952
Last Renovation: 1993
Gross Floor Area: 54,983 sq.ft.
Site Size: 10 acres
Relocatables in 2024: 5



Adjacent Schools

Cabin Branch ES
William B. Gibbs Jr. ES
Little Bennett ES

Monocacy ES
Snowden Farm ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 114.2%
 - Seat Differential: -52



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Clearspring Elementary School



Year Facility Built: 1988
 Last Renovation: -
 Gross Floor Area: 77,535 sq.ft.
 Site Size: 10 acres
 Relocatables in 2024: 2

Adjacent Schools

Damascus ES
 Laytonsville ES
 Lois P. Rockwell ES
 Woodfield ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 88.3%
 - Seat Differential: +65



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Clopper Mill Elementary School

FY26 Annual School Test



Year Facility Built: 1986
 Last Renovation: -
 Gross Floor Area: 64,851 sq.ft.
 Site Size: 9 acres
 Relocatables in 2024: 6

Adjacent Schools

Brown Station ES
 Germantown ES
 Great Seneca Creek ES
 Lake Seneca ES

Spark M. Matsunaga ES
 S. Christa McAuliffe
 Ronald McNair ES

- 4-Yr Projection
 - Utilization : 93.4%
 - Seat Differential: +33



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Cloverly Elementary School

Year Facility Built: 1961
 Last Renovation: 1989
 Gross Floor Area: 61,991 sq.ft.
 Site Size: 10 acres
 Relocatables in 2024: 2



Adjacent Schools

Burtonsville ES
 Dr. Charles R. Drew ES
 Fairland ES

Greencastle ES
 Sherwood ES
 Stonegate ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 92.0%
 - Seat Differential: +37



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Cold Spring Elementary School



Year Facility Built: 1972
 Last Renovation: -
 Gross Floor Area: 55,158 sq.ft.
 Site Size: 12.4 acres
 Relocatables in 2024: 1

Adjacent Schools

Beverly Farms ES
 Fallsmead ES
 Ritchie Park ES
 Wayside ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 75.5%
 - Seat Differential: +118



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





College Gardens Elementary School

FY26 Annual School Test

Year Facility Built:	1967
Last Renovation:	2008
Gross Floor Area:	96,986 sq.ft.
Site Size:	7.9 acres
Relocatables in 2024:	-

Adjacent Schools
Beall ES
Candlewood ES
Maryvale ES
Ritchie Park ES
Washington Grove ES

- 4-Yr Projection
 - Utilization : 75.1%
 - Seat Differential: +175



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Capt. James E. Daly Elementary School

Year Facility Built: 1989
Last Renovation: -
Gross Floor Area: 78,386 sq.ft.
Site Size: 10 acres
Relocatables in 2024: 2

Adjacent Schools
Fox Chapel ES
William B. Gibbs Jr. ES
Dr. Salley K. Ride ES
South Lake ES
Stedwick ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 81.4%
 - Seat Differential: +104



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Damascus Elementary School



Year Facility Built: 1934
Last Renovation: 1980
Gross Floor Area: 53,239 sq.ft.
Site Size: 9.4 acres
Relocatables in 2024: 4

Adjacent Schools

Cedar Grove ES
Clearspring ES
Laytonsville ES
Little Bennett ES
Lois P. Rockwell ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 88.9%
 - Seat Differential: +37



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Darnestown Elementary School

Year Facility Built: 1954
 Last Renovation: 1980 (2013 add'n)
 Gross Floor Area: 64,840 sq.ft.
 Site Size: 7.2 acres
 Relocatables in 2024: -



Adjacent Schools

Great Seneca Creek ES
 Jones Lane ES
 Thurgood Marshall ES
 Spark M. Matsunaga ES

Monocacy ES
 Poolesville ES
 Travilah ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 92.7%
 - Seat Differential: +30



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Diamond Elementary School

FY26 Annual School Test



Year Facility Built: 1975
 Last Renovation: - (2017 add'n)
 Gross Floor Area: 85,404 sq.ft.
 Site Size: 10 acres
 Relocatables in 2024: -

Adjacent Schools

Brown Station ES
 Rachel Carson ES
 Fields Road ES

Great Seneca Creek ES
 Jones Lane ES
 Thurgood Marshall ES

- 4-Yr Projection
 - Utilization : 92.2%
 - Seat Differential: +52



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Dr. Charles R. Drew Elementary School



Year Facility Built: 1991
Last Renovation: -
Gross Floor Area: 73,975 sq.ft.
Site Size: 12 acres
Relocatables in 2024: 3

Adjacent Schools

Cannon Road ES	William T. Page ES
Cloverly ES	Sherwood ES
Fairland ES	Stonegate ES
Jackson Road ES	Westover ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 99.2%
 - Seat Differential: +4



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



DuFief Elementary School

Year Facility Built: 1975
 Last Renovation: -
 Gross Floor Area: 59,013 sq.ft.
 Site Size: 10 acres
 Relocatables in 2024: -



Adjacent Schools

Rachel Carson ES
 Fields Road ES
 Jones Lane ES
 Thurgood Marshall ES

Rosemont ES
 Stone Mill ES
 Travilah ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 62.1%
 - Seat Differential: +157



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





East Silver Spring Elementary School

FY26 Annual School Test

Year Facility Built: 1929
Last Renovation: 1975 (2010 add'n)
Gross Floor Area: 88,895 sq.ft.
Site Size: 8.4 acres
Relocatables in 2024: -

Adjacent Schools
Rolling Terrace ES
Sligo Creek ES
Takoma Park/Piney Branch ES

- 4-Yr Projection
 - Utilization : 94.3%
 - Seat Differential: +33



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Fairland Elementary School



Year Facility Built: 1934
 Last Renovation: 1992 (2011 add'n)
 Gross Floor Area: 92,227 sq.ft.
 Site Size: 11.8 acres
 Relocatables in 2024: 3

Adjacent Schools

Burnt Mills ES
 Cannon Road ES
 Cloverly ES
 Dr. Charles R. Drew ES

Galway ES
 Greencastle ES
 Jackson Road ES
 William T. Page ES

- 4-Yr Projection
 - Utilization : 85.9%
 - Seat Differential: +89



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Fallsmead Elementary School

FY26 Annual School Test



Year Facility Built: 1974
 Last Renovation: - (2008 add'n)
 Gross Floor Area: 67,472 sq.ft.
 Site Size: 8.9 acres
 Relocatables in 2024: -

Adjacent Schools

Beall ES
 Cold Spring ES
 Fields Road ES
 Jones Lane ES
 Lakewood ES

Ritchie Park ES
 Rosemont ES
 Bayard Rustin ES
 Washington Grove ES
 Wayside ES

- 4-Yr Projection
 - Utilization : 84.3%
 - Seat Differential: +90



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Farmland Elementary School

Year Facility Built:
Last Renovation:
Gross Floor Area:
Site Size:
Relocatables in 2024:

1963
2011
89,988 sq.ft.
4.8 acres
4

Adjacent Schools



Ashburton ES
Beverly Farms ES
Garrett Park ES
Luxmanor ES

Ritchie Park ES
Bayard Rustin ES
Twinbrook ES

- 4-Yr Projection

Utilization
: 117.1%

Seat Differential: -124



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Fields Road Elementary School

FY26 Annual School Test



Year Facility Built: 1973
 Last Renovation: - (2008 add'n)
 Gross Floor Area: 72,302 sq.ft.
 Site Size: 10 acres
 Relocatables in 2024: 4

Adjacent Schools

Rachel Carson ES
 Diamond ES
 DuFief ES
 Fallsmead ES

Jones Lane ES
 Rosemont ES
 Stone Mill ES

- 4-Yr Projection
 - Utilization : 95.4%
 - Seat Differential: +21



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Flower Hill Elementary School

FY26 Annual School Test

Year Facility Built:	1985
Last Renovation:	-
Gross Floor Area:	58,770 sq.ft.
Site Size:	10 acres
Relocatables in 2024:	3

Adjacent Schools	
Gaithersburg ES	Sequoyah ES
Mill Creek Towne ES	Strawberry Knoll ES
Judith A. Resnik ES	Washington Grove ES

- 4-Yr Projection
 - Utilization : 94.8%
 - Seat Differential: +23



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Flower Valley Elementary School

Year Facility Built: 1967
Last Renovation: 1996
Gross Floor Area: 61,567 sq.ft.
Site Size: 9.3 acres
Relocatables in 2024: 5

Adjacent Schools	
Lucy V. Barnsley ES	Meadow Hall ES
Bel Pre/Strathmore ES	Olney ES
Brookhaven ES	Sequoyah ES
Cashell ES	Sherwood ES
Maryvale ES	Stonegate ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 108.4%
 - Seat Differential: -39



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Forest Knolls Elementary School

Year Facility Built: 1960
Last Renovation: 1993 (2006 add'n)
Gross Floor Area: 89,850 sq.ft.
Site Size: 7.8 acres
Relocatables in 2024: -

Adjacent Schools

Arcola ES	Kemp Mill ES
Burnt Mills ES	Montgomery Knolls/Pine Crest ES
Glen Haven ES	Flora M. Singer ES

- 4-Yr Projection
 - Utilization : 89.9%
 - Seat Differential: +54



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Fox Chapel Elementary School



Year Facility Built: 1974
 Last Renovation: - (2011 add'n)
 Gross Floor Area: 85,182 sq.ft.
 Site Size: 10.3 acres
 Relocatables in 2024: -

Adjacent Schools

Capt. James E. Daly ES
 S. Christa McAuliffe
 Dr. Salley K. Ride ES
 South Lake ES
 Watkins Mill ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 95.5%
 - Seat Differential: +30



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Gaithersburg Elementary School

Year Facility Built:

1947

Last Renovation:

1983

Gross Floor Area:

94,468 sq.ft.

Site Size:

8.4 acres

Relocatables in 2024:

3

Adjacent Schools

Flower Hill ES

Strawberry Knoll ES

Judith A. Resnik ES

Harriet R. Tubman ES



Rosemont ES

Whetstone ES

South Lake ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 66.9%
 - Seat Differential: +255



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Galway Elementary School

FY26 Annual School Test



Year Facility Built: 1967
 Last Renovation: 2009
 Gross Floor Area: 103,170 sq.ft.
 Site Size: 9 acres
 Relocatables in 2024: 2

Adjacent Schools

Burnt Mills ES
 Fairland ES
 Greencastle ES

Jackson Road ES
 Roscoe R. Nix/Cresthaven ES
 William T. Page ES

- 4-Yr Projection
 - Utilization : 93.1%
 - Seat Differential: +52



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Garrett Park Elementary School



FY26 Annual School Test

Year Facility Built: 1948
 Last Renovation: 2012
 Gross Floor Area: 96,348 sq.ft.
 Site Size: 4.4 acres
 Relocatables in 2024: -

Adjacent Schools

Ashburton ES	Sargent Shriver ES
Farmland ES	Twinbrook ES
Kensington-Parkwood ES	Viers Mill ES
Luxmanor ES	Wheaton Woods ES
Meadow Hall ES	Wyngate ES
Rock Creek Valley ES	

- 4-Yr Projection
 - Utilization : 97.8%
 - Seat Differential: +17



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Georgian Forest Elementary School

Year Facility Built: 1961
Last Renovation: 1995 (2013 add'n)
Gross Floor Area: 88,111 sq.ft.
Site Size: 10.9 acres
Relocatables in 2024: -

Adjacent Schools
Bel Pre/Strathmore ES
Brookhaven ES
Glenallan ES
Harmony Hills ES
Weller Road ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 97.3%
 - Seat Differential: +17



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Germantown Elementary School



Year Facility Built: 1935
 Last Renovation: 1978
 Gross Floor Area: 57,668 sq.ft.
 Site Size: 7.8 acres
 Relocatables in 2024: -

Adjacent Schools

Clopper Mill ES
 Great Seneca Creek ES
 Spark M. Matsunaga ES
 S. Christa McAuliffe ES
 Ronald McNair ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 110.0%
 - Seat Differential: -28



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



William B. Gibbs, Jr. Elementary School



Year Facility Built: 2009
 Last Renovation: -
 Gross Floor Area: 88,042 sq.ft.
 Site Size: 10.8 acres
 Relocatables in 2024: -

Adjacent Schools

Cedar Grove ES	Ronald McNair ES
Clarksburg ES	Monocacy ES
Cabin Branch ES	Dr. Salley K. Ride ES
Capt. James E. Daly ES	Snowden Farm ES
Goshen ES	Spark M. Matsunaga ES
Lake Seneca ES	Stedwick ES
Laytonsville ES	Waters Landing ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 82.7%
 - Seat Differential: +131



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Glen Haven Elementary School



FY26 Annual School Test

Year Facility Built: 1950
 Last Renovation: 2004
 Gross Floor Area: 85,845 sq.ft.
 Site Size: 10 acres
 Relocatables in 2024: -

Adjacent Schools

Arcola ES
 Forest Knolls ES
 Oakland Terrace ES
 Flora M. Singer ES

- 4-Yr Projection
 - Utilization : 95.2%
 - Seat Differential: +27



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Glenallan Elementary School

FY26 Annual School Test



Year Facility Built: 1966
 Last Renovation: 2013
 Gross Floor Area: 98,700 sq.ft.
 Site Size: 12.1 acres
 Relocatables in 2024: 2

Adjacent Schools

Arcola ES
 Bel Pre/Strathmore ES
 Georgian Forest ES
 Jackson Road ES

Kemp Mill ES
 Weller Road ES
 Westover ES

- 4-Yr Projection
 - Utilization : 89.6%
 - Seat Differential: +80



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Goshen Elementary School

Year Facility Built: 1988
 Last Renovation: -
 Gross Floor Area: 76,740 sq.ft.
 Site Size: 10.5 acres
 Relocatables in 2024: -



Adjacent Schools

William B. Gibbs Jr. ES
 Laytonsville ES
 Judith A. Resnik ES
 South Lake ES

Stedwick ES
 Strawberry Knoll ES
 Whetstone ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 74.9%
 - Seat Differential: +153



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Great Seneca Creek Elementary School

Year Facility Built: 2006
Last Renovation: -
Gross Floor Area: 82,511 sq.ft.
Site Size: 13.7 acres
Relocatables in 2024: -

Adjacent Schools

Brown Station ES	Germantown ES
Clopper Mill ES	Thurgood Marshall ES
Darnestown ES	Spark M. Matsunaga ES
Diamond ES	Ronald McNair ES

- 4-Yr Projection
 - Utilization : 78.2%
 - Seat Differential: +128



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Greencastle Elementary School



Year Facility Built: 1988
 Last Renovation: -
 Gross Floor Area: 78,275 sq.ft.
 Site Size: 18.9 acres
 Relocatables in 2024: 10

Adjacent Schools

Burtonsville ES
 Cloverly ES
 Fairland ES
 Galway ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 90.1%
 - Seat Differential: +76
- Capacity projection assumes completion of classroom addition project in 2025.



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Greenwood Elementary School



Year Facility Built: 1970
 Last Renovation: -
 Gross Floor Area: 64,609 sq.ft.
 Site Size: 10 acres
 Relocatables in 2024: -

Adjacent Schools

Belmont ES
 Brooke Grove ES
 Laytonsville ES
 Olney ES
 Sherwood ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 92.8%
 - Seat Differential: +41



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Harmony Hills Elementary School

Year Facility Built: 1957
 Last Renovation: 1999 (2011 add'n)
 Gross Floor Area: 85,648 sq.ft.
 Site Size: 10.2 acres
 Relocatables in 2024: 4



Adjacent Schools

Lucy V. Barnsley ES
 Bel Pre/Strathmore ES
 Brookhaven ES
 Georgian Forest ES

Sargent Shriver ES
 Weller Road ES
 Wheaton Woods ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 86.3%
 - Seat Differential: +100



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Highland Elementary School



Year Facility Built: 1950
 Last Renovation: 1989
 Gross Floor Area: 87,491 sq.ft.
 Site Size: 11 acres
 Relocatables in 2024: -

Adjacent Schools

Arcola ES
 Kemp Mill ES
 Rock View ES
 Sargent Shriver ES
 Viers Mill ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 88.8%
 - Seat Differential: +63



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Highland View Elementary School



Year Facility Built: 1953
 Last Renovation: 1994
 Gross Floor Area: 59,307 sq.ft.
 Site Size: 6.6 acres
 Relocatables in 2024: 6

Adjacent Schools

Montgomery Knolls/Pine Crest ES
 New Hampshire Estates/Oak View ES
 Sligo Creek ES
 Woodlin ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 63.1%
 - Seat Differential: +195
- Capacity projection assumes completion of classroom addition project in 2027.



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Jackson Road Elementary School

Year Facility Built: 1959
 Last Renovation: 1995 (2011 add'n)
 Gross Floor Area: 91,465 sq.ft.
 Site Size: 8.8 acres
 Relocatables in 2024: 3



Adjacent Schools

Burnt Mills ES
 Cannon Road ES
 Dr. Charles R. Drew ES
 Fairland ES
 Galway ES

Glenallan ES
 Kemp Mill ES
 Roscoe R. Nix/Cresthaven ES
 Westover ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 90.6%
 - Seat Differential: +62



Jones Lane Elementary School

Year Facility Built: 1987
 Last Renovation: -
 Gross Floor Area: 60,679 sq.ft.
 Site Size: 12.1 acres
 Relocatables in 2024: -



Adjacent Schools

Rachel Carson ES
 Darnestown ES
 Diamond ES
 DuFief ES
 Fallsmead ES
 Fields Road ES

Thurgood Marshall ES
 Rosemont ES
 Summit Hall ES
 Travilah ES
 Washington Grove ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 74.3%
 - Seat Differential: +131



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Kemp Mill Elementary School

Year Facility Built: 1960
Last Renovation: 1996
Gross Floor Area: 68,222 sq.ft.
Site Size: 10 acres
Relocatables in 2024: 3



Adjacent Schools

Arcola ES
Burnt Mills ES
Forest Knolls ES

Glenallan ES
Highland ES
Jackson Road ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 88.2%
 - Seat Differential: +54



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Kensington-Parkwood Elementary School

FY26 Annual School Test



Year Facility Built: 1952
 Last Renovation: 2006 (2018 add'n)
 Gross Floor Area: 102,382
 Site Size: 9.9 acres
 Relocatables in 2024: -

Adjacent Schools

Ashburton ES
 Garrett Park ES
 Luxmanor ES
 Oakland Terrace ES

Rock View ES
 Rosemary Hills/N. Chevy Chase ES
 Viers Mill ES
 Wyngate ES

- 4-Yr Projection
 - Utilization : 62.6%
 - Seat Differential: +306



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Lake Seneca Elementary School

Year Facility Built: 1985
 Last Renovation: -
 Gross Floor Area: 58,770 sq.ft.
 Site Size: 9.4 acres
 Relocatables in 2024: 9



Adjacent Schools

Clopper Mill ES
 William B. Gibbs Jr. ES
 Spark M. Matsunaga ES
 S. Christa McAuliffe ES

Ronald McNair ES
 Dr. Salley K. Ride ES
 Waters Landing ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 121.1%
 - Seat Differential: -85



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Lakewood Elementary School

Year Facility Built: 1968
 Last Renovation: 2003
 Gross Floor Area: 77,526 sq.ft.
 Site Size: 13.1 acres
 Relocatables in 2024: -



Adjacent Schools

Fallsmead ES
 Potomac ES
 Ritchie Park ES

Stone Mill ES
 Travilah ES
 Wayside ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 72.1%
 - Seat Differential: +158



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Laytonville Elementary School



Year Facility Built: 1951
 Last Renovation: 1989
 Gross Floor Area: 64,160 sq.ft.
 Site Size: 10.4 acres
 Relocatables in 2024: -

Adjacent Schools

Belmont ES	Greenwood ES
Cedar Grove ES	Olney ES
Clearspring ES	Judith A. Resnik ES
Damascus ES	Sequoyah ES
William B. Gibbs Jr. ES	Woodfield ES
Goshen ES	

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 67.8%
 - Seat Differential: +160



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



JoAnn Leleck Elementary School



Year Facility Built: 1952
 Last Renovation: 1974 (2006 add'n)
 Gross Floor Area: 88,922 sq.ft.
 Site Size: 6.1 acres
 Relocatables in 2024: - (at holding center)

Adjacent Schools

Montgomery Knolls/Pine Crest ES
 New Hampshire Estates/Oak View ES
 Roscoe R. Nix/Cresthaven ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 94.2%
 - Seat Differential: +52
- Capacity projection assumes completion of new facility in 2026.



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Little Bennett Elementary School



Year Facility Built: 2006
 Last Renovation: -
 Gross Floor Area: 82,511 sq.ft.
 Site Size: 4.8 acres
 Relocatables in 2024: -

Adjacent Schools

Cedar Grove ES
 Clarksburg ES
 Damascus ES
 Snowden Farm ES
 Wilson Wims ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 93.3%
 - Seat Differential: +42



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Luxmanor Elementary School

FY26 Annual School Test



Year Facility Built: 1966
 Last Renovation: 2020
 Gross Floor Area: 99,376 sq.ft.
 Site Size: 6.5 acres
 Relocatables in 2024: -

Adjacent Schools

Ashburton ES
 Beverly Farms ES
 Farmland ES

Garrett Park ES
 Kensington-Parkwood ES
 Viers Mill ES

- 4-Yr Projection
 - Utilization : 82.6%
 - Seat Differential: +130



Thurgood Marshall Elementary School

Year Facility Built: 1993
 Last Renovation: -
 Gross Floor Area: 77,798 sq.ft.
 Site Size: 12 acres
 Relocatables in 2024: 5



Adjacent Schools

Brown Station ES
 Rachel Carson ES
 Darnestown ES
 Diamond ES
 DuFief ES

Great Seneca Creek ES
 Jones Lane ES
 Rosemont ES
 South Lake ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 104.6%
 - Seat Differential: -22



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Maryvale Elementary School

Year Facility Built: 1969
 Last Renovation: 2020
 Gross Floor Area: 178,625 sq.ft.
 Site Size: 17.7 acres
 Relocatables in 2024: -



Adjacent Schools

Beall ES
 Candlewood ES
 College Gardens ES

Flower Valley ES
 Meadow Hall ES
 Sequoyah ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 91.2%
 - Seat Differential: +57



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Spark M. Matsunaga Elementary School

Year Facility Built: 2001
Last Renovation: -
Gross Floor Area: 90,718 sq.ft.
Site Size: 11.8 acres
Relocatables in 2024: -

Adjacent Schools	
Clopper Mill ES	Lake Seneca ES
Darnestown ES	S. Christa McAuliffe ES
Germantown ES	Ronald McNair ES
William B. Gibbs Jr. ES	Monocacy ES
Great Seneca Creek ES	

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 81.4%
 - Seat Differential: +112



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



S. Christa McAuliffe Elementary School



FY26 Annual School Test

Year Facility Built: 1987
Last Renovation: - (2019 add'n)
Gross Floor Area: 102,111 sq.ft.
Site Size: 10.6 acres
Relocatables in 2024: -

Adjacent Schools

Brown Station ES	Lake Seneca ES
Clopper Mill ES	Spark M. Matsunaga ES
Fox Chapel ES	Dr. Salley K. Ride ES
Germantown ES	Watkins Mill ES

- 4-Yr Projection
 - Utilization : 57.5%
 - Seat Differential: +319



Dr. Ronald E. McNair Elementary School



Year Facility Built: 1990
Last Renovation: - (2023 add'n)
Gross Floor Area: 91,613 sq.ft.
Site Size: 10 acres
Relocatables in 2024: -

Adjacent Schools

Clopper Mill ES	Great Seneca Creek ES
Germantown ES	Lake Seneca ES
William B. Gibbs Jr. ES	Spark M. Matsunaga ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 79.5%
 - Seat Differential: +163



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Meadow Hall Elementary School

Year Facility Built: 1956
 Last Renovation: 1994
 Gross Floor Area: 61,964 sq.ft.
 Site Size: 8.4 acres
 Relocatables in 2024: 4



Adjacent Schools

Lucy V. Barnsley ES
 Beall ES
 Flower Valley ES
 Garrett Park ES

Maryvale ES
 Rock Creek Valley ES
 Bayard Rustin ES
 Twinbrook ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 93.8%
 - Seat Differential: +21



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Mill Creek Towne Elementary School

Year Facility Built: 1966
Last Renovation: 2000
Gross Floor Area: 67,465 sq.ft.
Site Size: 8.4 acres
Relocatables in 2024: 9

Adjacent Schools
Candlewood ES
Flower Hill ES
Judith A. Resnik ES
Sequoyah ES
Washington Grove ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 147.5%
 - Seat Differential: -168



Monocacy Elementary School

Year Facility Built: 1961
Last Renovation: 1989
Gross Floor Area: 42,482 sq.ft.
Site Size: 9.7 acres
Relocatables in 2024: -



Adjacent Schools

Clarksburg ES
Cabin Branch ES
Darnestown ES

William B. Gibbs Jr. ES
Spark M. Matsunaga ES
Poolesville ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 77.3%
 - Seat Differential: +52



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Montgomery Knolls/Pine Crest ES



FY26 Annual School Test

Mont. Knolls / **Pine Crest**
Year Facility Built: 1952 / 1941
Last Renovation: 1989 (2020 add'n) / 1992 (2020 add'n)
GSF: 109,733 sq.ft. / 77,121 sq.ft.
Site Size: 10.3 acres / 5.6 acres
Relocatables in 2024: - / -

Adjacent Schools

Burnt Mills ES **Roscoe R. Nix/Cresthaven ES**
Forest Knolls ES **Rolling Terrace ES**
Highland View ES **Sligo Creek ES**
JoAnn Leleck ES **Flora M. Singer ES**
New Hampshire Est/Oak View ES

- 4-Yr Projection
 - Utilization : 71.0%
 - Seat Differential: +392



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





New Hampshire Estates/Oak View ES

	NHE		Oak View
Year Facility Built:	1954	/	1949
Last Renovation:	1988	/	1985
GSF:	73,306 sq.ft.	/	57,560 sq.ft.
Site Size:	5.4 acres	/	11.3 acres
Relocatables in 2024:	-	/	3

Adjacent Schools	
Highland View ES	Rolling Terrace ES
JoAnn Leleck ES	Sligo Creek ES
Montgomery Knolls/Pine Crest ES	Takoma Park/Piney Branch ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 107.5%
 - Seat Differential: -63



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Roscoe R. Nix/Cresthaven ES

	Roscoe R. Nix	Cresthaven
Year Facility Built:	2006	1962
Last Renovation:	-	2010
GSF:	88,351 sq.ft.	76,862 sq.ft.
Site Size:	9 acres	9.8 acres
Relocatables in 2024:	-	2


Adjacent Schools	
Burnt Mills ES	Jackson Road ES
Cannon Road ES	JoAnn Leleck ES
Forest Knolls ES	Montgomery Knolls/Pine Crest ES
Galway ES	

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 100.1%
 - Seat Differential: -1

Seat Deficit

Util. Rate



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Oakland Terrace Elementary School

FY26 Annual School Test

Year Facility Built:	1950
Last Renovation:	1993
Gross Floor Area:	79,145 sq.ft.
Site Size:	9.5 acres
Relocatables in 2024:	5

Adjacent Schools	
Arcola ES	Rock View ES
Glen Haven ES	Rosemary Hills/N. Chevy Chase ES
Kensington-Parkwood ES	Flora M. Singer ES

- 4-Yr Projection
 - Utilization : 98.8%
 - Seat Differential: +6



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Olney Elementary School

Year Facility Built: 1954
 Last Renovation: 1990
 Gross Floor Area: 68,755 sq.ft.
 Site Size: 9.9 acres
 Relocatables in 2024: -



Adjacent Schools

Belmont ES
 Brooke Grove ES
 Cashell ES
 Flower Valley ES

Greenwood ES
 Laytonsville ES
 Sequoyah ES
 Sherwood ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 86.5%
 - Seat Differential: +83



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



William T. Page Elementary School



Year Facility Built: 1965
 Last Renovation: 2003 (2023 add'n)
 Gross Floor Area: 93,514 sq.ft.
 Site Size: 9.8 acres
 Relocatables in 2024: -

Adjacent Schools

Cannon Road ES
 Dr. Charles R. Drew ES
 Fairland ES
 Galway ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 87.8%
 - Seat Differential: +90



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Poolesville Elementary School



Year Facility Built: 1960
Last Renovation: 1978
Gross Floor Area: 64,803 sq.ft.
Site Size: 12.3 acres
Relocatables in 2024: -

Adjacent Schools

Darnestown ES
Monocacy ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 113.3%
 - Seat Differential: -76



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Potomac Elementary School

Year Facility Built: 1949
 Last Renovation: 2020
 Gross Floor Area: 86,550 sq.ft.
 Site Size: 9 acres
 Relocatables in 2024: -



Adjacent Schools

Bells Mill ES
 Carderock Springs ES
 Lakewood ES
 Seven Locks ES

Stone Mill ES
 Travilah ES
 Wayside ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 97.3%
 - Seat Differential: +13



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Judith A. Resnik Elementary School

Year Facility Built: 1991
 Last Renovation: -
 Gross Floor Area: 78,547 sq.ft.
 Site Size: 12.8 acres
 Relocatables in 2024: 4



Adjacent Schools

Flower Hill ES
 Gaithersburg ES
 Goshen ES
 Laytonsville ES
 Mill Creek Towne ES

Sequoyah ES
 Strawberry Knoll ES
 Harriet R. Tubman ES
 Washington Grove ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 84.6%
 - Seat Differential: +88



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Dr. Sally K. Ride Elementary School

Year Facility Built: 1994
 Last Renovation: -
 Gross Floor Area: 78,686 sq.ft.
 Site Size: 13.5 acres
 Relocatables in 2024: 2



Adjacent Schools

Capt. James E. Daly ES
 Fox Chapel ES
 William B. Gibbs Jr. ES

Lake Seneca ES
 S. Christa McAuliffe ES
 Waters Landing ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 76.9%
 - Seat Differential: +123



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Ritchie Park Elementary School



Year Facility Built: 1966
 Last Renovation: 1997
 Gross Floor Area: 58,500 sq.ft.
 Site Size: 9.2 acres
 Relocatables in 2024: -

Adjacent Schools

Beall ES	Lakewood ES
Beverly Farms ES	Rosemont ES
Cold Spring ES	Bayard Rustin ES
College Gardens ES	Stone Mill ES
Fallsmead ES	Washington Grove ES
Farmland ES	

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 79.6%
 - Seat Differential: +84



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Rock Creek Forest Elementary School



Year Facility Built: 1950
Last Renovation: 2015
Gross Floor Area: 98,140 sq.ft.
Site Size: 8 acres
Relocatables in 2024: -

Adjacent Schools

Rosemary Hills/Chevy Chase ES
Rosemary Hills/N. Chevy Chase ES
Woodlin ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 89.1%
 - Seat Differential: +84



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Rock Creek Valley Elementary School

Year Facility Built: 1964
Last Renovation: 2001
Gross Floor Area: 76,692 sq.ft.
Site Size: 10.4 acres
Relocatables in 2024: -

Adjacent Schools	
Lucy V. Barnsley ES	Meadow Hall ES
Brookhaven ES	Twinbrook ES
Garrett Park ES	Wheaton Woods ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 83.8%
 - Seat Differential: +65



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Rock View Elementary School

Year Facility Built: 1955
 Last Renovation: 1999 (2011 add'n)
 Gross Floor Area: 91,977 sq.ft.
 Site Size: 7.4 acres
 Relocatables in 2024: -



Adjacent Schools

Arcola ES
 Highland ES
 Kensington-Parkwood ES

Oakland Terrace ES
 Sargent Shriver ES
 Viers Mill ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 101.3%
 - Seat Differential: -8



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Lois P. Rockwell Elementary School



Year Facility Built: 1992
 Last Renovation: -
 Gross Floor Area: 75,520 sq.ft.
 Site Size: 10.6 acres
 Relocatables in 2024: -

Adjacent Schools

Cedar Grove ES
 Clearspring ES
 Damascus ES
 Woodfield ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 86.1%
 - Seat Differential: +80



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Rolling Terrace Elementary School

Year Facility Built: 1950
 Last Renovation: 1989
 Gross Floor Area: 92,241 sq.ft.
 Site Size: 4.3 acres
 Relocatables in 2024: 6

Adjacent Schools
 East Silver Spring ES
 Montgomery Knolls/Pine Crest ES
 New Hampshire Est/Oak View ES
 Sligo Creek ES
 Takoma Park/Piney Branch ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 92.9%
 - Seat Differential: +48



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Rosemary Hills/Chevy Chase ES

FY26 Annual School Test



	Rosemary Hills		Chevy Chase
Year Facility Built:	1956	/	1936
Last Renovation:	1988 (2015 add'n)	/	2000
GSF:	87,298 sq.ft.	/	70,976 sq.ft.
Site Size:	6.1 acres	/	3.8 acres
Relocatables in 2024:	-	/	-

Adjacent Schools

Bethesda ES
 Rock Creek Forest ES
 Rosemary Hills/N. Chevy Chase ES

Somerset ES
 Westbrook ES
 Woodlin ES

- 4-Yr Projection
 - Utilization : 86.0%
 - Seat Differential: +159



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Rosemary Hills/North Chevy Chase ES

FY26 Annual School Test

	Rosemary Hills	N. Chevy Chase
Year Facility Built:	1956	1953
Last Renovation:	1988 (2015 add'n)	1995 (2015 add'n)
GSF:	87,298 sq.ft.	65,982 sq.ft.
Site Size:	6.1 acres	7.9 acres
Relocatables in 2024:	-	-

Adjacent Schools	
Bethesda ES	Flora M. Singer ES
Kensington-Parkwood ES	Somerset ES
Oakland Terrace ES	Woodlin ES
Rock Creek Forest ES	Wyngate ES
Rosemary Hills/Chevy Chase ES	

- 4-Yr Projection
 - Utilization : 72.0%
 - Seat Differential: +292



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Rosemont Elementary School

Year Facility Built: 1965
 Last Renovation: 1995
 Gross Floor Area: 88,764 sq.ft.
 Site Size: 8.9 acres
 Relocatables in 2024: 4



Adjacent Schools

Brown Station ES
 Rachel Carson ES
 Dufief ES
 Fallsmead ES
 Fields Road ES
 Gaithersburg ES
 Jones Lane ES

Ritchie Park ES
 Thurgood Marshall ES
 South Lake ES
 Stone Mill ES
 Summit Hall ES
 Harriet R. Tubman ES
 Washington Grove ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 89.8%
 - Seat Differential: +59



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Bayard Rustin Elementary School

FY26 Annual School Test



Year Facility Built: 2018
Last Renovation: -
Gross Floor Area: 97,397 sq.ft.
Site Size: 10.9 acres
Relocatables in 2024: 2

Adjacent Schools

Beall ES
Beverly Farms ES
Fallsmead ES
Farmland ES

Meadow Hall ES
Ritchie Park ES
Twinbrook ES

- 4-Yr Projection
 - Utilization : 93.4%
 - Seat Differential: +52



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Sequoyah Elementary School

Year Facility Built: 1990
 Last Renovation: -
 GSF: 73,080 sq.ft.
 Site Size: 10 acres
 Relocatables in 2024: 2

Adjacent Schools

Belmont ES	Maryvale ES
Candlewood ES	Mill Creek Towne ES
Cashell ES	Olney ES
Flower Hill ES	Judith A. Resnik ES
Flower Valley ES	Washington Grove ES
Laytonsville ES	

- 4-Yr Projection
 - Utilization : 115.4%
 - Seat Differential: -67



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Seven Locks Elementary School

Year Facility Built: 1964
 Last Renovation: 2012
 Gross Floor Area: 66,915 sq.ft.
 Site Size: 9.9 acres
 Relocatables in 2024: -



Adjacent Schools

Ashburton ES
 Bannockburn ES
 Bells Mill ES

Burning Tree ES
 Carderock Springs ES
 Potomac ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 87.5%
 - Seat Differential: +57



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Sherwood Elementary School

FY26 Annual School Test



Year Facility Built: 1977
 Last Renovation: - (2010 add'n)
 Gross Floor Area: 81,727 sq.ft.
 Site Size: 10.9 acres
 Relocatables in 2024: -

Adjacent Schools

Brooke Grove ES
 Cashell ES
 Cloverly ES
 Dr. Charles R. Drew ES

Flower Valley ES
 Greenwood ES
 Olney ES
 Stonegate ES

- 4-Yr Projection
 - Utilization : 94.6%
 - Seat Differential: +28



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Sargent Shriver Elementary School

FY26 Annual School Test

Year Facility Built:	1954
Last Renovation:	2006
Gross Floor Area:	91,628 sq.ft.
Site Size:	9.2 acres
Relocatables in 2024:	6

Adjacent Schools	
Arcola ES	Rock View ES
Garrett Park ES	Viers Mill ES
Harmony Hills ES	Weller Road ES
Highland ES	Wheaton Woods ES

- 4-Yr Projection
 - Utilization : 109.0%
 - Seat Differential: -58



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Flora M. Singer Elementary School

FY26 Annual School Test

Year Facility Built:	2012
Last Renovation:	-
Gross Floor Area:	95,831 sq.ft.
Site Size:	12.7 acres
Relocatables in 2024:	3

Adjacent Schools	
Forest Knolls ES	Rosemary Hills/N. Chevy Chase ES
Glen Haven ES	Sligo Creek ES
Montgomery Knolls/Pine Crest ES	Woodlin ES
Oakland Terrace ES	

- 4-Yr Projection
 - Utilization : 107.5%
 - Seat Differential: -44



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Sligo Creek Elementary School

FY26 Annual School Test



Year Facility Built: 1934
 Last Renovation: 1999
 Gross Floor Area: 87,744 sq.ft.
 Site Size: 15.6 acres
 Relocatables in 2024: -

Adjacent Schools

East Silver Spring ES
 Highland View ES
 Montgomery Knolls/Pine Crest ES
 New Hampshire Est/Oak View ES

Rolling Terrace ES
 Flora M. Singer ES
 Woodlin ES

- 4-Yr Projection
 - Utilization : 83.4%
 - Seat Differential: +121



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Snowden Farm Elementary School

FY26 Annual School Test



Year Facility Built: 2019
Last Renovation: -
Gross Floor Area: 92,366 sq.ft.
Site Size: 9.8 acres
Relocatables in 2024: -

Adjacent Schools

Cedar Grove ES
Clarksburg ES
William B. Gibbs Jr. ES

Little Bennett ES
Wilson Wims ES

- 4-Yr Projection
 - Utilization : 56.1%
 - Seat Differential: +335



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Somerset Elementary School



Year Facility Built: 1949
 Last Renovation: 2005
 Gross Floor Area: 80,122 sq.ft.
 Site Size: 3.7 acres
 Relocatables in 2024: -

Adjacent Schools

Bethesda ES
 Rosemary Hills/Chevy Chase ES
 Rosemary Hills/N. Chevy Chase ES
 Westbrook ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 61.1%
 - Seat Differential: +214



South Lake Elementary School

FY26 Annual School Test



Year Facility Built: 1972
 Last Renovation: 2023
 Gross Floor Area: 113,549 sq.ft.
 Site Size: 10.2 acres
 Relocatables in 2024: -

Adjacent Schools

Brown Station ES
 Capt. James E. Daly ES
 Fox Chapel ES
 Gaithersburg ES
 Goshen ES

Thurgood Marshall ES
 Rosemont ES
 Stedwick ES
 Watkins Mill ES
 Whetstone ES

- 4-Yr Projection
 - Utilization : 88.0%
 - Seat Differential: +93



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Stedwick Elementary School

Year Facility Built: 1974
 Last Renovation: - (2008 add'n)
 Gross Floor Area: 109,677 sq.ft.
 Site Size: 10 acres
 Relocatables in 2024: -



Adjacent Schools

Capt. James E. Daly ES
 William B. Gibbs Jr. ES
 Goshen ES

South Lake ES
 Watkins Mill ES
 Whetstone ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 69.1%
 - Seat Differential: +208



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Stone Mill Elementary School



Year Facility Built: 1988
 Last Renovation: -
 Gross Floor Area: 78,617 sq.ft.
 Site Size: 11.8 acres
 Relocatables in 2024: -

Adjacent Schools

DuFief ES
 Fields Road ES
 Lakewood ES
 Potomac ES

Ritchie Park ES
 Rosemont ES
 Travilah ES
 Wayside ES

- 4-Yr Projection
 - Utilization : 75.2%
 - Seat Differential: +177



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Stonegate Elementary School

Year Facility Built: 1971
Last Renovation: 2023
Gross Floor Area: 84,094 sq.ft.
Site Size: 10.3 acres
Relocatables in 2024: -

Adjacent Schools	
Bel Pre/Strathmore ES	Flower Valley ES
Cloverly ES	Sherwood ES
Dr. Charles R. Drew ES	Westover ES

- 4-Yr Projection
 - Utilization : 97.9%
 - Seat Differential: +12



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Strawberry Knoll Elementary School

Year Facility Built:	1988
Last Renovation:	-
Gross Floor Area:	78,723 sq.ft.
Site Size:	10.8 acres
Relocatables in 2022:	2

Adjacent Schools
Flower Hill ES
Gaithersburg ES
Goshen ES
Judith A. Resnik ES
Whetstone ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 83.0%
 - Seat Differential: +82



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Summit Hall Elementary School



Year Facility Built: 1971
 Last Renovation: -
 Gross Floor Area: 68,059 sq.ft.
 Site Size: 10.2 acres
 Relocatables in 2024: 16 (modular bldg.)

Adjacent Schools

Rachel Carson ES
 Jones Lane ES
 Rosemont ES
 Harriet R. Tubman ES
 Washington Grove ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 83.5%
 - Seat Differential: +73



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Takoma Park/Piney Branch ES



FY26 Annual School Test

	Takoma Park	Piney Branch
Year Facility Built:	1979	1973
Last Renovation: - (2010 add'n)	-	-
GSF: 85,553 sq.ft.	99,706 sq.ft.	
Site Size: 4.7 acres	2 acres	
Relocatables in 2024:	-	-

Adjacent Schools

East Silver Spring ES
New Hampshire Estates/Oak View ES
Rolling Terrace ES

- 4-Yr Projection
 - Utilization : 75.8%
 - Seat Differential: +342



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Travilah Elementary School

Year Facility Built: 1960
 Last Renovation: 1992 (2008 add'n)
 Gross Floor Area: 65,378 sq.ft.
 Site Size: 9.3 acres
 Relocatables in 2024: -



Adjacent Schools

Darnestown ES
 DuFief ES
 Jones Lane ES

Lakewood ES
 Potomac ES
 Stone Mill ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 69.0%
 - Seat Differential: +163



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Harriet R. Tubman Elementary School



Year Facility Built: 2022
 Last Renovation: -
 Gross Floor Area: 99,893 sq.ft.
 Site Size: 5.7 acres
 Relocatables in 2024: -

Adjacent Schools

Gaithersburg ES
 Judith A. Resnik ES
 Rosemont ES
 Summit Hall ES
 Washington Grove ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 92.3%
 - Seat Differential: +49



Twinbrook Elementary School

Year Facility Built: 1952
 Last Renovation: 1986
 Gross Floor Area: 79,818 sq.ft.
 Site Size: 10.5 acres
 Relocatables in 2024: -



Adjacent Schools

Beall ES
 Farmland ES
 Garrett Park ES

Meadow Hall ES
 Bayard Rustin ES
 Twinbrook ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 71.6%
 - Seat Differential: +175



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Viers Mill Elementary School

Year Facility Built: 1950
 Last Renovation: 1991 (2013 add'n)
 Gross Floor Area: 120,572 sq.ft.
 Site Size: 10.5 acres
 Relocatables in 2024: -



Adjacent Schools

Garrett Park ES
 Highland ES
 Kensington-Parkwood ES

Luxmanor ES
 Rock View ES
 Sargent Shriver ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 82.8%
 - Seat Differential: +123



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Washington Grove Elementary School

FY26 Annual School Test

Year Facility Built:	1956
Last Renovation:	1984 (2010 add'n)
Gross Floor Area:	86,266 sq.ft.
Site Size:	10.7 acres
Relocatables in 2024:	-

Adjacent Schools	
Candlewood ES	Judith A. Resnik ES
College Gardens ES	Ritchie Park ES
Fallsmead ES	Rosemont ES
Flower Hill ES	Sequoyah ES
Jones Lane ES	Summit Hall ES
Mill Creek Towne ES	Harriet R. Tubman ES

- 4-Yr Projection
 - Utilization : 92.4%
 - Seat Differential: +42



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Waters Landing Elementary School



FY26 Annual School Test

Year Facility Built: 1988
Last Renovation: - (2014 add'n)
Gross Floor Area: 101,352 sq.ft.
Site Size: 10 acres
Relocatables in 2024: -

Adjacent Schools

William B. Gibbs Jr. ES
Lake Seneca ES
Dr. Salley K. Ride ES

- 4-Yr Projection
 - Utilization : 95.8%
 - Seat Differential: +31



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Watkins Mill Elementary School

Year Facility Built: 1970
 Last Renovation: - (2006 add'n)
 Gross Floor Area: 80,939 sq.ft.
 Site Size: 10 acres
 Relocatables in 2024: 4



Adjacent Schools

Brown Station ES
 Fox Chapel ES
 S. Christa McAuliffe

South Lake ES
 Stedwick ES
 Whetstone ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 100.7%
 - Seat Differential: -5



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Wayside Elementary School

Year Facility Built: 1969
 Last Renovation: 2017
 Gross Floor Area: 93,453 sq.ft.
 Site Size: 9.3 acres
 Relocatables in 2024: -



Adjacent Schools

Bells Mill ES
 Beverly Farms ES
 Cold Spring ES
 Fallsmead ES

Lakewood ES
 Potomac ES
 Stone Mill ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 77.5%
 - Seat Differential: +141



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Weller Road Elementary School



Year Facility Built: 1953
 Last Renovation: 2013
 Gross Floor Area: 121,346 sq.ft.
 Site Size: 11.1 acres
 Relocatables in 2024: -

Adjacent Schools

Arcola ES
 Georgian Forest ES
 Glenallan ES
 Harmony Hills ES
 Sargent Shriver ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 81.5%
 - Seat Differential: +148



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Westbrook Elementary School

Year Facility Built: 1939
 Last Renovation: 1990 (2013 add'n)
 Gross Floor Area: 91,359 sq.ft.
 Site Size: 12.5 acres
 Relocatables in 2024: -



Adjacent Schools

Bannockburn ES
 Bethesda ES
 Bradley Hills ES

Rosemary Hills/Chevy Chase ES
 Somerset ES
 Wood Acres ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 62.3%
 - Seat Differential: +244



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Westover Elementary School

Year Facility Built: 1964
 Last Renovation: 1998
 Gross Floor Area: 54,645 sq.ft.
 Site Size: 7.6 acres
 Relocatables in 2024: 2



Adjacent Schools

Bel Pre/Strathmore ES
 Cannon Road ES
 Dr. Charles R. Drew ES

Glenallan ES
 Jackson Road ES
 Stonegate ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 107.2%
 - Seat Differential: -20



* MCPS projection, modified according to Annual School Test guidelines (if applicable).





Wheaton Woods Elementary School

Year Facility Built:	1952
Last Renovation:	2017
Gross Floor Area:	120,154 sq.ft.
Site Size:	8 acres
Relocatables in 2024:	-

Adjacent Schools
Brookhaven ES
Garrett Park ES
Harmony Hills ES
Rock Creek Valley ES
Sargent Shriver ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 86.2%
 - Seat Differential: +91



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Whetstone Elementary School

FY26 Annual School Test



Year Facility Built: 1968
 Last Renovation: - (2011 add'n)
 Gross Floor Area: 96,946 sq.ft.
 Site Size: 8.8 acres
 Relocatables in 2024: -

Adjacent Schools

Gaithersburg ES
 Goshen ES
 South Lake ES

Stedwick ES
 Strawberry Knoll ES
 Watkins Mill ES

- 4-Yr Projection
 - Utilization : 93.3%
 - Seat Differential: +52



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Wilson Wims Elementary School



Year Facility Built: 2014
Last Renovation: -
Gross Floor Area: 91,931 sq.ft.
Site Size: 9.3 acres
Relocatables in 2024: -

Adjacent Schools

Cedar Grove ES
Little Bennett ES
Snowden Farm ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 63.9%
 - Seat Differential: +259



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Wood Acres Elementary School



Year Facility Built: 1952
 Last Renovation: 2002 (2016 add'n)
 Gross Floor Area: 96,358 sq.ft.
 Site Size: 4.8 acres
 Relocatables in 2024: -

Adjacent Schools

Bannockburn ES
 Bradley Hills ES
 Burning Tree ES
 Westbrook ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 84.3%
 - Seat Differential: +119



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Woodfield Elementary School



Year Facility Built: 1962
 Last Renovation: 1985
 Gross Floor Area: 53,212 sq.ft.
 Site Size: 10 acres
 Relocatables in 2024: -

Adjacent Schools

Cedar Grove ES
 Clearspring ES
 Laytonsville ES
 Lois P. Rockwell ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 74.1%
 - Seat Differential: +97



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Woodlin Elementary School



FY26 Annual School Test

Year Facility Built: 1944
 Last Renovation: 2023
 Gross Floor Area: 60,725 sq.ft.
 Site Size: 11 acres
 Relocatables in 2024: -

Adjacent Schools

Highland View ES Rosemary Hills/N. Chevy Chase ES
 Rock Creek Forest ES Flora M. Singer ES
 Rosemary Hills/Chevy Chase ES Sligo Creek ES

- 4-Yr Projection
 - Utilization : 94.6%
 - Seat Differential: +35



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Wyngate Elementary School

Year Facility Built: 1952
 Last Renovation: 1997 (2013 add'n)
 Gross Floor Area: 89,104 sq.ft.
 Site Size: 9.5 acres
 Relocatables in 2024: -



Adjacent Schools

Ashburton ES
 Bethesda ES
 Bradley Hills ES
 Burning Tree ES

Garrett Park ES
 Kensington-Parkwood ES
 Rosemary Hills/N. Chevy Chase ES

FY26 Annual School Test

- 4-Yr Projection
 - Utilization : 75.9%
 - Seat Differential: +193



* MCPS projection, modified according to Annual School Test guidelines (if applicable).



Index (by School Level)

HIGH SCHOOLS		MIDDLE SCHOOLS					
Bethesda-Chevy Chase	24	Argyle	50	Redland	75	Beverly Farms	100
Montgomery Blair	25	John T. Baker	51	Ridgeview	76	Bradley Hills	101
James Hubert Blake	26	Benjamin Banneker	52	Rocky Hill	77	Brooke Grove	102
Winston Churchill	27	Briggs Chaney	53	Shady Grove	78	Brookhaven	103
Clarksburg	28	Cabin John	54	Odessa Shannon	79	Brown Station	104
Damascus	29	Roberto Clemente	55	Silver Creek	80	Burning Tree	105
Albert Einstein	30	Eastern	56	Silver Spring International	81	Burnt Mills	106
Gaithersburg	31	William H. Farquhar	57	Sligo	82	Burtonsville	107
Walter Johnson	32	Forest Oak	58	Takoma Park	83	Cabin Branch	108
John F. Kennedy	33	Robert Frost	59	Tilden	84	Candlewood	109
Col. Zadok Magruder	34	Gaithersburg	60	Hallie Wells	85	Cannon Road	110
Richard Montgomery	35	Herbert Hoover	61	Julius West	86	Carderock Springs	111
Northwest	36	Francis Scott Key	62	Westland	87	Rachel Carson	112
Northwood	37	Dr. Martin Luther King, Jr	63	White Oak	88	Cashell	113
Paint Branch	38	Kingsview	64	Earle B. Wood	89	Cedar Grove	114
Poolesville	39	Lakelands Park	65	ELEMENTARY SCHOOLS		Clarksburg	115
Quince Orchard	40	A. Mario Loiederman	66	Arcola	91	Clearspring	116
Rockville	41	Montgomery Village	67	Ashburton	92	Clopper Mill	117
Seneca Valley	42	Neelsville	68	Bannockburn	93	Cloverly	118
Sherwood	43	Newport Mill	69	Lucy V. Barnsley	94	Cold Spring	119
Springbrook	44	North Bethesda	70	Beall	95	College Gardens	120
Watkins Mill	45	Parkland	71	Bel Pre/Strathmore	96	Capt. James E. Daly	121
Wheaton	46	Rosa Parks	72	Bells Mill	97	Damascus	122
Walt Whitman	47	John Poole	73	Belmont	98	Darnestown	123
Thomas S. Wootton	48	Thomas W. Pyle	74	Bethesda	99	Diamond	124
						Dr. Charles R. Drew	125



DuFief	126	Jones Lane	152	Dr. Sally K. Ride	178	Travilah	204
East Silver Spring	127	Kemp Mill	153	Ritchie Park	179	Harriet R. Tubman	205
Fairland	128	Kensington-Parkwood	154	Rock Creek Forest	180	Twinbrook	206
Fallsmead	129	Lake Seneca	155	Rock Creek Valley	181	Viers Mill	207
Farmland	130	Lakewood	156	Rock View	182	Washington Grove	208
Fields Road	131	Laytonsville	157	Lois P. Rockwell	183	Waters Landing	209
Flower Hill	132	JoAnn Leleck	158	Rolling Terrace	184	Watkins Mill	210
Flower Valley	133	Little Bennett	159	Rosemary Hills/Chevy Chase	185	Wayside	211
Forest Knolls	134	Luxmanor	160	Rosemary Hills/North Chevy Chase	186	Weller Road	212
Fox Chapel	135	Thurgood Marshall	161	Rosemont	187	Westbrook	213
Gaithersburg	136	Maryvale	162	Bayard Rustin	188	Westover	214
Galway	137	Spark M. Matsunaga	163	Sequoyah	189	Wheaton Woods	215
Garrett Park	138	S. Christa McAuliffe	164	Seven Locks	190	Whetstone	216
Georgian Forest	139	Dr. Ronald E. McNair	165	Sherwood	191	Wilson Wims	217
Germantown	140	Meadow Hall	166	Sargent Shriver	192	Wood Acres	218
William B. Gibbs Jr.	141	Mill Creek Towne	167	Flora M. Singer	193	Woodfield	219
Glen Haven	142	Monocacy	168	Sligo Creek	194	Woodlin	220
Glenallan	143	Montgomery Knolls/Pine Crest	169	Snowden Farm	195	Wyngate	221
Goshen	144	New Hampshire Estates/Oak View	170	Somerset	196		
Great Seneca Creek	145	Roscoe R. Nix/Cresthaven	171	South Lake	197		
Greencastle	146	Oakland Terrace	172	Stedwick	198		
Greenwood	147	Olney	173	Stone Mill	199		
Harmony Hills	148	William T. Page	174	Stonegate	200		
Highland	149	Poolesville	175	Strawberry Knoll	201		
Highland View	150	Potomac	176	Summit Hall	202		
Jackson Road	151	Judith A. Resnik	177	Takoma Park/Piney Branch	203		



Index (by Cluster)

BETHESDA-CHEVY CHASE CLUSTER

Bethesda-Chevy Chase HS	24
Silver Creek MS	80
Westland MS	87
Bethesda ES	99
Rock Creek Forest ES	180
Rosemary Hills/Chevy Chase ES	185
Rosemary Hills/North Chevy Chase ES	186
Somerset ES	196
Westbrook ES	213

WINSTON CHURCHILL CLUSTER

Winston Churchill HS	27
Cabin John MS	54
Herbert Hoover MS	61
Bells Mill ES	97
Beverly Farms ES	100
Potomac ES	176
Seven Locks ES	190
Wayside ES	211

CLARKSBURG CLUSTER

Clarksburg HS	28
Rocky Hill MS	77
Hallie Wells MS	85
Cabin Branch ES	108

Clarksburg ES	115
Capt. James E. Daly ES	121
Fox Chapel ES	135
Little Bennett ES	159
Snowden Farm ES	195
Wilson Wims ES	217

DAMASCUS CLUSTER

Damascus HS	29
John T. Baker MS	51
Hallie Wells MS	85
Cedar Grove ES	114
Clearspring ES	116
Damascus ES	122
Lois P. Rockwell ES	183
Snowden Farm ES	195
Woodfield ES	219

DOWNCOUNTY CONSORTIUM

Montgomery Blair HS	25
Albert Einstein HS	30
John F. Kennedy HS	33
Northwood HS	37
Wheaton HS	46
Argyle MS	50
Eastern MS	56

A. Mario Loiederman MS	66
Newport Mill MS	69
Parkland MS	71
Odessa Shannon MS	79
Silver Spring International MS	81
Sligo MS	82
Takoma Park MS	83
Arcola ES	91
Bel Pre/Strathmore ES	96
Brookhaven ES	103
East Silver Spring ES	127
Forest Knolls ES	134
Georgian Forest ES	139
Glen Haven ES	142
Glenallan ES	143
Harmony Hills ES	148
Highland ES	149
Highland View ES	150
Kemp Mill ES	153
Montgomery Knolls/Pine Crest ES	169
New Hampshire Estates/Oak View ES	170
Oakland Terrace ES	172
Rock View ES	182
Rolling Terrace ES	184
Sargent Shriver ES	192
Flora M. Singer ES	193

Sligo Creek ES	194
Takoma Park/Piney Branch ES	203
Viers Mills ES	207
Weller Road ES	212
Wheaton Woods ES	215
Woodlin ES	220

GAITHERSBURG CLUSTER

Gaithersburg HS	31
Forest Oak MS	58
Gaithersburg MS	60
Gaithersburg ES	136
Goshen ES	144
Laytonsville ES	157
Rosemont ES	187
Strawberry Knoll ES	201
Summit Hall ES	202
Harriet R. Tubman ES	205
Washington Grove ES	208

WALTER JOHNSON CLUSTER

Walter Johnson HS	32
North Bethesda MS	70
Tilden MS	84
Ashburton ES	92
Farmland ES	130



Garrett Park ES	138
Kensington-Parkwood ES	154
Luxmanor ES	160
Wyngate ES	221

COL. ZADOK MAGRUDER CLUSTER

Col. Zadok Magruder HS	34
Redland MS	75
Shady Grove MS	78
Candlewood ES	109
Cashell ES	113
Flower Hill ES	132
Mill Creek Towne ES	167
Judith A. Resnik ES	177
Sequoyah ES	189

RICHARD MONTGOMERY CLUSTER

Richard Montgomery HS	35
Julius West MS	86
Beall ES	95
College Gardens ES	120
Ritchie Park ES	179
Bayard Rustin ES	188
Twinbrook ES	206

NORTHEAST CONSORTIUM

James Hubert Blake HS	26
Paint Branch HS	38
Springbrook HS	44
Benjamin Banneker MS	52
Briggs Chaney MS	53
William H. Farquhar MS	57
Francis Scott Key MS	62
White Oak MS	88
Burnt Mills ES	106
Burtonsville ES	107
Cannon Road ES	110
Cloverly ES	118
Dr. Charles R. Drew ES	125
Fairland ES	128
Galway ES	137
Greencastle ES	146
Jackson Road ES	151
JoAnn Leleck ES	158
Roscoe R. Nix/Cresthaven ES	171
William T. Page ES	174
Sherwood ES	191
Stonegate ES	200
Westover ES	214

NORTHWEST CLUSTER

Northwest HS	36
Roberto Clemente MS	55
Kingsview MS	64
Lakelands Park MS	65
Clopper Mill ES	117
Darnestown ES	123
Diamond ES	124
Germantown ES	140
Great Seneca Creek ES	145
Spark M. Matsunaga ES	163
Dr. Ronald E. McNair ES	165

POOLESVILLE CLUSTER

Poolesville HS	39
John Poole MS	73
Monocacy ES	168
Poolesville ES	175

QUINCE ORCHARD CLUSTER

Quince Orchard HS	40
Lakelands Park MS	65
Ridgeview MS	76
Brown Station ES	104
Rachel Carson ES	112
Fields Road ES	131

Jones Lane ES	152
Thurgood Marshall ES	161

ROCKVILLE CLUSTER

Rockville HS	41
Earle B. Wood MS	89
Lucy V. Barnsley ES	94
Flower Valley ES	133
Maryvale ES	162
Meadow Hall ES	166
Rock Creek Valley ES	181

SENECA VALLEY CLUSTER

Seneca Valley HS	42
Roberto Clemente MS	55
Dr. Martin Luther King, Jr. MS	63
Neelsville MS	68
Clarksburg ES	115
Germantown ES	140
William B. Gibbs, Jr. ES	141
Lake Seneca ES	155
S. Christa McAuliffe ES	164
Dr. Sally K. Ride ES	178
Waters Landing ES	209



SHERWOOD CLUSTER

Sherwood HS	43
William H. Farquhar MS	57
Rosa Parks MS	72
Belmont ES	98
Brooke Grove ES	102
Greenwood ES	146
Olney ES	172
Sherwood ES	190

WATKINS MILL CLUSTER

Watkins Mill HS	45
Montgomery Village MS	67
Neelsville MS	68
South Lake ES	196
Stedwick ES	197
Watkins Mill ES	209
Whetstone ES	215

WALT WHITMAN CLUSTER

Walt Whitman HS	47
Thomas W. Pyle MS	74
Bannockburn ES	93
Bradley Hills ES	101
Burning Tree ES	105
Carderock Springs ES	110

Wood Acres ES	217
---------------	-----

THOMAS S. WOOTTON CLUSTER

Thomas S. Wootton HS	48
Cabin John MS	54
Robert Frost MS	59
Cold Spring ES	118
DuFief ES	125
Fallsmead ES	128
Lakewood ES	155
Stone Mill ES	198
Travilah ES	203

