# Functional Master Plan for the PATUXENT' RIVER WATERSHED

MONTGOMERY COUNTY MA<u>RYLA</u>ND

**NOVEMBER 1993** 



### TITLE

Functional Master Plan for the Patuxent River Watershed in Montgomery County

## AUTHOR

The Maryland-National Capital Park and Planning Commission

## SUBJECT

Functional Master Plan for the Patuxent River Watershed in Montgomery County

## DATE

November 1993

## PLANNING AGENCY

The Maryland-National Capital Park and Planning Commission 8787 Georgia Avenue Silver Spring, MD 20910-3760

## SOURCE OF COPIES

The Maryland-National Capital Park and Planning Commission 8787 Georgia Avenue Silver Spring,MD 20910-3760

## ABSTRACT

This document contains the text, with supporting graphics, for the Functional Master Plan for the Patuxent River Watershed in Montgomery County. This plan amends the General Plan for the Maryland-Washington Regional District and the Master Plan for Highways for the Maryland-Washington Regional District, and the following area master plans: Damascus, Olney, Sandy Spring-Ashton Special Study Area, Eastern Montgomery County, as well as the Functional Master Plan for Preservation of Agriculture and Rural Open Space, and the Patuxent River Watershed Park Master Plan.







## COPYRIGHT

The Maryland-National Capital Park and Planning Commission 1993

## PUBLISHED BY

The Montgomery County Planning Department of The Maryland-National Capital Park and Planning Commission 8787 Georgia Avenue Silver Spring, Maryland 20910-3760

## APPROVED BY

The Montgomery County Council October 1993

## ADOPTED BY

The Maryland-National Capital Park and Planning Commission November 1993



### THE MARYLAND-NATIONAL CAPITAL PARK AND PLANNING COMMISSION

is a bi-county agency created by the General

Assembly of Maryland in 1927.

The

Commission's geographic authority extends to the

great majority of

Montgomery and Prince George's Counties; the

Maryland-Washington Regional District

(M-NCPPC planning jurisdiction)

comprises 1,001 square miles,

while the Metropolitan District (parks) comprises 919

square miles, in the two counties.

The

Commission has three major functions:

(1) The preparation, adoption, and, from time to

time, amendment or extension of the

General Plan for the physical development of the

Maryland-Washington Regional District;

(2) The acquisition, development, operation, and

maintenance of a public park system; and

(3) In Prince George's County only,

the operation of the entire County public

recreation program.

#### The

Commission operates in each county through a

Planning Board appointed by and responsible

to the county government.

All local plans, recommendations on zoning

amendments,

administration of subdivision regulations,

and general administration of parks

are responsibilities of the Planning Boards.

ELECTED & APPOINTED OFFICIALS

#### COUNTY COUNCIL

Marilyn J. Praisner, *President* William E. Hanna, Jr., *Vice President* Bruce Adams Derick P. Berlage Nancy Dacek Gail Ewing Betty Ann Krahnke Isiah Leggett Michael L. Subin

#### COUNTY EXECUTIVE

Neal Potter

### THE MARYLAND-NATIONAL CAPITAL PARK AND PLANNING COMMISSION

Gus Bauman, Chairman John W. Rhoads, Vice Chairman

#### COMMISSIONERS

#### MONTGOMERY COUNTY PLANNING BOARD

Gus Bauman, *Chairman* Nancy M. Floreen, *Vice Chair* Ruthann Aron Patricia S. Baptiste Davis M. Richardson

#### PRINCE GEORGE'S COUNTY PLANNING BOARD

John W. Rhoads, *Chairman* Roy I. Dabney, *Vice Chairman* Zola E. Boone James M. Brown Regina J. McNeill

### THE MARYLAND-NATIONAL CAPITAL PARK AND PLANNING COMMISSION

encourages the

involvement and participation

of

individuals with disabilities,

and

its facilities are accessible.

For assistance

with special needs

(i.e.,

large print materials,

assisted listening devices,

sign language interpretation,

etc.)

please contact

the

Community Relations Office,

301-495-4600.

### MONTGOMERY COUNTY MASTER PLAN DEVELOPMENT PROCESS

### ANNUAL WORK PROGRAM

Planning staff initiates community participation and prepares:

### **ISSUES REPORT**

Planning staff reviews Issues report with Planning Board, and then prepares:

### STAFF DRAFT PLAN

Planning Board reviews Staff Draft, and, with modifications as necessary, approves plan as suitable for public hearing.

### PUBLIC HEARING (PRELIMINARY) DRAFT PLAN

Planning Board reviews public hearing testimony, receives Executive comments at Board worksessions, and adjusts Public Hearing Draft to become:

### PLANNING BOARD (FINAL) DRAFT PLAN

Executive reviews Planning Board Draft and forwards fiscal impact analysis and comments to County Council.

### PLANNING BOARD (FINAL) DRAFT PLAN TRANSMITTED TO COUNTY COUNCIL

Council holds public hearing and worksessions and approves, disapproves, or amends Planning Board Draft, which is forwarded to M-NCPPC to become:

### APPROVED AND ADOPTED MASTER PLAN

### THE MASTER PLAN PROCESS

#### STAFF DRAFT PLAN

This document is prepared by the Montgomery County Planning Department for presentation to the Montgomery County Planning Board. A Public Hearing (Preliminary) Draft Plan is then prepared for approval to go to public hearing by the Planning Board. The Public Hearing (Preliminary) Draft Plan incorporates those preliminary changes to the Staff Draft Plan that the Planning Board considers appropriate.

### PUBLIC HEARING (PRELIMINARY) DRAFT PLAN

This document is a formal proposal to amend an adopted master or sector plan prepared by the Montgomery County Planning Board of The Maryland-National Capital Park and Planning Commission. It is prepared for the purpose of receiving public hearing testimony. Its recommendations are not necessarily those of the Planning Board. Before proceeding to publish a Planning Board (Final) Draft Plan, the Planning Board holds a public hearing. After the close of the record of this public hearing, the Planning Board holds open worksessions to review the testimony and to revise the Public Hearing (Preliminary) Draft Plan.

### PLANNING BOARD (FINAL) DRAFT PLAN

This document is the Planning Board's recommended Plan. After October 1, 1992, changes in the Regional District Act require the Planning Board to transmit the Plan directly to the County Council with copies to the County Executive. The Regional District Act then requires the County Executive, within sixty days, to prepare and transmit a fiscal impact analysis of the Planning Board (Final) Draft Plan to the County Council. The Executive may also forward any other comments and recommendations regarding the Planning Board (Final) Draft Plan within the sixtyday period.

After receiving the Executive's fiscal impact analysis and comments, the County Council may hold a public hearing to receive public testimony on the Plan. After the close of record of this public hearing, the Council's Planning, Housing, and Economic Development Committee (PHED) holds open worksessions to review the testimony and revise the Planning Board (Final) Draft Plan. The County Council, after its worksessions, then adopts a resolution approving the Planning Board (Final) Draft Plan, as revised.

### ▼ ADOPTED PLAN

The Plan approved by the County Council is forwarded to The Maryland-National Capital Park and Planning Commission for adoption. Once adopted by the Commission, the Plan officially amends the various master or sector plans cited in the Commission's adoption resolution.

### TABLE OF CONTENTS

### EXECUTIVE SUMMARY PAGE I

# SUMMARY OF FINDINGS & RECOMMENDATIONS

Chapter One INTRODUCTION PAGE 1

### Chapter Two PURPOSE & SCOPE PAGE 3

A.	Background and Context of Plan	3
B.	Relationship of Functional Plan to Existing Area Master Plans	5

### Chapter Three POLICY FRAMEWORK PAGE 9

A.	Chesapeake Bay Initiatives	9
B.	Federal Clean Water Act and State of Maryland's Initiatives: 208 Water Qual	ity
	Management Plan, Patuxent River Policy Plan	. 10
C.	Montgomery County's Patuxent Watershed Initiatives	. 11
D.	Montgomery County Development Regulations	. 11
E.	Erosion and Sediment Control	12
F.	Stormwater Management	12
G.	Soil Conservation District	12
H.	Users of the Reservoirs	12

### TABLE

### OF

### CONTENTS

### Chapter Four POLICY RECOMMENDATIONS PAGE 13

A.	Protection of Water Quality in the Triadelphia & Rocky Gorge Reservoirs.	14
B.	Protection of Water Quality in the Streams	14
C.	Protection of Groundwater and Wells	21
D.	Protection of Stream Channels from Erosion	22
E.	Protection of Properties, Roads, and Bridges from Flood Damage	22
	Implementation Strategy	
	1. Action by County Executive	24
	2. Action Program	

### Chapter Five SUMMARY OF THE PATUXENT RIVER WATERSHED TECHNICAL REPORT PAGE 27

A.	Background	27
B.	cope	
	<sup>1</sup> 1. Technical Advisory Group	
	2. Original Water Quality Data	
	3. Farm Inventory	28
	4. Water Quality Modeling	28
C.	Results	29
D.	VSSC Studies	
Appendix A: Flood-prone Structures		
App	Idix B: Flood problems at Stream Crossings and Dams	34
	ıdix C	
rr	I. Montgomery County Implementation Activities Patuxent River	
	Commission Action Program, 1991- 1992	36
	II . Recommendations of the Patuxent River Policy Plan	
	III. Summary of Montgomery County Implementation Activities for	
	the Ten Strategies of the State Patuxent Ploicy Plan	
Glossary		
References and Bibliography		
Resolution		
1.00		

LIST OF FIGURES

STUDY A REA LOCATION PAGE 4

GENERAL PLAN CONCEPT- 1969 PAGE 7

MASTER PLAN BOUNDARIES PAGE 8

HAWLINGS RIVER PRIORITY SUBBASINS PAGE 15

Figure 5 LOCATION OF TRIADELPHIA AND ROCKY GORGE RESERVOIRS

PAGE 17

Figure 6 HAWLINGS RIVER WATERSHED STREAM CHANNEL EROSION PAGE 23 LIST OF TABLES

Table 1 ESTIMATED LAND USE IN THE MONTGOMERY COUNTY PORTION OF THE PATUXENT RIVER WATERSHED PAGE 30

### EXECUTIVE SUMMARY

This Functional Master Plan for the Patuxent River Watershed establishes policy recommendations to restore and maintain water quality in the Patuxent River Watershed in Montgomery County, including the Triadelphia and Rocky Gorge Reservoirs. The primary recommendation of this plan is the establishment of an interjurisdictional working group to develop and oversee an ongoing water quality monitoring program, part of which would involve the development of water quality criteria by which the success of efforts to improve water quality can be judged.

Other recommendations of this plan include the reduction of nonpoint sources of runoff through a combination of agricultural and urban land management practices. Agricultural stream buffer programs should be expanded and stronger incentives for the use of agricultural Best Management Practices developed. The establishment of a Primary Management Area within which development densities are limited and extraordinary Best Management Practices are utilized, is strongly recommended for the control of nonpoint sources of pollution from developing areas and agricultural land. The details of the Primary Management Area concept are included in the document entitled Environmental Management of Development in Montgomery County.

The necessity for this functional master plan has arisen from the efforts to restore water quality in the Patuxent River as well as the Chesapeake Bay, from the need to address nonpoint sources of pollution from a regional perspective, and from the need to protect the two drinking water reservoirs which are located along the Montgomery -Howard County border.

### SUMMARY OF FINDINGS & RECOMMENDATIONS

#### THIS PLAN IS BASED ON THE FINDING ...

THAT under existing land use conditions, the Triadelphia and Rocky Gorge Reservoirs are under significant stress from nutrient enrichment;

THAT modeling results indicate that under existing land use conditions, sediment loads were predicted to be consistently lower and total nutrient loads higher than for ultimate land use conditions. These results, however, need to be further verified through monitoring;

THAT it cannot be assumed that water quality conditions will improve as ultimate land use conditions are implemented due to the fact that the transition from existing to ultimate conditions will be slow, and that existing high levels of nutrient inputs will continue to present a problem over time due to build- up in reservoir bottom sediments;

THAT water quality problems identified in the technical report and other studies include eutrophic conditions in the reservoirs, high sediment loads and nutrient levels in watershed streams during storm events, and stream channel erosion problems;

PAGE II

۲

THAT water quality problems which have arisen in the Patuxent River Watershed are largely the result of land use that disturbs existing land cover, which includes agriculture and urban development;

#### ۲

THAT under "ultimate" land use conditions based on present zoning, agricultural land will remain a significant land use category in the Patuxent River Watershed.

#### THIS PLAN RECOMMENDS...

#### ۵

the establishment of an interjurisdictional working group to develop appropriate watershed programs;

#### ¢

an ongoing water quality monitoring program of surface waters, and the enhancement of model reliability through collection of additional data and model verification;

#### ٢

the control of nonpoint sources of pollution through the implementation of the primary management area concept on developed and agricultural lands;

#### ٢

THAT the effectiveness of voluntary BMPs in controlling nonpoint sources of pollution be enhanced;

THAT WASHINGTON SUBURBAN SANITARY COMMISSION (WSSC) be encouraged to continue research efforts to determine the potential groundwater effects of septic development in the Patuxent River Watershed, and that a groundwater monitoring program be developed if research indicates it is warranted. PAGE III

In addition, this plan recognizes that no conclusive theory has yet been formulated which completely explains the relationship between nonpoint sources of pollution from agricultural and developed land uses in a given watershed. It is generally accepted that throughout the Chesapeake Bay Watershed, agricultural land yields higher nutrient pollutants, while developed land yields higher sediment loads due to higher levels of streambank erosion associated with increased runoff velocities attributed to increased imperviousness. Additionally, runoff from developed land generally contains more heavy metals and other contaminants associated with automobile use and may cause greater thermal impacts to the streams. However, nutrient levels in runoff from developed areas may remain high when fertilizers are widely used in lawn maintenance, and sediment loads from agricultural land may be high when erosion is not addressed through the use of appropriate BMPs. This plan strongly recommends an ongoing water quality monitoring program which is designed to provide baseline information as well as to monitor changes in water quality resulting from BMPs and regulatory action. It is emphasized that because of involved analysis of complex problems, future updates are warranted. The proposed monitoring would provide a basis for the updating through the enhancement of model reliability. This, in turn, may result in refinement of the findings of this study and reduce the uncertainties.

PAGE IV

Chapter One NTRODUCTION

This Functional Master Plan for the Patuxent River Watershed is the third such functional plan to address watershed management issues in Montgomery County from a basin-wide perspective. This plan and the two preceding it, the Functional Master Plan for Conservation and Management in the Seneca Creek and Muddy Branch Basins, 1977 and the Functional Master Plan for Conservation and Management in the Rock Creek Basin, 1980, have been developed as part of the ongoing Watershed Technical Analysis Program which was initiated by the Planning Department in the early 1970's under the direction of the County Council. The technical analysis program develops concept plans for the major drainage basins of Montgomery County. The technical reports and the ensuing functional master plans are to assist the Council in tailoring its capital programming needs for conservation and management in the basins and to provide guidance to the Planning Board in regulating land uses. Technical studies without ensuing functional master plans have been completed for the Cabin John Creek, Little Falls, and Anacostia River Watersheds.

The Functional Master Plan for the Patuxent River Watershed has four main objectives:

(1) protection of water quality in the Rocky Gorge and Triadelphia reservoirs,

- (2) protection of water quality in the watershed streams,
- (3) protection of stream channels from erosion,

### (4) protection of properties from flood.

These objectives have been balanced with the need to protect agricultural activities in the watershed. This plan recognizes that the preservation of prime and viable agricultural land is a county priority. The functional master plan consists of the following elements which support the attainment of the plan's objectives:

(a) policies and recommendations identifying actions by the various involved agencies and jurisdictions to control pollution from urban and agricultural stormwater runoff;

(b) the concept of a Primary Management Area (PMA) as defined in the chapter, "Primary Management Area Guidelines for the Patuxent River Watershed in Montgomery County," Guidelines for Environmental Management of Development in Montgomery County, which establishes a land manage ment corridor along all watershed rivers and streams to prevent the transport of sediment, nutrients, and pollutants to those watercourses;

(c) an interjurisdictional working group of appropriate local and state officials to be established by the County Executives of Montgomery, Howard, and Prince George's Counties to address the complicated policy needs of the tri-county upper watershed;

(d) floodplain maps for the Hawlings River and major tributaries within the basin, and maps showing stream channel erosion areas;<sup>1</sup>

(e) maps showing structures and properties inundated by the 100-year ultimate floods;<sup>1</sup>

(f) a summary of the technical report and WSSC findings which together provide land use and water quality information on which this plan is based.

The Patuxent River Watershed in Montgomery County makes up 30 percent of the county land area which was

designated for agricultural and rural preservation in the Functional Master Plan for Preservation of Agriculture and Rural Open Space (1980). Within the watershed, more than 50 percent of the land has been designated as Agricultural Reserve (RDT zone) and the remainder as Rural Open Space (RC zone), excluding the communities of Damascus and Olney/Brookeville. The watershed also contains two drinking water reservoirs, Triadelphia and Rocky Gorge. This functional master plan differs from the two preceding watershed functional plans (the Functional Master Plan for Conservation and Management in the Seneca Creek and Muddy Branch Basins, 1977 and the Functional Master Plan for Conservation and Management in the Rock Creek Basin, 1980) in that it addresses water quality issues stemming from agricultural and low density development areas, as opposed to concentrated growth centers. This functional master plan reaffirms the objectives of the Functional Master Plan for Preservation of Agriculture and Rural Open Space, but re-examines the environmental implications of the land-use recommendations for the Patuxent River Watershed in light of recent and ongoing research in nonpoint sources of pollution. Nonpoint sources of pollution pose serious environmental and economic risks to the stream systems and drinking water reservoirs in the Patuxent River Watershed. Based on a technical study conducted as part of the development of this plan, as well as on other research conducted in the watershed, this functional master plan identifies areas of critical concern in the watershed and recommends and outlines a series of policy needs and monitoring requirements for ensuring the improvement and maintenance of water quality in the watershed streams and reservoirs.

<sup>1</sup> These maps are available at the Montgomery County Planning Department, Environmental Planning Division, 8787 Georgia Avenue, Silver Spring, MD 20910.



<u>A</u> . BACKGROUND AND CONTEXT OF PLAN

The Patuxent River Watershed in Montgomery County covers approximately 61 square miles; about 12 percent of the County. (See Figure 1.) The Montgomery County portion of the upper watershed represents approximately 6 percent of the entire watershed in Maryland, and constitutes a significant portion of the headwaters of this river. The Patuxent River forms the boundary between Montgomery and Howard Counties, and the two counties together constitute the upper watershed which drains into the WSSC reservoirs and then into Prince George's County. The Howard County portion of the Patuxent Watershed covers approximately 71 square miles and contains the remaining headwater area. The Patuxent River is an important tributary of the Chesapeake Bay and is the focus of the Patuxent River Commission, established in 1980 to address nonpoint source pollution problems affecting the Patuxent River and, consequently, the bay.

In addition to the focus placed on the watershed by the Patuxent River Commission, the Washington Suburban Sanitary Commission (WSSC), in its studies to monitor the reservoirs over the past 10 years, has found that siltation and eutrophication could significantly affect water quality of the reservoirs in the near future. The Triadelphia and Rocky Gorge Reservoirs straddle the Montgomery-Howard County border and have as their primary function the supply of over 11 billion gallons of drinking water to the suburban areas of Montgomery and Prince George's Counties, and secondary functions of recreation and flood control. The major tributaries to the Triadelphia Reservoir are the Patuxent mainstem, Cattail Creek (Howard Co.), Big Branch (Howard Co.), Pigtail Branch (Howard Co.), and Nichols Run (Howard Co.). The major tributaries to the Rocky Gorge Reservoir are the Patuxent mainstem and the Hawlings River (Montgomery Co.) (Ecological Analysts, 1991).

### FIGURE 1 STUDY AREA LOCATION



In short, eutrophication occurs when excessive nutrient levels trigger the growth of algae in the water, which in turn depletes the dissolved oxygen necessary for the maintenance of a healthy aquatic ecosystem. Siltation, caused in large part by heavy sediment loads in the streams, blocks sunlight from reaching aquatic plants and blankets benthic (bottom dwelling) plants and organisms. Studies have also indicated that sediments on the bottom, when coupled with high nutrient levels, may retain those excessive nutrients and release them continuously over time, aggravating and prolonging the nutrient level problem. The nutrients and sediments which are degrading the streams and reservoirs of the upper Patuxent Watershed come primarily from nonpoint sources. Nonpoint source pollution is directly related to the land use practices in the watershed and is associated largely with land development and ongoing agricultural activities. The degree to which the reservoirs and streams will continue to be degraded depends in large part upon the degree to which current and proposed regulations and policies designed to prevent degradation in water quality are enforced and on future land use decisions.

The Patuxent River Watershed in Montgomery County is located predominately in the Piedmont Plateau physiographic province, which is characterized by large areas of fractured bedrock. An additional land management concern in this watershed is the widespread use of septic systems and the potential for groundwater contamination from those septic systems, and ultimately, the effects on the reservoirs.

Chapter III of this document will discuss the existing regulations, policies, and agencies which affect water quality in the watershed. Chapter IV contains the specific policies and recommendations of this functional plan to address areas where additional regulation and effort is needed to ensure that water quality conditions in the watershed are restored and protected against future degradation, and Chapter V details the Technical Study conducted by Greenhorne and O'Mara, Incorporated, which examined the existing and ultimate land use conditions in the watershed and the effects land use has had and will have on water quality. The remainder of this chapter describes the framework of existing land use plans into which this functional plan will fit.

### <u>B.</u> <u>RELATIONSHIP</u> <u>OF</u> <u>FUNCTIONAL PLAN</u> <u>TO</u> <u>EXISTING AREA</u> MASTER PLANS

This Functional Master Plan for the Patuxent River Watershed is developed through a process similar to that of a land use master plan and is an amendment to the General Plan of 1964, updated in 1969. As a functional master plan, it provides guidance for the preparation and update of local area master plans in their recommendations for land use, densities, and other features that could adversely affect the character or quality of the watershed. This functional master plan does not recommend any changes in the existing zoning and is not accompanied by a sectional map amendment. The 100-year ultimate floodplain delineation, as identified in the technical study, will be used in planning and enforcing the zoning and subdivision regulations of Montgomery County.

The Patuxent Watershed is covered by four existing local area master plans and the 1980 Functional Master Plan for Preservation of Rural and Agricultural Open Space. The four local area master plans govern land use and follow the general guidelines in the County's General Plan (See Figure 2.). The General Plan recommends extensive areas of open space and agricultural land for the Patuxent River watershed. These plans are the Olney Master Plan, Damascus Master Plan, Sandy Spring/ Ashton Special Study Plan and the Eastern Montgomery County Plan. (See Figure 3.) In general, all these planning areas are zoned to preserve the rural and agricultural character of this portion of the county and contain provisions for the protection of environmentally sensitive areas.

The Olney Master Plan recommends the preservation of rural open space and farmland within the majority of the Patuxent Watershed area covered by the master plan. The Sandy Spring-Ashton Special Study Plan recommends clustering at low residential densities to preserve environmentally sensitive areas and to encourage farming. The Damascus Master Plan recommends clustering of low-density residential developments and designates the Agricultural Reserve Area to preserve the County's critical mass of farmland. The Eastern Montgomery County Master Plan recommends the concentration of development along existing transportation corridors to maintain the rural character of the Patuxent Watershed, thereby protecting Rocky Gorge Reservoir. Additionally, the entire Patuxent Watershed area within Montgomery County is covered by the Functional Master Plan for the Preservation of Agriculture and Rural Open Space. This functional plan recommends specific zoning categories and an innovative transfer of development rights program to protect agricultural land from suburban development. Thus, Montgomery County has ensured, through land use planning and zoning, preservation of the largely rural and agricultural character of the Patuxent Eatershed within the County.

As a functional master plan for the Patuxent

Watershed, this plan offers a policy framework for developing a land management strategy to protect the watershed's streams and reservoirs. The policies and actions recommended in this functional plan will be incorporated into the existing master plans as the land use recommendations in those plans are implemented and updated.

A Hydrologic Simulation Program in Fortran (HSPF) was used to simulate watershed processes in the technical study and will be available for the continued analysis of stormwater management and pollutant transport issues. The model reliability will be enhanced if additional data are collected and the model is verified and adjusted if needed.

The various actions and policies for protecting water quality which are identified in this plan are not selfimplementing. Implementation of the recommendations will require separate actions, coordinated with the agencies that have authority for enforcement and permitting, and through the various existing master plans. In addition, the policies and actions in this plan approved by the County Council and adopted by the Montgomery County Planning Board will provide guidance in preparing other documents such as the County's Ten-Year Comprehensive Water Supply and Sewerage System Plan, the six-year Capital Improvements Program, and updates to local area master plans.

The intent of this functional plan is to promote actions necessary to protect the water resources in the watershed. The watershed streams and reservoirs will be continually monitored. The results will then be used to evaluate and modify existing and proposed regulatory practices. Thus, the plan is dynamic, allowing for modifications in response to new data and understanding. FIGURE 2 GENERAL PLAN CONCEPT - 1969



PAGE 7



FIGURE 3 MASTER PLAN BOUNDARIES

PAGE 8

# Chapter Three POLICY FRAMEWORK

Policies affecting water quality within the Patuxent River Watershed include state and federal legislation and agreements on the Chesapeake Bay and nonpoint source pollution, county agreements and policies aimed at controlling point and nonpoint sources of pollution through storm water management, erosion and sediment control, and zoning regulations designed to permit the appropriate use of land. The existing framework, however, requires multijurisdictional cooperation and effort to supplement the policies already in place. The establishment of an ongoing water quality monitoring plan to augment existing data and identification of areas where changes in existing policy may be required for the improvement and maintenance of water quality are two steps that may help. The following information summarizes the existing framework of policies and agency responsibilities, and Chapter IV identifies the policy recommendations of this plan.

### <u>A.</u> CHESAPEAKE <u>BAY</u> INITIATIVES

The Chesapeake Bay is the largest and the most bountiful estuary in North America. Because of the bay's multi-state nature, it comes under the jurisdiction of several federal measures and agencies, including the Federal Clean Water Act and the U.S. Environmental Protection Agency. In the recent past, disturbing trends have been observed in the bay's resources. Submerged aquatic vegetation has been disappearing, and the productivity of the fishing and oystering industries has declined. In 1983, the U.S. Environmental Protection Agency found that the Chesapeake Bay was an ecosystem in decline and that nonpoint sources of pollution were among the chief causes. The study concluded that excessive levels of nutrients and toxic pollutants were causing decreased oxygen concentrations in the water.

Consequently, in December 1983, the governors of Pennsylvania, Maryland, and Virginia; the mayor of the District of Columbia, and the administrator of the EPA pledged to address nonpoint as well as other sources of pollution to restore and protect the Chesapeake Bay. This commitment, known as the Chesapeake Bay Agreement of 1983, established the Chesapeake Executive Council to coordinate bay cleanup efforts undertaken by the signatories to the Agreement. Implementation of programs to reduce nonpoint source (NPS) pollution is one of the most significant elements of the cooperative cleanup effort.

### B. FEDERAL CLEAN WATER ACT & STATE OF MARYLAND'S INITIATIVES: 208 WATER QUALITY MANAGEMENT PLAN; PATUXENT RIVER POLICY PLAN

Pursuant to section 208 of the Clean Water Act, the

State of Maryland has prepared the 208 Water Quality Management Plan for the Patuxent River Basin (1983) which, in addition to addressing point sources of pollution discharged into the basin waters, also outlines a total nutrient control strategy that includes nonpoint source assessments and control strategies. In addition, the Clean Water Act amendments of 1987 call for the regulation of nonpoint sources through the use of BMPs. BMP implementation is generally conducted on a voluntary basis, yet the U.S. EPA (1989) states that voluntary approaches alone generally are not sufficient to deal with the nonpoint source problem. (Foran, et.al., 1991)

In 1980, the Maryland General Assembly enacted the Patuxent River Watershed Act. The Act established the Patuxent River Commission which, in 1984, adopted the Patuxent River Policy Plan which recommends a land management strategy for controlling nonpoint source pollution in the watershed. The Montgomery County Council and six other counties forming the Patuxent Watershed endorsed this state Policy Plan. The plan recommends a series of land use actions that the abutting seven counties should undertake to improve the existing water quality of the Patuxent. One of the principal features of the Patuxent River Policy Plan is the concept of a Primary Management Area (PMA), a transition area between the stream and any development area. A PMA is a water quality protection and restoration area where land activities are regulated to enhance water quality in the stream. Although not mandatory, the state Policy Plan strongly recommends that each local jurisdiction develop its own PMA guidelines. As a general guide, the Patuxent Policy Plan provides for a PMA width of 1/4 mile along both sides of the Patuxent mainstem and 1/8 mile along both sides of tributary streams where natural vegetation is retained as a buffer to minimize stormwater runoff and nonpoint source pollution. Future development should be planned in a manner sensitive to the purpose of the PMA and coordinated with existing nonpoint pollution control programs in the County. are approved as part of the staff guidelines entitled Environmental Management of Development in Montgomery County and are included in this functional master plan by reference.

### <u>C</u> <u>MONTGOMERY</u> <u>COUNTY'S</u> <u>PATUXENT</u> <u>WATERSHED</u> <u>INITIATIVES</u>

In 1984, the Montgomery County Council endorsed the state's Patuxent River Policy Plan and subsequently has participated in developing Annual Action Programs to achieve the objectives of the policy plan. This functional master plan and the technical study are elements of Montgomery County's participation in the state's Action Program. (See Appendix C). Pursuant to the recommendation in the state policy plan that local jurisdictions adopt their own Primary Management Area, the Montgomery County Planning Board approved the Patuxent River Watershed Primary Management Area guidelines in November 1991. These guidelines were developed with the input of a technical advisory group representing the concerns of County and state agencies. The Montgomery County Primary Management Area is consistent with the state's Patuxent River Policy Plan recommended PMA widths of 1/4 mile (1320') for each side of the Patuxent mainstem and 1/8 mile (660') for each side of all tributaries. In addition, Montgomery County is also recommending a 1/4 mile PMA for each side of the mainstem of the Hawlings River. The PMA guidelines for the Patuxent River Watershed in Montgomery County

### D MONTGOMERY COUNTY DEVELOPMENT REGULATIONS

The Montgomery County Planning Board and its Planning Department administer the subdivision regulations as set forth in the Montgomery County Zoning Ordinance. Protection of environmentally sensitive areas is an important factor in the Planning Board's decisions in administering subdivision regulations.

A major consideration is the impact of proposed development on stormwater runoff. The increase in impervious surfaces due to development contributes to increased runoff and the transport of sediment and pollutants to the streams. To provide a buffer between development and streams, thereby decreasing sediment and pollutant transport to streams, the County Zoning Ordinance prohibits development within the ultimate 100-year floodplain. In addition, the Planning Board has approved and adopted stream buffer guidelines for use in the review of development proposals. These guidelines recommend the preservation of buffer areas in their natural state, based on slope and soil conditions.

### PAGE 11

### E. EROSION & SEDIMENT CONTROL

The Montgomery County Department of Environmental Protection, with the approval of the Montgomery Soil Conservation District, administers the County's Sediment Control Law. Under the law, a permit is required for any land development project that exceeds 5,000 square feet of disturbed area. The intended purpose is to minimize off-site siltation through the utilization of various urban BMPs.

### <u>F.</u> STORMWATER MANAGEMENT

The Stormwater Management (SWM) Law, administered by the County Department of Environmental Protection (DEP), generally requires water quantity and quality control for all new construction in the County. The law and its associated regulations require reduction of post-development discharges to pre-development (meadow or forest) discharges for two-year storms. Presently, there is increased emphasis on water quality control in reviewing SWM concepts. Recent studies indicate that in the absence of regular maintenance, the effectiveness of SWM devices is severely limited (R. Cohn-Lee and D. Cameron, 1991). This plan recommends that the DEP look into the feasibility of requiring SWM for land parcels of 30 acres or more and a density of 1 unit per acre or less.

### <u>G</u> <u>SOIL</u> <u>CONSERVATION</u> <u>DISTRICT</u>

The Montgomery County Soil Conservation District is authorized to review and approve plans for the clearing and grading associated with development. In minimizing streambank erosion, the District also reviews and approves stormwater management plans. During 1987, the District transferred these urban responsibilities to Montgomery County. This left the District with urban responsibilities for the municipalities of Gaithersburg and Rockville only. With fewer urban responsibilities, the District was able to concentrate its remaining resources toward the development of agricultural soil conservation and water quality plans. Each plan contains various BMPs that will minimize agricultural nonpoint source pollution. The program is administered under voluntary participation.

### <u>H.</u> USERS OF THE <u>RESERVOIRS</u>

The Washington Suburban Sanitary Commission (WSSC) is a bi-county agency responsible for providing water and sanitary sewer service for the Washington metropolitan area. The WSSC is responsible for the maintenance and management of the Triadelphia and Rocky Gorge Reservoirs. (See Figure 5.) Water from Rocky Gorge Reservoir is supplied to parts of Montgomery, Prince George's, and Howard Counties. A coalition of the user jurisdictions is necessary to develop an effective system to protect and maintain the water quality in the reservoirs.

PAGE 12

This chapter describes the major policy recommendations of this functional plan for watershed management. The primary goal of these recommendations is to establish a comprehensive program which will achieve water quality and quantity control in the streams and restore and maintain water quality in the Triadelphia and Rocky Gorge Reservoirs. The six key elements of this program are:

### <u>A.</u> PROTECTION OF WATER QUALITY IN THE TRIADELPHIA & ROCKY GORGE RESERVOIRS

B. PROTECTION OF WATER QUALITY IN THE STREAMS

<u>C.</u> PROTECTION OF GROUNDWATER AND WELLS

D. PROTECTION OF STREAM CHANNELS FROM EROSION

E. PROTECTION OF PROPERTY FROM FLOOD DAMAGE

### <u>F.</u> IMPLEMENTATION

These elements are highly interrelated and are based upon the need for control of nonpoint sources of pollution. To achieve the control of nonpoint sources (NPS) of pollution in the Patuxent



Watershed, the identification of baseline water quality conditions is essential. This must be accomplished through the establishment of an ongoing water quality monitoring program, with monitoring conducted throughout the watershed and at critical points for gathering an understanding of the relative contributions of different land uses. Once baseline conditions have been identified, water quality criteria should be established for the improvement and maintenance of water quality. Water quality criteria should be developed based on thresholds identified as critical for the protection of water quality in the reservoirs. Critical stream segments can be identified for special management, and overall loadings can be reduced through a comprehensive watershed management program.

The following text examines the six elements noted above in terms of the recommendations of this plan. The strategy for achieving elements A and B is the same; therefore, they are discussed together.

### <u>A.</u> <u>PROTECTION OF</u> <u>WATER QUALITY</u> <u>IN THE</u> <u>TRIADELPHIA</u> <u>&</u> <u>ROCKY GORGE</u> <u>RESERVOIRS.</u>

<u>B.</u> PROTECTION OF WATER QUALITY <u>IN THE</u> STREAMS.

### STRATEGY:

REDUCE NONPOINT SOURCES OF POLLUTION, INCLUDING NUTRIENT REDUCTION, AND REDUCTION IN SEDIMENT LOADS.

The two Washington Suburban Sanitary Commission (WSSC) reservoirs supply water to parts of Montgomery, Howard, and Prince George's Counties, and maintain water levels in the Patuxent River during dry periods. Secondary functions of the reservoirs include flood control and recreation. Preservation of water quality in the Triadelphia and Rocky Gorge Reservoirs is a primary goal of this plan. The Patuxent Technical Report detected indications of water quality deterioration in the reservoirs. If the total phosphorous load continues to increase at the present rate, taste and odor problems in the water supply will cause increased water treatment costs. Also, algal blooms and the decrease in dissolved oxygen impair the habitat for fish and wildlife, thereby adversely affecting recreational use of the reservoir.

Figure Four HAWLINGS RIVER PRIORITY SUBBASINS



PAGE 15

The technical report has identified that currently the farmlands are major contributors of nutrients and sediment to the Triadelphia and Rocky Gorge Reservoirs. Since the continued eutrophication of reservoirs may impair their future use as water supply sources, management of agricultural lands to reduce NPS runoff is essential. Cropland areas require careful management to reduce pollutant runoff since fertilizers, herbicides, and pesticides are routinely applied during farming. Presently, the Montgomery County portion of the Upper Patuxent River Watershed is 40 percent agricultural land (Patuxent River Watershed Technical Report, 1990). Nearly 69 percent of agricultural lands are croplands. Approximately 56 percent of the farms in Montgomery County have conservation plans registered with the Soil Conservation District (SCD). According to the technical study, the Rocky Gorge Reservoir is phosphorous limited. Therefore, agricultural management techniques should be designed to reduce phosphorous in runoff from agricultural lands. Phosphorous is primarily associated with sediment, so best management practices must control sediment as well.

The quality of water in the reservoirs can be improved by reducing NPS loading, particularly phosphorous loads, through a combination of agricultural and urban land management practices. Phosphorus input from both agricultural and urban land can be reduced through a reduction in fertilizer applied to crops and lawns, appropriate timing of application, and effective control of runoff. The Rocky Gorge Reservoir receives water from five subbasins. Three of these basins, the Upper Patuxent, Triadelphia, and Cattail, first drain into the Triadelphia Reservoir. Addressing water quality problems in both reservoirs, requires the control of nonpoint source loadings from Howard County as well as Montgomery County. The Cattail Creek subbasin in Howard County has been identified as a significant source of nonpoint source loadings to the Triadelphia Reservoir (EA Engineering, 1991). The high trapping efficiency of the Triadelphia Reservoir greatly reduces phosphorous and sediment loads delivered downstream from these subbasins. The Hawlings River subbasin drains into the Patuxent River below Triadelphia Reservoir and the Rocky Gorge subbasin drains directly to Rocky Gorge Reservoir. These two subbasins, without the mitigating effect of the upstream reservoir, contribute much higher total phosphorous loads to Rocky Gorge and downstream reaches.

Consequently, the most effective measure for the protection of the Rocky Gorge Reservoir is the reduction of loadings from the Hawlings and Rocky Gorge subbasins. The Rocky Gorge subbasin is partially filtered by the existing buffer strips surrounding the reservoir and has land uses which contribute proportionally less nonpoint source pollution than the Hawlings River subbasin. Therefore, the Hawlings River subbasin is the key subbasin to target for reduction of nonpoint source pollution. The technical report identifies that subareas, shown as Priority Subbasins in Figure 4, in the upper reaches of the Hawlings River Watershed contributed 15-50 percent more pollutant loads than the average and that these areas should be high priorities for future management activities. Total phosphorous input from the Hawlings Watershed must be reduced through a combination of agricultural and urban land management strategies.

### RECOMMENDATIONS

### FOR THE REDUCTION OF NONPOINT SOURCES OF POLLUTION IN THE TRIADELPHIA & ROCKY GORGE RESERVOIRS AND THE WATERSHED STREAMS.

- All jurisdictional users of the Triadelphia and Rocky Gorge water supply sources should share



Figure 5 LOCATION OF TRIADELPHIA AND ROCKY GORGE RESERVOIRS

PAGE 17

responsibility for protecting the quality of water reaching these reservoirs.

- Develop interagency programs to implement actions necessary to protect the watershed and the reservoirs.

- Establish an ongoing watershed monitoring program to better understand the biological and chemical characteristics of streams in the watershed.

- Develop and foster participation in pollution management incentive pro grams to control nutrient and sediment loading generated from agricultural land uses in the Patuxent Watershed. Evaluate the effectiveness of voluntary BMPs in controlling nonpoint sources of pollution. If nutrient and sediment loading problems associated with agriculture do not show improvement, analyze alternative management plans that do not rely on voluntary implementation.

- Existing incentive programs should be supplemented with local cost-share incentives through the County budget process to stimulate greater farmer participation. Local funding could be 'piggy-backed' onto federal and state cost-share formulas to increase program effectiveness.

- Promote tree preservation and reforestation of land converted from agricultural to residential uses.

- Promote and encourage landowners to enroll cropland along streams into the Conservation Reserve Program (CRP). This federal program pays landowners to plant highly erodible land and other environmentally sensitive land as permanent cover for a period of 10 to 15 years. If the adjacent land is later subdivided to create residential lots, subdivision regulations would apply and the land enrolled in CRP would remain as permanent buffers.

### RECOMMENDATIONS FOR CONTROLLING AGRICULTURAL RUNOFF.

The following Best Management Practices (BMPs),

which are particularly effective in controlling sediment and phosphorous loadings, are recommended.

### PRIMARY MANAGEMENT AREA (PMA)

Lands adjoining streams are especially critical for protecting and maintaining water quality in streams. Sediment and pollutants resulting from development and agricultural uses near streams readily enter them. Most of the land area adjoining streams within the Patuxent Watershed are agricultural areas. Stream buffers containing forest effectively improve and maintain water quality in streams. The trees and shrubs filter and trap sediments and absorb pollutants from overland runoff and subsurface flow. Forest buffer strips prevent excess nutrients from entering waterways and they are also effective sediment traps. Grass buffers also provide a measure of protection and can be used in areas where forest cover is not appropriate.

This plan incorporates the concept of the Primary Management Area (PMA) and the creation of stream buffers for all streams in the Patuxent River Watershed. The PMA recommendations for the Patuxent Watershed within Montgomery County are discussed in detail in the Environmental Management of Development in Montgomery County, under "Primary Manage- ment Area Guidelines for The Patuxent River Watershed in Montgomery County." These guidelines specify measures for implementing the PMA on agricultural lands undergoing the development process.

In addition, this plan recommends that implementation of Montgomery County's forest conservation law be coordinated with agricultural stream buffer programs. The implementation of the forest conservation law and associated programs, and the need to designate poten-

PAGE 18

tial tree receiving areas may provide the opportunity for developers to contribute to the reforestation/afforestation of buffers within agricultural areas as an off-site planting alternative. In addition, it is highly recommended that priority for reforestation/afforestation be given to PMA's in the Patuxent Watershed.

### CONSERVATION TILLAGE

An effective form of conservation tillage is called notill farming. No-till farming involves chemically killing a cover crop and then planting a new crop without tilling the soil. The plant residue remains to protect the soil from wind and water erosion. This method can reduce soil loss by 95 percent, when compared to conventional plowing systems. While no-till provides good erosion control, its benefits can be lessened by the effects of improperly applied rates of herbicide and pesticide applications.

According to the Soil Conservation District, approximately 95 percent of the farmers in Montgomery County use some form of conservation tillage. Apparently, there is a high degree of cooperation between the watershed farmers and the Soil Conservation District. This plan recommends that the District enhance their conservation programs by incorporating effective water quality oriented programs.

### CONTOUR FARMING & Contour Strip Cropping

Contour farming is another method of reducing runoff during the growing season. Contour farming involves tilling and planting the entire field along the natural contours of the landscape. The effectiveness of contour planting is reduced during heavy storms and dormant seasons because the contour edges may be worn and breached by high levels of rain. Very few farmers within the Hawlings River Watershed use contour farming. A more effective technique is contour strip cropping. Using this method, crops are planted in strips along the contour of a hill with strips of cover crop, such as hay, in between.

### COVER CROPS

Winter cover crops, such as small grain grasses and legumes, are often planted to reduce runoff and soil loss in the fall, winter, and early spring. The winter cover crop is normally killed chemically. For full effectiveness, cover crops must be planted early enough for good fall growth. If the cover crop is chemically killed and its residue is left in place for no-till planting of a row crop, it provides erosion control into May and June. Cover crops can reduce nitrogen in runoff and infiltrated water as well.

### **CROP ROTATION**

The practice of using a small grain or hay in crop rotation in Montgomery County is common. In some cases, winter cover may be provided during the rotation sequence. Crop rotation helps enrich the soil with nutrients typically depleted during the growing season. Crop rotation also improves the overall structure of the soil during the part of the rotation in hay, reducing the potential for erosion in subsequent years.

### **GRASSED WATERWAYS**

Grassed waterways are stabilized channels that often receive the drainage from croplands. They are highly effective at preventing pollutant transport to streams by trapping sediment and decreasing water velocity when properly designed. In the Hawlings Watershed, there are many grassed waterways in operation. Many of these waterways can be improved by regrading and widening. The grassed waterways are planted with fescue and rye grass and are maintained by periodic mowing. However, they may be damaged when herbicides are applied to control weeds in row crops.

Many farmers in the survey found grassed waterways incompatible with large farm equipment. Waterways may take land from production but compensate by draining excess water from other areas, thus making wetter areas arable. This plan recommends that more emphasis be placed on the use of grassed waterways and on their careful maintenance. Grass waterways also provide habitat for small wildlife species when interspersed with carefully placed rock obstructions.

### WATERING TROUGHS/FENCING Pasture land

To provide fresh water for animals and prevent stream pollution, some farmers are fencing pasture land adjacent to streams and installing trough systems which receive water from springs. Cost of installation of troughs is about \$2,000; they are efficient and easy to maintain and provide a constant supply of fresh water to animals. Long fences adjacent to streams, however, can be expensive and vulnerable to flood damage. The technical report farm inventory indicates that a significant number of streams are used for watering by cattle or are accessible to cattle. The use of watering troughs and fences along streams should be given a higher priority as a best management practice, particularly where streambank damage has already occurred.

### PONDS

Ponds can act as another pollution control device

where suitable sites are available. Ponds collect runoff from agricultural areas. A pond functions as a pollution control device by providing containment while chemical transformations and sediment deposition take place, resulting in reduction of dissolved agricultural chemicals and sediment discharge to receiving waters.

In addition to controlling nonpoint source pollution runoff, ponds have other environmental benefits. Ponds provide clean water to livestock as well as resting and breeding places for waterfowl during seasonal migrations. Ducks, blue gills, turtles, frogs, and sunfish are some of the indigenous resident species of fauna. As agricultural BMPs, ponds serve to reduce nonpoint source pollution runoff.

### MANAGEMENT OF FERTILIZER / PESTICIDE / HERBICIDE APPLICATIONS

Proper timing and application of fertilizers, pesticides, and herbicides are important to ensure both agricultural productivity and control of water quality. The amount of fertilizer applied will also affect water quality. Control of fertilizers is highly significant due to results of recent evaluations which have indicated that the Patuxent reservoirs are under stress due to high phosphorous levels. Furthermore, modeling efforts have indicated that nitrogen control measures play an important role in protection of the Chesapeake Bay. Soil testing helps prevent overuse by giving each farmer a fertilizer application rate specific to the needs of the soil and specific crop. In general, the same timing and application precautions apply to pesticides. The application of pesticides and herbicides during appropriate wind and rain conditions prevents possible adverse impacts on the environment.
# ANIMAL STORAGE Facilities

Properly constructed storage facilities greatly reduce animal waste runoff. Many factors must be considered when storage basins are constructed. Soil type, depth to bedrock or water table, and prevailing wind direction are some of the major factors to be considered.

# RECOMMENDATIONS For controlling urban runoff

All areas which are not zoned agricultural (agricultural zones include Rural, Rural Cluster, and Rural Density Transfer) are categorized as urban for the purpose of this plan. The Montgomery County portion of the Patuxent Watershed is primarily forested or in agriculture, with clustering of low-density development occurring predominantly in the Olney area. Based on the results of the technical report, existing urban runoff and subsequent stream channel erosion are the major contributors to urban pollution in the watershed. Appropriate stormwater management measures are necessary to control pollution from urban runoff.

Most of the watershed area is zoned agricultural, with few exceptions; therefore, development in the future is not likely to exacerbate the present situation, provided that the application of current measures to control urban runoff pollution will continue. The following measures are recommended to supplement existing County regulations and programs:

adequate maintenance of SWM facilities;

- location of stormwater management facilities OUTSIDE buffer areas when feasible to avoid adverse impact to wetlands and habitat;

implementation and enforcement of the

Primary Management Area concept as detailed in the most recent edition of Guidelines for Environmental Management of Development in Montgomery County;

- a survey of existing stormwater outfalls should identify points where impacts from storm drainage outfalls are significant. Measures should be taken to mitigate or retrofit these problem areas;

- development of effective BMP's, beyond existing minimum requirements, to address continuing problems with urban runoff. High concentrations of sediment, phosphorous, nitrogen, industrial fluids, and heavy metals are commonly found in urban runoff. Street sweeping is a BMP that would reduce accumulated potential pollutants in urban areas;

- reduction of the level and frequency of application of lawn fertilizers to reduce phosphorus levels in runoff.

<u>C:</u> <u>PROTECTION</u> <u>OF</u> <u>GROUNDWATER</u> <u>&</u> <u>WELLS</u>

#### STRATEGY:

IDENTIFY THE POTENTIAL FOR GROUNDWATER Pollution from septic systems and Agricultural contaminants.

Subsurface flow as groundwater is both a source of drinking water supply for non-serviced areas of the watershed and the source of base flow in the tributary network. Potential sources of groundwater pollution include failed septic systems, leaking sewer lines, seepage from landfills, illegal disposal of oil and industrial chemicals, and leaching of agricultural contaminants through the soil. The Patuxent River Watershed contains areas of fractured bedrock which has led to speculation about the potential for contamination of groundwater from septic systems. Although no data presently exists to substantiate these concerns, it may be prudent, particularly for large residential developments, to conduct case-by-case groundwater monitoring.

# RECOMMENDATIONS FOR THE PROTECTION OF GROUNDWATER AND WELLS:

- Encourage and work with WSSC to continue research efforts to determine the potential groundwater effects of septic development in the Patuxent Watershed. Develop a groundwater monitoring program should research indicate it is warranted.

- Educate residential and agricultural communities about the appropriate use and timing of lawn and agricultural chemicals, on the appropriate disposal of toxic waste (oil, fertilizer, pesticides, etc.), and on the maintenance requirements of individual septic systems. in flooding and channel erosion which are detrimental to the ecology of the stream systems.

# RECOMMENDATIONS FOR PROTECTION OF STREAM CHANNELS:

- The technical study identified stream channel areas in the Hawlings River where channel erosion is likely to occur in the future (See Figure 6.) This plan recommends that future development contain adequate stormwater management to prevent erosion, and that existing development in these areas be considered for stormwater management retrofitting. The County Department of Environmental Protection should undertake appropriate measures to stabilize stream banks where erosion problems have been identified.

- This plan recommends enforcement of the Primary Management Area guidelines, including the use of extraordinary Best Management Practices and methods of stormwater management which increase infiltration of stormwater runoff.

# <u>D:</u> <u>PROTECTION OF</u> <u>STREAM CHANNELS</u> FROM EROSION

#### STRATEGY:

# REDUCE PEAK FLOOD DISCHARGE AND VELOCITY AS WELL AS SEDIMENT LOAD CARRIED IN RUNOFF.

Urbanization increases the imperviousness of land, which results in the increase of both the quantity of stormwater reaching the streams and the velocity of flow in the stream channels. Land surface erosion and subsequent sediment deposits in the streams, will decrease the carrying capacity of the streams resulting <u>E.</u> <u>PROTECTION OF</u> <u>PROPERTIES, ROADS,</u> <u>AND</u> BRIDGES FROM FLOOD DAMAGE.

#### STRATEGY:

FLOOD-PROOFING SHOULD BE CONDUCTED BY INDIVIDUAL PROPERTY OWNERS AND FUTURE ROADS AND BRIDGES SHOULD BE DESIGNED TO THE ULTIMATE 100-YEAR FLOOD CAPACITIES IDENTIFIED IN THE TECHNICAL STUDY.

Five properties have been identified in the technical

Figure 6 HAWLINGS RIVER WATERSHED STREAM CHANNEL EROSION



study which are likely to experience flooding during a 100-year storm event. A list showing the locations of these flood-prone dwellings is included in Appendix A. This plan recommends individual flood-proofing for each of these houses to protect them from future flooding. Structural flood controls, such as dams or levees, are not considered feasible. No commercial buildings are identified as being impacted by the 100-year event.

As identified in the technical study, all the roads in the Hawlings River Watershed are predicted to be flooded during a 100-year storm event. A list of these road crossings and dams is provided in the Appendix B. The depth of flooding over many of these roads is greater than two feet, which causes a hazard to vehicles and makes roads unsafe during storm peaks. Calibrated posts should be installed at the bridges to warn motorists of the depth of flooding. This plan recommends that the Montgomery County Department of Transportation design future structures to pass the 100year flood without overtopping.

#### RECOMMENDATIONS

FOR PROTECTION OF PROPERTY, ROADS, AND BRIDGES:

- Encouragement of owners of structures situated in the existing floodplain to purchase federal flood insurance and to take flood-proofing measures to minimize impacts from floods.

- The incorporation into applicable master plans and zoning maps of the ultimate 100-year floodplain, which is delineated in the technical study.

- Placement of flood warning signs and calibrated posts at the bridges on road crossings over streams where the 100-year flood is forecast to overtop the road at a depth greater than two feet.

#### <u>F:</u> IMPLEMENTATION STRATEGY

STRATEGY:

THIS	PLAN	RECOMMENDS	THE	FOLLOWING
"IMME	DIATE" A	CTIONS:		

#### 1. ACTION BY COUNTY EXECUTIVE

The County Executive of Montgomery County will work with the County Executives of Howard and Prince George's County to establish an interjurisdictional group of appropriate local and state agency officials and at least one person from the Montgomery County agricultural community. This group will develop a program which coordinates efforts of the counties which border and receive drinking water supply from the Triadelphia and Rocky Gorge Reservoirs to provide water quality protection of the reservoirs and their watersheds (the upper Patuxent River Watershed). The interjurisdictional group will develop an interim program within 90 days of establishment, to go into effect immediately until a permanent Action Plan is developed.

This group shall accomplish the following within a period of two years:

(a) Draft a recommended Action Program (see Action Program below) to protect water quality in the upper Patuxent River Watershed.

(b) Draft an interjurisdictional agreement on policies to protect Triadelphia and Rocky Gorge Reservoirs.

(c) Establish county working groups in each of the three counties to 1) evaluate the effectiveness of

present management practices in the watershed, including the effectiveness of voluntary BMPs, and 2) develop a comprehensive watershed management program which is responsive to the monitoring program to be developed by the interjurisdictional policy group. In Montgomery County, the working group must include at least one person from the agricultural community.

This plan recommends a comprehensive watershed management program that addresses the problem associated with voluntary implementation of best manage ment practices in controlling nonpoint sources of pollution. The program should try to use a stream segment approach to assess, quantitatively and qualitatively, segments within which nonpoint sources of pollution need regulation to meet water quality criteria established to protect the streams and reservoirs. All parties potentially responsible for nonpoint source (NPS) pollution within a segment would have the responsibility for bringing water quality into compliance with water quality and biological criteria, either by targeting one or more specific nonpoint sources or land-use activities through BMPs, or through other innovative techniques. A significant degree of flexibility may be appropriate in the enforce ment of standards due to the innovative nature of regulating for NPS pollution.<sup>1</sup>

#### 2. ACTION PROGRAM

This plan recommends an action program consisting of the following implementation elements for timely achievement of the policy statements identified in this functional plan:

#### (a) Water Quality Monitoring

An ongoing watershed monitoring and reservoir mod-

eling program is necessary to obtain a better understanding of the biological and chemical characteristics of the upper Patuxent River and its tributaries. This should be coordinated with the Patuxent Estuary Demonstration Project currently being conducted by the Maryland Department of the Environment.

# (b) Reporting and Pollution Control Targets

The working group will prepare an annual report to the county executives on the status of implementation efforts to protect water quality in the upper Patuxent River Watershed. Within five years of its creation, the working group will report on the observed effectiveness of sediment and nutrient control efforts and will recommend pollution control targets for each participating jurisdiction to pursue over the succeeding fiveyear period.

#### (c) Education, Incentive, and Awards

This program will encourage local implementation of best management practices to reduce nutrient and sediment loadings from agricultural and developed areas.

# (d) Voluntary Stream Buffers

This program will encourage farmers to provide voluntary stream buffer areas through programs such as tax exemptions, easements, rental payments, or other appropriate financial incentives.

<sup>&</sup>lt;sup>1</sup>These recommendations for regulating nonpoint sources are based on the findings by U.S. EPA that voluntary methods alone are not sufficient for controlling nonpoint sources of pollution, and on a proposal for regulating nonpoint source pollution in surface waters developed by J.A. Foran, P. Butler, L. Cleckner, and J. Bulkley (Foran, et.al., 1991).

# (e) Tree Preservation

Develop agricultural incentive programs which complement the Montgomery County forest conservation law.

The Montgomery County forest conservation law has been developed in accordance with state initiatives as stated in the Maryland state forest conservation law. The county law establishes a local forest conservation program tailored to conditions in Montgomery County.

The forest conservation program stipulated by the law provides a regulatory framework for the preservation of existing forest and trees and the reforestation of cleared areas, and specifies minimum afforestation requirements for non-forested land and agricultural areas when they are converted to residential use. This plan recommends that agricultural incentive programs complement the forest conservation law by encouraging the use of forested stream buffers on agricultural land.

The Montgomery County forest conservation law requires developers to compensatefor trees taken down during construction by planting new trees on-site or, if not feasible, at designated off-site locations. This functional plan recommends that agricultural stream buffer areas be targeted as tree receiving areas.

### (f) WSSC Participation in Implementation

WSSC should actively participate in the implementation activities. The county executives should work with WSSC to obtain cooperation and participation in funding for the program. Together WSSC and the county executives should explore the possibility of utilizing WSSC's authority to generate additional funds for implementing programs towards maintenance of water quality.



#### <u>A.</u> BACKGROUND

The Technical Report for the Patuxent River Watershed Management Study, Montgomery County, Maryland, prepared by Greenhorne and O'Mara, Incorporated, completed in February 1990, represents a continuation of the watershed technical analysis program which was undertaken by the Planning Department in the early 1970's. The study and its findings are made a part of this functional master plan by reference.

Urgency for the Patuxent technical study arose as a result of WSSC's Patuxent River Reservoirs Watershed Protection Program (Water Project 144) recommendations, as well as other studies, which indicated that the Triadelphia and Rocky Gorge Reservoirs were being threatened by pollution associated with urbanization and agricultural activities within the Patuxent Watershed. The Technical Report for the Patuxent River Watershed provides recommendations for watershed management on which this functional plan is based, as well as providing land use and water quality information used in developing Primary Management Area guidelines. The Primary Management Area guidelines are based upon recommendations made in the state's Patuxent River Policy Plan and are included in the Guidelines for Environmental Management of Development in Montgomery County. Copies of the Patuxent Technical Report are available at the Silver Spring office of the M-NCPPC.

#### B SCOPE

Within the region there has been a growing emphasis on the protection and enhancement of the Chesapeake Bay. The Patuxent River is unique because it is a major bay tributary within the state of Maryland that contains two water supply reservoirs and has a multi-jurisdictional dimension in the upper watershed. In addition, agriculture has been directly or indirectly identified as a major source of pollution to the Patuxent. As a result, the scope of the Patuxent Technical Report was considerably different than the previous studies conducted by the Planning Department. The most significant differences in the approach taken included:

#### 1. TECHNICAL ADVISORY GROUP

A Technical Advisory Group (TAG) consisting of representatives from several agencies was formed to actively participate in the study. They are the Washington Suburban Sanitary Commission, Montgomery County Department of Environmental Protection (DEP), Howard County government, Prince George's County government, Metropolitan Washington Council of Governments, Montgomery Soil Conservation District, and the State Department of Natural Resources.

#### 2. ORIGINAL WATER QUALITY DATA

Since very little water quality data existed, it was agreed that monitoring take place at four additional locations besides those already monitored by state and federal agencies. During the time of the study there were very few significant rainfall events and extension of the monitoring period was necessary. This extension was made possible due to grants from the state and WSSC. Data collected was provided to the state and stored in EPA's STORET System.

#### 3. FARM INVENTORY

A prototype inventory of existing farms and farm practices was conducted for farms in excess of 50 acres located within the Hawlings River subbasin. This activity was conducted in close coordination with the Montgomery Soil Conservation District. Eighteen farms of the 43 farms identified were visited. These 18 farms represent approximately 87 percent of the farmland in the Hawlings Watershed. Farmers were interviewed and impressions recorded. It was found that 92 percent of the farmers followed both best management practices (BMPs) and conservation practices recommended by the Montgomery Soil Conservation District.

#### 4. WATER QUALITY MODELING

A computerized hydrologic simulation model in Fortran (HSPF) was used to simulate watershed processes. This model, in public domain, has been used for the Chesapeake Bay study and the state is currently using it to depict water quality for its total Patuxent Watershed analysis.

The scope of services for this study was based on the assumption that a comprehensive watershed analysis would be done for the entire watershed upstream of the lower reservoir, including the Howard County portion. This concept was discussed at the Patuxent River Commission and generally endorsed. Every effort was made to get Howard County involved in a joint study. However, although the Howard County staff participated in the TAG meetings and provided land use data, they could not succeed in obtaining the necessary funding to run HSPF for their part of the watershed. Howard County staff stated that they were already implementing BMPs and were recommending their own PMA. They also felt that their grading regulations, restriction of activities in floodplains, and a strong Soil Conservation District would go a long way toward controlling nonpoint source pollution. Therefore, they felt the cost of the modeling was excessive and not necessary at that point in time for their county.

With this turn of events, a policy decision was made (in consultation with TAG) to run HSPF only for the Hawlings River Basin and extrapolate the results to the

entire Patuxent Watershed using a desktop model called NonPoint Source Screen (spread sheet). This desktop model is a refinement of COG's loading rate, based upon observed water quality data and the simulation run on the Hawlings River.

The Hawlings River is a major tributary of the Patuxent, entering the stream system below Triadelphia Reservoir. It is well documented that Triadelphia acts as an efficient trapping basin for sediment and other pollutants. It was also decided that it would be prudent to concentrate using our limited funds on areas under Montgomery County jurisdiction. The total Hawlings River subwatershed is within Montgomery County. Most of the subbasin area is in the Rural Density Transfer and Rural Cluster zones, with the lower western portion around Olney moderately developed.

Using a computer simulation model, water quality data for the Hawlings River basin was modelled and analyzed and from this model, water quality information was extrapolated for the rest of the watershed. R-ROUT and HEC-2 models were used for hydrology and hydraulic analysis. R-ROUT is a derivative of the Stanford model, an early version of HSPF. HEC-2 is universally used for hydraulic analysis and determining the potential for stream channel erosion. The technical report and associated floodplain maps identify locations and extent of flooding and erosion potential.

For water quality modeling, existing and ultimate land use scenarios were considered. Land uses were divided into different categories and hydraulic segments. Different channel segments were developed as well. Under the ultimate land use scenario most of the watershed would be zoned RDT and Rural Cluster. This scenario is very similar to existing land use. Low level aerial photography showed existing land use.

#### <u>C.</u> RESULTS

The RDT zone encompasses a major portion of the study area with the ultimate land cover in the RDT zone estimated at 38 percent of the upper Patuxent watershed within Montgomery County. For use in the HSPF model, the land use mix within the RDT zone was estimated by examining six existing representative farms. Based on this analysis, the distribution of land cover within the RDT zone was 40 percent cropland, 20 percent pasture, 20 percent forest, and 20 percent low density rural residential. The HSPF model analysis assumed that the rural residential, pasture, and cropland areas included 3 percent impervious surface area. However, the actual land cover of the RDT zone may vary throughout the watershed due to flexibility allowed in zoning. The Rural and Rural Cluster zones which are designed to accommodate a limited amount of residential development in conjunction with farming activities, for the purposes of the technical report, are expected to have a distribution of land uses similar to the RDT zone. Under ultimate conditions, 30 percent of the watershed will consist of Rural and Rural Cluster, resulting in 68 percent of the watershed having a land use cover of 40 percent cropland, 20 percent pasture, 20 percent forest, and 20 percent low density residential.

Using the estimated RDT zone land use distribution along with the overall ultimate land use percentages for the Patuxent River Watershed within Montgomery County, it is estimated that under fully developed ultimate conditions, land use in the watershed will consist of approximately 29 percent forest, 27 percent cropland, 14 percent pasture, 14 percent rural residential, 6 percent large lot residential, and 8 percent other residential and commercial. The existing land use for the Patuxent Watershed in Montgomery County (1985 aeri-

# Table 1 ESTIMATED LAND USE IN THE MONTGOMERY COUNTY PORTION OF THE PATUXENT RIVER WATERSHED\*

LAND USE	EXISTING ACRES	ULTIMATE ACRES	% CHANGE
Forest <sup>1</sup>	17,206	11,525	- 33.0%
Cropland <sup>2</sup>	11,801	10,843	- 8.1%
Pasture	3,743	5,652	+33.8%
Rural Residential	3,047	5,349	+43.0%
Large Lot / Residential	767	2,242	+65.8%
Other Residential / Commercial $^3$	2,127	3,081	+31.0%

\*based on Table 9.6 of Technical Report, p.9-25. The ultimate RDT and Rural Residential land uses from Table 9.6 are broken into the land use distributions for cropland, pasture, forest, and rural residential based on the assumptions described above, and then added to the remaining area as listed in Table 9.6 of the technical report. Existing acreages are derived from 1985 aerial photos.

<sup>1</sup>includes Forest and Open Space (implementation of the 1992 Forest Conservation Law will affect the results of this study)

<sup>2</sup>includes Crop- Conservation and Crop-Conventional

3 includes Low Density Residential, Medium Density Residential, Low-Medium Residential, Light Commercial, Heavy Commercial, Townhouse, Landfill

al photos) consists of approximately 40 percent forest, 30 percent cropland, 10 percent pasture, 10 percent rural and large lot residential, and 10 percent other residential and commercial. (See Table 1.) The actual intensity of agricultural land use under ultimate conditions will depend upon the continued implementation of the RDT zone and the extent to which the Rural and Rural Cluster zones are utilized for agricultural purposes.

The model calibration for water quality parameters was completed for years 1983 to 1987 and verified for years 1979 to 1982. No verification period existed for sediment and water quality parameters because of the limited data. The Technical Advisory Group agreed the study is a necessary first step and this effort should continue in the years to come if funding were made available. As more data is collected, models can be refined and results can be predicted with a higher degree of confidence.

Based on ultimate land use projections, modeling results indicate that sediment loads were predicted to be consistently higher and total nutrient loads lower

for ultimate conditions than for existing conditions. Modeling results for existing conditions indicate that, on an average annual basis, both Triadelphia and Rocky Gorge Reservoirs are under significant stress from nutrient enrichment. In addition, the HSPF model was used to predict major sources of sediment, total phosphorus, and total nitrogen within the Hawlings Watershed, and found that two subareas (shown as Priority Subbasins in Figure 4) in the upper reaches of the watershed contributed 15-50 percent more pollutant loads than the average and should be targeted for future management activities.

In its conclusions, the technical report recommends that existing land use conditions should be the focus of efforts to reduce loadings of sediment and nutrients due to the slowl transition from existing to ultimate land use and the lack of immediate response by hydrologic system to decreased nutrient inputs, particularly in the reservoirs where nutrients are stored. The increase in sediment loads and the decrease in nutrient loads under ultimate conditions is due to the increase in rural residential housing and the assumed conversion of existing farms into smaller 25-acre farms. The model simulation of the RDT zoning assumes the conversion of some high intensity cropland areas to pasture and forest. Sediment and nutrient loadings are a significant concern under both scenarios. The magnitude of loading would vary depending upon many variables, including but not limited to: actual land use; improved and expanded use of agricultural BMPs; rainfall; time and intensity of fertilization; and amount, type and location of forest. Thus, based upon the amount of data collected and the simulation made, it is difficult to predict with confidence the absolute values of water quality indicators.

While there is some uncertainty about the precise values, the trend is very clear. The rivers, streams, and water supply reservoirs need protection. The technical report identifies priority areas as well as the benefits of potential BMPs. In addition, the technical report suggests that 300 feet is an optimum stream buffer width for water quality benefits. Considering the variables associated with determination of an appropriate buffer, this width will be re-evaluated and adjusted as more data becomes available.

#### D. WSSC STUDIES

Three studies have been completed by WSSC concerning water quality conditions in the reservoirs. These are the (1) Patuxent River Watershed Protection Program (Ecological Analysts, Inc. 1981), (2) the Patuxent River Reservoirs Water Quality Assessment (JTC 1984), and (3)Water Quality Monitoring and Nutrient Loading Analysis of the Patuxent River Reservoirs Watershed (EA Engineering, 1991).

The first study by Ecological Analysis had the following six goals:

1) to ascertain existing and projected land use characteristics and population density projections for the Patuxent River Watershed above Triadelphia and Rocky Gorge Reservoirs,

2) to identify and review other previously conducted studies or programs which addressed the reservoir watersheds,

3) to review and summarize reservoir management practices and uses,

4) to review reservoir water quality and nonpoint source pollutant loadings data,

5) to assess the trophic state of the two reservoirs (Estimated Land Use in the Montgomery County Portion of the Patuxent River Watershed), and

6) to recommend a reservoir watershed protection program based on the findings of this study.

Ecological Analysts considered three previously con-

ducted water quality studies: 1) Patuxent River Nonpoint Loading Studies by the Maryland Department of Natural Resources, Tidewater Administration, 2) Water Quality Sampling in the Patuxent River Basin, by the Maryland Department of Health and Mental Hygiene, and 3) Water Quality Analyses-Patuxent Reservoir. The studies concluded that both reservoirs were eutrophic, and in the development of recommendations for implementing a watershed protection program, included reservoir and stormwater sampling, continuance of reservoir surveys for sedimentation characteristics, biannual meetings between WSSC, M-NCPPC, Howard and Montgomery Counties, and continued implementation and development of watershed best management practices.

The second study by the Patuxent River Reservoirs Water Quality Assessment was to determine reservoir water quality through a one-year sampling program. This study found that phosphorus was the limiting nutrient for algal growth in the reservoirs. Triadelphia was classified as slightly eutrophic and Rocky Gorge as intermediate mesotrophic/eutrophic.

The third study by EA Engineering was to supplement and continue stream and reservoir water quality monitoring with the specific goal of better describing and predicting the sediment and nutrient loading rates of the Triadelphia and Rocky Gorge Reservoirs, and to enable WSSC to identify trends and evaluate the predictions of previous desktop eutrophication models. The results of this study include the finding that stormflow loadings accounted for 95-97 percent of the total loadings of total suspended solids and 85-88 percent of total loadings of phosphorus, whereas loadings for nitrogen were equally distributed between baseflow and stormflow (45-51 percent). It was also found that loadings from the Cattail Creek watershed, though 15 percent smaller than the Hawlings watershed, yielded loadings of phosphorus and total suspended solids that were essentially equal to the Hawlings, and nitrogen loadings that were 40 percent higher. The higher loadings from the Cattail Creek watershed were attributed to higher stormwater concentrations for all three parameters. This third study also indicated that loading estimates from the 1990 stormwater monitoring program (done as part of this study) with loading estimates from the earlier nonpoint source models, but that sediment loading estimates from both the earlier models and the stormwater monitoring were substantially lower than loading rates estimated from a sedimentation survey of the two reservoirs, due to a lack of adequate data for high flows. The final recommendation was the continuation of stormwater sampling program with an emphasis on collecting data for high flow events, and the evaluation of sampling station and program design.

The findings of the Patuxent watershed technical report, along with findings from the WSSC studies and recommendations received from the Technical Advisory Group, Citizen's Advisory Committee, staff of the DEP and County Executive, and the Montgomery Soil Conservation District, have provided the basis for this functional master plan. Additionally, the Maryland Department of the Environment has undertaken the Patuxent Estuary Demonstration Project to be conducted through the Patuxent River Commission. This project has been undertaken to document the linkages between existing water quality, living resource conditions and past land use decisions, and to provide a solid technical basis for making environmentally sound land use decisions. Information that becomes available through this project will be used to enhance the monitoring and modelling efforts already undertaken in the upper watershed, and future efforts conducted pursuant to this master plan will be closely coordinated with the demonstration project.

# APPENDIX A FLOOD-PRONE STRUCTURES

LOCATION	FLOODING SOURCE	100- YR WSEL <sup>*</sup> (FT)	FIRST FLOOR ELEV. <sup>**</sup> (FT)	FLOOD DEPTH (FT)
41 Haviland Mill Rd.	Hawlings River (Patuxent Backwater)	323.5	320.0	3.5
21001 Georgia Ave.	Tributary H1	384.0		
3300 Gregg Rd.	Tributary H1	387.0	384.0	3.0
Market St., west side of road, appr. 300 ft. south of intersection with Brookeville Rd.	Tributary R1	383.8	380.2	3.6
18709 Brooke Road	Sandy Spring	356.2	354.5	1.7

\*Water Surface Elevation \*\*Approximate Sill Elevation Source: Greenhorne & O'Mara Technical Report 1990, Table 10.11.

# APPENDIX B FLOOD-PROBLEMS AT STEAM CROSSINGS & DAMS

		ROADWAY FL	OOD ELEVATION	N MINIMUM		
STREAM NAME	STRUCTURE	2-YR.	10-YR.	100-YR.	FLOOD ROADWAY ELEV (FT)	DEPTH (FT)
11 l' N'	w et laceline t	10.1.0	200.0 \$	200 F <sup>‡</sup>	005 /	10.1
Hawlings River	Haviland Mill Road	303.3	309.9*	323.5 *	305.4	18.1
	New Hampshire	310.4	316.3	323.5 *	312.0	11.5
	Gold Mine Road	318.7	320.5	323.5 *	315.6	7.9
Brighton Dam Rd.	334.7	338.4	241.5	329.3	12.2	
	Georgia Avenue	376.0	379.7	385.9	380.6	5.3
	Zion Road	441.4	442.8	445.0	439.1	5.9
	Sundown Road	458.6	460.6	461.5	458.9	2.6
	Griffith Road	477.2	480.4	481.0	478.6	2.4
Tributary H1	Georgia Avenue	381.4	382.8	383.7	381.8	1.9
1110 uuni j 111	Gregg Road	394.9	396.9	398.3	395.0	3.3
	Zion Road	490.0	494.7	495.9	491.5	4.4
	LION ROAD	1/0.0	1) 1./	1)),)	1)1.)	1.1
Tributary H3	Zion Road	438.7 *	442.0 <sup>*</sup>	443.9 <sup>*</sup>	439.1	4.8
	Berstein Road	469.7	470.9	471.9	474.0 **	-
	Sundown Road	478.8	479.7	480.3	478.3	2.0
Tributary H4	Sundown Road	461.0	462.6	463.1	461.6	1.5
Tributary H5	Riggs Road	495.8	499.5	500.4	499.6	0.8
Tributary H7	Sundown Road	507.4	510.0	513.3	513.3	0.1
Reddy Branch	Brighton Road	328.9	332.3	333.1	329.5	3.6

PAGE 34

\*Backwater Elevations \*\* Top of Dam Source: Greenhorne & O"Mara Technical Report 1990, Table 10-2

# APPENDIX B (CONT'D.) FLOOD-PROBLEMS AT STEAM CROSSINGS & DAMS

ROADWAY FLOOD ELEVATION MINIMUM						
STREAM NAME	STRUCTURE	2-YR.	10-YR.	100 <b>-YR</b> .	FLOOD	DEPTH
					ROADWAY	(FT)
					ELEV (FT)	
Reddy Branch	Georgia Ave.	376.7	380.5	381.8	377.8	4.0
	1.Brookeville Road	387.5	388.3	389.3	385.9	3.4
	2.Brookeville Road	401.2	404.0	404.8	401.3	3.5
	3.Brookeville Road	410.0	410.8	411.5	408.6	2.9
Tributary R1	Brookeville Road	378.6	380.4*	382.0 <sup>*</sup>	377.2	4.8
	Olney Mill Road	400.2	403.1	408.5	407.0	1.5
	Olney Family Park Pond	414.7	415.3	416.0	414.5 **	1.5
James Creek	Chandlee Mill Road	314.8	318.8	323.5	318.7	4.8
	Unnamed Road	337.8	339.7*	343.5*	339.3	4.2
	Olney Sandy Spring Road	452.3	453.4	453.9	452.0	1.9
		1	/	(	101.0	10
Tributary J3	Unnamed Road	408.7	409.9	410.8	406.8	4.0
Thilburtane II	Brooke Grove Road	431.6	432.6	433.0	430.9	2.1
Tributary J5	DIOORE GIOVE VOAU	431.0	4)4.0	4)).V	"ји.7	4.1
Sandy Spring Creek	Brooke Grove Road	351.4	354.4	355.1	353.8	1.2
ound oping oreen	DIOUNO OIOTO MONG	57.1.1	<i>J J J L L</i>	577	070	

PAGE 35

\* Backwater Elevations

\*\* Top of Dam

Source: Greenhorne & O'Mara Technical Report 1990, Table 10-2

#### APPENDIX C MONTGOMERY COUNTY Ι. **IMPLEMENTATION ACTIVITIES**

Patuxent River Commission Action Program 1991 - 1992. (from: Patuxent River Commission. Action Program 1991- 1992. Maryland Office of Planning. October 1991.)

A. The Current 1991 - 1992 Action Prog 1991 - 1992 TASKS	ram, Montgo TIME	mery County Lead Agency: M-NCPPC ANTICIPATED PRODUCT / ACCOMPLISHMENTS
1. Prepare approved and adopted Patuxent Watershed Functional Master Plan containing recommendations for establishing Primary Management Areas within the Patuxent watershed. (1,2)	FY 1991-92	Approval and adoption of the plan.
2. Preparation of: The Tree Report - The Conservation in Montgomery County and Recommendations for a Comprehensive Tree Conservation Ordinance. A draft copy has been prepared. Conduct approval process. (7)	FY 1991-92	Review and comment by related agencies and groups towards approval and adoption.
3. Preparation of "Environmental Management of Development in Montgomery County Maryland" which contains guidelines for PMA buffer areas. Apply guidelines in reviewing development. (1,2)	FY 1991-92	Apply guidelines for review of development in the watershed.
A. (cont'd) Lead Agency: De	partment of	Environmental Protection
1. Adopt County Water Quality Plan. Provides general support to all Patuxent Policy Plan recommendations	1992	Amendment to County Ten Year Water Supply and Sewerage Systems Plan which sets forth adopted County Policies and an action plan to protect County water resources.
2. Participate in interagency development of M-NCPPC's Patuxent Watershed Functional Master Plan	1991-1992	Approved Functional Watershed Master Plan covering County lands in Patuxent watershed.

Note: The numbers in parentheses following each task are references to the Patuxent River Policy Plan recommendation numbers.

PAGE 36

# A. (cont'd) Lead Agency: Department of Environmental Protection

3. Participate in interagency development of Primary Management Area guidelines to protect Patuxent stream buffer. (1,2)	1991- 1992	Approved Primary Management Area guidelines. Apply to new development and seek voluntary implementation on agricultural lands.
4. Seek funding to enable local cost-share incentives that would help stimulate voluntary implementation of agricultural BMPs for control of animal wastes and the reservation of stream buffer areas. (2)	1991- 1992	Local cost-share incentives to add to available Federal-State grants to farmers who agree to voluntarily install BMPs.
5. Seek to establish an interagency monitoring program on the Upper Patuxent River. (3)	1992	Draft interagency agreement to track water quality and pollutant loadings in the Upper Patuxent River and tributaries to the two water supply reservoirs.
6. Adopt and enforce a local water quality ordinance. (3)	1992	Draft County Water Quality Ordinance and proposed staffing for enforcement.
7. Participate in Maryland's Chesapeake Cleanup Campaign and Adopt a Dump Day activities. (10)	1991- 1992	Organization and support to volunteer tree planting stream cleanup projects in Patuxent watershed.
8. Continue to implement stormwater retrofit projects to previously developed areas as opportunities and funding permit. (2,4)	1991- 1992	Retrofit of stormwater controls to areas which developed before modern stormwater management controls were required.
<ol> <li>9. Preserve additional farmland through these County/State programs: (6,8)</li> <li>1. *Transferable Development Rights (TDR) program.</li> <li>2. *Agricultural Easement Program (AEP)</li> <li>3. *MD Agricultural Land Preservation Foundation (MALPF)</li> <li>4. *MD Environmental Trust (MET)</li> </ol>	1991- 1992	Continuation of incentive programs to maintain County agricultural land uses.

(Note: The County Office of Economic Development is the lead agency for these programs)

A. (cont'd) Lead Agency: Dep	partment of I	nvironmental Protection
1991 - 1992 TASKS	TIME	ANTICIPATED PRODUCT / ACCOMPLISHMENTS
10. Draft and adopt a Forest Conservation Ordinance to preserve existing tree stands and reforest previously cleared areas as they undergo development	1991	Approved Forest Conservation Ordinance
11. Prepare a 1992- 1993 Action Program. (10)	1992	County Action Program for use in Patuxent River Commission's 1992-1993 Action Programs.
B. Review of 1988 and 1989 Prog	ram Achieve	ments Lead Agency: M- NCPPC
1988 - 1989 TASKS	TIME	ACTUAL PRODUCT / ACCOMPLISHMENTS
1. Review existing legal and institutionals policies relating to watershed management.	1988 - 1989	The Patuxent River Watershed Technical Report, published in Feb. 1990, deals with watershed management.
2. Develop a methodology to facilitate review of development proposals.	1988 - 1989	The agency published "Environmental Management of Development in Montgomery County, Maryland." This document contains guidelines which are applied during review of development proposals in the County including the Patuxent Watershed area.
3. Develop a functional master plan for the Montgomery portion of the Patuxent watershed, using the Patuxent River Policy Plan and the Seneca Creek and Rock Creek Functional Master Plans as guides. $(1,2,5,6,7,8)$	1988 - 1989	Staff draft of the Patuxent River Functional Plan is developed. It is scheduled for approval during FY 1991-92.
4. Identify and categorize problems as to whether they are erosion/sedimentation, flooding, and/or water quality related. (3)	1988 - 1989	Patuxent River Watershed Study is completed. This document identifies flooding and erosion problems and related mitigation methods in the Patuxent Watershed. The document also identifies water quality in streams and reservoirs within the watershed. It discusses actions necessary to protect the water bodies.

PAGE 38

B. (cont'd) Review of 1988 and 1989	9 Program Ac	hievements Lead Agency M-NCPPC
988 - 1989 TASKS	TIME	ACTUAL PRODUCT / ACCOMPLISHMENTS
5. Consider: amendments to zoning and subdivision regulations; establishment of buffers; amendments to master plans; appropriate BMPs; stormwater management schemes; reservoir protection strategies.	1988 - 1989	Same as accomplishments under number 2.
6. Participate in Patuxent Discovery Day. (10)	1988 - 1989	Activities to enhance environmental awareness were conducted within Montgomery County.
7. Analysis of Primary Management Areas concept. (1)	1988 - 1989	Analysis of Primary Management Area concept was conducted to develop the PMA guidelines.
8. Translate recommendations of functional plan for Patuxent Watershed into planning tools.	1988	The draft functional master plan for the watershed contains Primary Management Area concepts, recom- mending buffer areas which would be implemented during the development review process.
9. Revision of "Transfer of Development Rights" mechanism in the watershed.	1988	No documentation published.

# C. Recommendations for Future Tasks

PAGE 39

1. Form a Patuxent River Advisory Committee, consisting of key County agencies, to coordinate activities that impact the County's portion of the River.

#### II.

# RECOMMENDATIONS OF THE PATUXENT RIVER POLICY PLAN

#### 1. Establishing a Primary Management Area (PMA)

A Primary Management Area, delineating the area along the river and its tributaries, will be established to identify and manage land from which pollution is most likely to be transported into the river.

### 2. Providing Best Management Practices (BMP'S) and Vegetative Buffers

Programs for providing BMPs and vegetative buffers immediately adjacent to the river and its tributaries will be developed.

### 3. Identifying Major Nonpoint Pollution Sites

The state, in conjunction with local governments, will survey the watershed and identify major nonpoint pollution sites.

# 4. Retrofitting Existing Development

The state will develop a cost-sharing program to aid local governments in correcting and managing stormwater pollution from existing developed areas.

#### 5. Accommodating Future Development

Future development will be accommodated in ways to minimize impact on water quality and maximize existing opportunities.

# 6. Increasing Recreation and Open Space

Additional recreation and open space lands will be acquired in the Patuxent Watershed by State and local governments.

# 7. Protecting Forest Covers

Existing forest cover will be retained and important sensitive areas will be reforested to protect water quality.

# 8. Preserving Agricultural Land

Prime and productive agricultural land will be preserved in the Patuxent Watershed.

# 9. Extracting Sand and Gravel

Sand and gravel activities will be managed to allow extraction of the resource without damage to the river.

#### 10. Adopting an Annual Action Program

The Patuxent River Commission will annually develop and adopt an action program to implement the strategies.

# III. SUMMARY OF MONTGOMERY COUNTY IMPLEMENTATION ACTIVITIES FOR THE TEN STRATEGIES OF THE STATE PATUXENT POLICY PLAN

(Department of Environmental Protection, Sept. 13, 1990)

Montgomery County's efforts in support of the ten implementation strategies of the Patuxent Policy Plan are summarized below under the appropriate strategy headings.

#### 1. ESTABLISH PRIMARY MANAGEMENT AREA (PMA)

Montgomery County's side of the Patuxent main channel is already well protected by public land holdings devoted largely to passive recreation or conservation uses. Upstream of the two public water supply reservoirs, about 10,000 acres of state parkland protects the Patuxent main channel. The shorelines around the Triadelphia and Duckett Reservoirs are protected by 4,220 acres of mostly undeveloped and largely forested buffer area managed by the Washington Suburban Sanitary Commission.

As lands undergo development within Patuxent drainage, stream valley areas are acquired as parkland or protected from development through conservation easements and the County's floodplain ordinance. The M-NCPPC currently owns about 1,200 acres of stream valley parkland within the County's Patuxent drainage. When conservation easements are applied, the width of reserved buffer areas is determined through M- NCPPC stream buffer guidelines which set criteria for buffers based upon slope, soils and other factors. The Hawlings River and Reddy Branch are the principal waterways affected by development within Patuxent drainage in the Olney, MD area. These streams lie within protected stream valley parks managed by the M- NCPPC.

The M-NCPPC is developing a draft functional master plan for the Patuxent Watershed. The draft policy plan is under active interagency review. It includes recommendations to expand stream buffer widths in Patuxent drainage beyond those required by existing M-NCPPC stream buffer guidelines applied to other waterways. The M-NCPPC has proposed buffer widths for the Patuxent and its tributaries ranging from 200-500 feet in width.

# 2. PROVIDE FOR BEST MANAGEMENT PRACTICES (BMPS) AND VEGETATIVE BUFFER

In urbanizing areas, the County stormwater management law requires implementation of water quality oriented BMPs to control increases in runoff from all new development. Overall, County development activity in the Patuxent Watershed is relatively light. Development that is occurring (e.g., around Olney, and to a lesser extent, Burtonsville and Damascus) is controlled by a combination of privately and publicly installed stormwater management ponds and other BMPs. Facilities installed since the mid-1980's have included aquatic plantings and other enhancements to wetlands to further upgrade runoff quality and increase habitat areas for birds and aquatic life.

To improve control of runoff quality from agricultural areas, the County Department of Environmental Protection (DEP) is developing a new project proposal for possible introduction as part of the County's FY 92-97 Capital Improvements Program and FY 92 Operating Budget. The project under consideration would provide local cost-share incentives to stimulate greater farmer participation in voluntary water pollution control efforts in the County. Local funding would be "piggy-backed" onto federal and state cost- share formulas.

Incentives being proposed by DEP would focus on nutrient and sediment management from farm operations. Cost-share funding allocations would initially be directed to installation of BMPs for the control of animal waste concentration areas which yield high nutrient loadings. Local funding would also enable increased payments under the Conservation Reserve Program for 10-year land rentals to keep stream buffer areas out of production. Subsidies on lands so reserved would require reforestation through planting programs or natural succession to foster creation of forested stream buffer areas. If farmland is converted to urban land uses, reserved stream buffers could be permanently protected through subdivision controls and emerging County tree conservation legislation.

Because of their drainage to public water supply reservoirs, farms in the Patuxent Watershed would receive priority consideration in the allocation of cost-share funding.

# 3. IDENTIFY MAJOR NONPOINT SOURCE POLLUTION SITES

The M- NCPPC recently completed a water quality survey and modelling study which assessed existing and future loading sources to the Patuxent River as it passes through Montgomery County (Greenhorne & O'Mara, Technical Report for Patuxent River Watershed, Montgomery County, Maryland, February 1990). The study estimates existing and projected loadings to the Patuxent Reservoir system from Montgomery, Howard and Prince George's Counties.

There is some concern that the nutrient and sediment loading projections presented in the study have been understated. This is because the model used in the study was calibrated to a relatively dry monitoring period (1986) which had 50 percent less rainfall than an average year. However, even with these very conservative model projections, it is clear that improved control over agricultural runoff loadings will be critical to the long-term protection of reservoir water quality and to arresting of nutrient loadings delivered downstream to the Patuxent's tidal reaches.

In the upper Patuxent Watershed, efforts to reduce agricultural loadings will likely require a coordinated and comprehensive effort from Montgomery and Howard Counties, their respective Soil Conservation Districts (SCDs), the Maryland Department of Agriculture, and the Maryland Department of the Environment. Montgomery County hopes to soon initiate this effort with the parties.

#### 4. RETROFITTING EXISTING DEVELOPMENT

The County has an active project in the Capital Improvements Program (FY 91 funding \$950,000) to upgrade runoff controls provided to previously developed areas. The project funds construction of upgrades to previously installed stormwater management facilities to enhance pollution removal. Thus far this has been accomplished primarily through construction of modifications to extend runoff detention times, add wet pool storage, and establish marsh vegetation areas in existing dry stormwater management ponds. One new project will involve the construction of a peat sand filter BMP as an experimental effort to upgrade runoff quality discharging from a storm drain outfall.

Thus far, nearly all County retrofit projects have been located in the County's older developed areas of the Anacostia Watershed. These projects were undertaken to help support the Anacostia Restoration Agreement signed by Montgomery and Prince George's Counties, Maryland, and the District of Columbia. FY 92 project funding is also committed to the Anacostia. Future project initiatives will cover other County watersheds as conditions warrant. Except for possible isolated cases, little need is seen for urban retrofit projects in the Patuxent Watershed. Development in most of the County's Patuxent drainage has been accompanied by modern BMPs or been of such low density that controls were not needed.

Regarding agriculture, participation in federal-state cost-share programs for voluntary BMP installations to upgrade existing farm runoff quality has been limited thus far. A local "piggy-back" funding initiative to increase attractiveness of state-federal BMP cost- share programs to farmers (as described above under item 32) is under active exploration by DEP. If adopted, it is hoped that this program will prove effective in stimulating increased participation in voluntary control of farm runoff quality.

#### 5. ACCOMMODATING FUTURE DEVELOPMENT

The M-NCPPC's emerging draft Patuxent Functional Master Plan is addressing many of the recommendations of the Patuxent Policy Plan directed toward mitigating the impacts of new development. The draft functional master plan for the watershed contains guidance for the protection of steep slopes, wetlands, reservoirs, and other sensitive areas. Stream buffer areas are proposed, ranging from 200-500 feet in width. Area master plans covering developing portions of the watershed contain similar guidance on protection of sensitive areas. All public and private development that does occur will also incorporate BMPs as required under County stormwater management requirements.

# 6. INCREASING RECREATION AND OPEN SPACE

The M-NCPPC Park Acquisition program actively reserves stream valley areas from development. As indicated, the M-NCPPC currently owns about 1,200 acres of parkland within the watershed. This is in addition to the 10,000 acres of state parkland and 4,200 acres of WSSC holdings that are also used for recreational purposes. Enforcement of M-NCPPC Subdivision Regulations and the County's floodplain ordinance also work to reserve conservation easements and keep structures out of floodplains when development occurs.

#### 7. PROTECTING FOREST COVER

There are about 14,500 acres of forest within the County's portion of Patuxent drainage. The County has an existing law which prevents the cutting of tree stands in advance of M-NCPPC development review. This enables the M-NCPPC to preserve many tree stands as part of its subdivision review powers. The County also has under consideration a comprehensive tree conservation ordinance which protects existing tree stands and requires reforestation of open lands to achieve minimum tree canopy coverage on lot areas coincident with development. The draft ordinance also expands requirements for the planting and maintenance of street trees County-wide.

If adopted, the tree ordinance will add further protection to existing tree stands and also enable reforestation of previously cleared areas and areas coincident with any new development of these lands. The proposed ordinance could lead to substantial increases in the County's existing tree cover in all developing watersheds. If the substantial land holdings in the Patuxent now reserved for agriculture were to develop, reforestation requirements would add to the existing tree cover in the watershed.

The County and the M-NCPPC also actively supports volunteer tree planting projects in stream buffers as part of the Chesapeake Bay Cleanup Campaign.

#### 8. PRESERVING AGRICULTURAL LAND

Preservation of rural land for agricultural use has a high priority in Montgomery County. More than 105,000 of the County's 316,800 acres are still in agricultural uses. There are about 15,500 acres of cropland and pasture in the County's Patuxent drainage. This accounts for about 15 percent of the County's agricultural land and 39 percent of the County's portion of the Patuxent Watershed.

The County has four separate programs to preserve agricultural uses, rural communities, and rural open space. Statistics are not readily available to enable isolating information on these programs directly to the Patuxent Watershed. Information provided reflects County-wide participation levels in each program. However, the impact of these programs on agricultural land preservation in the Patuxent can be roughly inferred, assuming participation levels are uniform throughout the County's farmed areas.

a. Montgomery County Transfer of Development Rights Program (TDR): As part of its functional Master Plan for the Preservation of Agricultural and Rural Open Space, the County established the TDR program in 1981. Approximately 89,000 acres of County land are designated as the Agricultural Reserve and have Rural Density Transfer (RDT) zoning. Within the Patuxent, about 15,000 acres fall under this zoning category. This represents about 17 percent of the County's RDT zoned land.

b. Montgomery County Agricultural Easement Program (AEP): The AEP enables the County to purchase an agricultural land preservation easement to preserve land for agricultural production. Estimated agricultural easements may range in value from \$700-\$4,000/acre. As of January 1990, the County had purchased easements on farms totalling 1,005 acres and had plans to purchase easements on 11 additional farms totalling 1,350 acres.

c. Maryland Agricultural Land Preservation Foundation (MALPF): The MALPF preserves agricultural land by purchasing it directly from the landowner for cash. Following easement purchases, agricultural uses of the property are still permitted and encouraged. The MALPF program works in two steps. First, the landowner voluntarily creates an agricultural district (of 100 acres or more) in cooperation with the MALPF. Easements are ranked according to a ratio which is based on the appraised value versus the applicant's asking price. Applicants having the lowest ratio are ranked first and become first in line to sell an easement to the MALPF.

d. Maryland Environmental Trust (MET): The MET was established by the state in 1967 to encourage landowners to donate easements to protect scenic farmland, wildlife habitat, waterfront, unique or rare areas, and historic sites. Montgomery County currently has five properties totalling 1,879 acres which are preserved through the MET program.

#### 9. EXTRACTING SAND AND GRAVEL

Montgomery County has no known active sand and gravel operations of significant size in the Patuxent Watershed. Any future proposals for such operations would be subject to the County's zoning regulations and related environmental protection regulations.

#### **10. ADOPTING AN ANNUAL ACTION PROGRAM**

The Patuxent River Policy Plan calls for the Patuxent River Commission to annually develop and adopt an action program to implement any agreed upon management strategies. As indicated in the above discussion, the County has many important and discrete programs which contribute substantially to protection of the Patuxent's water resources. However, there is no formal action program adopted annually by the County that is dedicated exclusively to Patuxent Watershed protection.

# GLOSSARY

Agricultural Reserve:	Primary agricultural areas of Montgomery County which include the majority of the County's remaining working farms and certain other non-farm land uses.
Algal Blooms:	A surge in the algal population of lakes, streams, or ponds stimulated by excess nutrient availability.
Best Management Practice (BMP):	A practice, or combination of practices, that is determined to be the most effective, practicable means of preventing or reducing the amount of pollution generated by nonpoint sources, including technological, economic, and institutional considerations.
Buffering:	The practice of isolating stream channels from near-stream land uses by means of parallel grass, forest, or other vegetative strips for purposes of protecting the watercourse from negative water quantity and/or quality impacts.
Calibration:	The adjustment of model parameters to reasonably reproduce, or simulate, observed values.
Dissolved Oxygen (DO):	The concentration of oxygen dissolved in water. Usually expressed in milligrams per liter (mg/1). Dissolved oxygen levels necessary for the support of aquatic life forms can be depleted by algal blooms caused by nutrient enrichment.
Eutrophication:	The process of aging of surface waters, particularly slow flowing bodies of water such as lakes or ponds, in which aquatic plants become abundant. Algal blooms may occur, and oxygen levels often become deficient in summer. Eutrophication occurs naturally but is accelerated by enrichment of water with surface and subsurface flow containing excessive nitrogen and phosphorus.
Flood Frequency:	The frequency with which a flood may be expected to occur at a site in any average interval of years. Frequency analysis defines the "n-year flood" as being the flood that will, over a longer period of time, be equaled or exceeded on the average once 'n' years.
Floodplain:	For a given flood event, that area of land adjoining a watercourse which has been covered temporarily by water.
Floodplain Plan and Profile Maps:	Maps based upon hydrologic and hydraulic analysis which depict the water surface elevation of a given frequency flow on profile and topographic map sections.
Groundwater:	Subsurface water occupying the saturation zone, from which wells and springs are fed. Groundwater can drain into streams providing continuous flow even when no rainfall event has recently occurred.
Hydrologic Simulation:	The representation of the hydrologic system with the aid of computers to reflect the behavior of the system.

Impervious Surface:	That portion of the land surface through which water cannot readily infiltrate, causing a larger percentage of rainfall to become surface runoff.
Mainstream:	The principal stream in a watershed to which smaller streams are tributary.
Nonpoint Source Pollution:	Pollution that enters a water body from diffuse origins in the watershed and does not result from discernible, confined, or discrete conveyances, such as discharge from a pipe.
One-Hundred Year Ultimate Floodplain:	The area along a river, stream, pond, stormwater structure, or watercourse that could be inundated by a 100-year flood, based on ultimate development of the watershed under existing zoning.
Point Source Pollution:	Pollutants emanating from specific sources and discharged to specific locations, e.g., water and wastewater treatment plants. These pollutants are usually discharged from a pipe, hence the term "point source".
Runoff:	That portion of precipitation on a drainage area that is discharged from the area in stream channels. Runoff can pick up pollutants from the air and land and carry them to the receiving waters.
Rural Density Transfer Zone (RDT):	The zone applied to the agricultural Reserve. Actual development is limited to one house per 25 acres, with the provision that such development can be clustered on lots of 40,000 square feet (approximately 1 acre). The property in this area is designated 'sending areas' which maintain development rights at one dwelling unit per 5 acres which can be sold and transferred to designated 'receiving areas'. In this way, farmland owners still retain a marketable value of their land, thereby enabling them to continue to farm.
Stormwater Management:	The application of various techniques for mitigating the adverse effects of runoff.
Suspended Sediment:	The very fine soil particles that remain in suspension in water for a considerable period of time.
Transfer of Development Rights (TDR):	The conveyance of development rights by deed,, easement, or other legal instrument authorized-by local law, to another parcel of land and the recordation of that conveyance among the land records of Montgomery County. This conveyance is the basis for the Rural Density Transfer Zone (RDT).
Turbidity:	A measure of light penetration in a water body that influences the depth to which biological activity in aquatic plants will occur.
Verification:	The process of checking the validity of the calibration of a hydrologic model by comparing historic data with the simulation of those events.
Watershed:	The area contained within a topographic divide (ridge line) upstream of a specified point on a stream.

# **REFERENCES & BIBLIOGRAPHY**

Al Austin, T.	"Utilization of Models in Water Resources". <u>Water Resources Bulletin</u> . American Water Resources Association. (22). February 1986.	
The Audubon Society Nature Guides	North American Wetlands. Alfred A. Knopf, Inc. New York, NY 1985.	
Brush, Rick	Montgomery County Soil Conservation District, Telephone conservation. December, 1986.	
Camp, Dresser, & McKee, Inc.	Water Quality Assessment for Patuxent Watershed. Task I-G Draft Report. 1987.	
Chesapeake Executive Council	Chesapeake Bay Restoration and Protection Plan. EPA. Washington, D.C. 1985.	
Cohn-Lee, R. and D.M. Cameron	<u>Urban Stormwater Runoff Contamination of the Chesapeake Bay: Sources and Mitigation</u> . NRDC. Water and Coastal program. Washington, D.C. 1991.	
Conservation Tillage: Strategies for the Future.	Conference Proceedings. Nashville: N.P., 1984.	
Coughlin, Robert E.	<u>State and Local Regulations for Reducing Agricultural Erosion</u> . APA. PAS Report 386. Chicago, IL. 1984.	PAGE 47
Crosson, Pierre	<u>Conservation Tillage and Convential Tillage: A Comparative Assessment</u> . Soil Conservation Society of America. Ankeny, Iowa. 1981.	
Davey, William B.	Conservation Districts and 208 Water Quality Management. EPA. Washington, D.C. 1977.	
Dorfman, Robert; Jacoby, Henry D. ; and Thomas, Jr., Harold A., eds.	<u>Models for Managing Regional Water Quality</u> . Harvard University Press. Cambridge, MA. 1972.	
EA Engineering, Science, & Technology, Inc.	<u>Water Quality Monitoring and Nutrient Loading Analysis of the Patuxent River Reservoirs</u> <u>Watershed</u> . Sparks, MD 1989.	
EA Engineering, Science, & Technology, Inc.	Interim Report: Sedimentation in Triadelphia and Rocky Gorge Reservoirs. Sparks, MD. 1989.	
Ecological Analysts, Inc.	<u>Patuxent River Reservoirs Watershed Protection Program</u> (WSSC Water Project 144). Sparks, MD. 1981.	
Environmental Quality Improvement Act of 1970	(42 U.S.C. 4374, Approved April 3, 1970; amended by P.L. 94-52, July 3, 1975; P.L. 94-298, May 29, 1976; P.L. 95-300, June 26, 1978; P.L. 97-350, October 18, 1982; P.L. 98-581, October 30, 1984).	

	Improper Citation	"Ethics and the Land". <u>American Land Forum Magazine</u> . Summer, 1986.
	Federal Water Pollution Control Act	as Amended by the Clean Water Act of 1977 (commonly referred to as the Clean Water Act). (Enacted by Public Law 92-500, October 18, 1972, 86 Stat. 816; 33 U.S.C. 1251 et seq; Amended by PL 93-207, December 28, 3, and PL 93-243, January 2, 1974; PL 93-592, January 2, 1975; PL 94-238, March 23,1976; PL 94-273, April 21, 1976; PL 94-558, October 19, 1976; PL 95-217, December 28, 1977; PL 95-576, November 2, 1978; PL 96-148, December 16, 1979; PL 96-478, PL 96-483, October 21, 1980; PL 96-561, December 22, 1980; PL 97-35, August 13, 1981; PL 96-510, December 11, 1981; L 97-117, December 29, 1981; PL 97-164, April 2, 1982; affected by PL 97-216, July 18, 1982; PL 97-272, September 30, 1982; amended by PL 97-440, January 8, 1983; affected by PL 98-455, July 12, 1983; PL 98- 371, July 19, 1984; PL 98-396, August 22, 1984; PL 99-88, August 15, 1985; PL 99-190, December 19, 1985; PL 99-349, July 2, 1986, PL 99-499, October 17, 1986) [Editor's note: The Federal Water Pollution Control Act Amendments of 1972, PL 92-500, replaced the pre- vious language of the Act entirely, including the Water Quality Act of 1965, the Clean Water Restoration Act of 1966, and the Water Quality Improvement Act of 1970, all of which had been amendments of the Federal Water Pollution Control Act first passed in 1956. The 1977 amendments, PL 95-217, further amended PL 92-500, as did PL 95-576].
PAGE 48	Foran, Jeffery A.; Butler P., Clecknew, L.B.; and Bulkey, J.W.	"Regulating Nonpoint Source Pollution in Surface Water: A Proposal". <u>Water Resources Bulletin</u> . American Water Resources Association.June 1991.
	Goldfarb, William.	Clean Water Act Amendments of 1986 - I: Nonpoint Source Control". <u>Water Resources</u> <u>Bulletin</u> . American Water Resources Association. 23 (3):523-524. 1987.
	Greenhorne & O'Mara, Inc.	<u>Technical Report for the Patuxent River Watershed Management Study. Montgomery</u> <u>County, Maryland</u> . Greenbelt, MD. February 1990.
	Greenhorne & O'Mara, Inc.	<u>RROUT User's Manual</u> . Prepared for the Maryland National Capital Park and Planning Commission. 1986.
	Greenhorne & O'Mara, Inc.	"Using NPS Screen", Revision 1.0. 1988.
	Harrison, David C.	"Organization of the Water Policy Process 'From the Bottom Up': The Red River Valley of the North Experiment". <u>Water Resources Bulletin</u> . American Water Resources Association. 22 (5). 1986.
	Heatwole, C.D., Bottcher A.B., and Baldwin L.B	"Modeling Cost- Effectiveness of Abatement Programs on Two Florida basins". <u>Water</u> <u>Resources Bulletin</u> . American Water Resources Association. 23 (1). February 1977.
	Henderson, Jim E.	"Environmental Designs for Streambank Protection Projects". <u>Water Resources Bulletin</u> . American Water Resources Association. (22 (4). August 1986.

Hrezo, Margaret S.	"Social Feasibility As An Alternative Approach to Water Resources Planning". <u>Water</u> <u>Resources Bulletin</u> . American Water Resources Association. 22 (6). December 1986.	
JTC Environmental Consultants, Inc.	"Patuxent River Resources Water Quality Assessment Final Report." Environmental Services Unit. Washington Suburban Sanitary Commission . March 1984.	
Kaiser, Edward J., and Burby, Raymond J.	"Emerging State Roles in Urban Stormwater Management". <u>Water Resources Bulletin</u> . American Water Resources Association. 23. 1987.	
La Baugh, James W.	"Wetland Ecosystem Studies From a Hydrologic Perspective". <u>Water Resources</u> <u>Bulletin</u> . American Water Resources Association. vol. 22, no. 1. February 1986.	
Lamb, Berton L.	"Meeting the Challenge of Policy-Relevant Science: Lessons from a Water Resource Project". <u>Water Resources Bulletin</u> . American Water Resources Association. vol. 22, no. 1. February 1986.	
Loucks, Daniel P., Stedinger, Jerry R. and Haith, Douglas A.	<u>Water Resource Systems Planning and Analysis</u> . Prentice-Hall. Englewood Cliffs, N.J. 1981.	
Lowdermilk, W.C.	<u>Conquest of the Land Through Seven Thousand Years</u> . USDA, SCS. Agriculture Information Bulletin No. 99. Washington D.C. 1975.	
Maryland Department of Health and Mental Hygiene.	Office of Environmental Programs. <u>208 Water Quality Management Plan for the</u> <u>Patuxent River Basin</u> . Baltimore, MD. 1983.	.GE 49
M-NCPPC.	Montgomery County Planning Board. <u>Approved and Adopted Damascus Master Plan</u> . 1985.	
M-NCPPC.	Montgomery County Planning Board. <u>Functional Master Plan for the Preservation of</u> <u>Agriculture and Rural Open Space in Montgomery County</u> . 1980.	
M-NCPPC.	Montgomery County Planning Board. Approved and Adopted Olney Master Plan. 1980.	
M-NCPPC.	Montgomery County Planning Board. <u>Approved and Adopted Sandy Spring/Ashton Special</u> <u>Study Plan</u> . 1980.	
M-NCPPC.	Montgomery County Planning Board. <u>Approved and Adopted Master Plan for Eastern</u> <u>Montgomery County</u> . 1981.	
M-NCPPC.	Montgomery County Planning Board. <u>Staff Guidelines for the Protection of Stream Valleys</u> and Slopes. 1983.	
M-NCPPC.	Montgomery County Planning Board. Environmental Planning Division. <u>Environmental</u> <u>Management of Development in Montgomery County</u> . 1991.	

Maryland Department	Water Resources Administration. Statewide Agriculture Water Quality Management
of Natural Resources	Program for the Control of Sediment and Animal Wastes. 1990.
Maryland Office of Planning.	(Comprehensive Planning Department.) Patuxent River Commission Action Program 1991-
	1992. Comprehensive Planning Department. Publication No. 91-10. October 1991.
Maryland Department	Patuxent River Policy Plan: A Land Management Strategy. 1984.
of State Planning	Tatuxine River Foncy Han. A Land Management Strategy. 1904.
of State I landing	
Maryland Department	The Primary Management Area Handbook. 1986.
of State Planning	
Maryland Office of	Preliminary Study Plan for the Patuxent River Basin Nonpoint Source Monitoring and
Environmental Protection,	Modeling Program. Rev. 12/85.
Ecological Monitoring Section.	
Morriland State Soli	States ide Oritical Areas for the Detential Delaces of Arriveleural Marries Dianes in the
Maryland State Soil Conservation Committee.	Statewide Critical Areas for the Potential Release of Agricultural Nonpoint Phosphorus and
Conservation Committee.	Nitrogen. 1984. Maryland Water Resources Law (Maryland Natural Resources Code, Title 8 -
	Water and Water Resources, Subtitles 1, 2, 14 and 15; amended by Maryland Laws of 1973,
	1st special session, Chapter 4; Laws of 1974, Chs. 135, 350; Laws of 1975, Chs. 318, 350,
	444, 851; Laws of 1976, Chs. 183, 185, 351, 436, 618, 659, 691; Laws of 1977, Chs. 37, 187, 784. Laws of 1078, Chs. 124, 208, 601, 208, 210, 090; Laws of 1070, Chs. 49, 55, 145; Laws
	784; Laws of 1978, Chs. 124, 308, 601, 808, 810, 989; Laws of 1979, Chs. 42, 65, 145; Laws of 1980, Chs. 27, 57, 461, 528, 714, 741, 788, 815; Laws of 1982, Chs. 240, 820, 911; Laws of
	1983, Chs. 382, 385, 563, 583; Laws of 1984, Chs. 182, 187, 285, 636, Laws of 1986, ch. 608)
	Administering Agency: Department of Natural Resources, Water Resources Administration, State Office Building, Annapolis, MD.
	State Office Dunding, Annapons, MD.
Melon, J. Walter.	"Optimizing Nonpoint Source Controls in Water Quality Regulation". Water Resources
	Bulletin. American Water Resources Association. 23(3):387-396. 1987.
Midwest Plan Service.	Livestock Waste Facilities Handbook. MWPS- 18. 1985.
Napier, Ted L.,	"An Assessment of Uses Made of a Multipurpose Reservoir". <u>Water Resources Bulletin</u> .
Cambonia, Silvana M.	American Water Resources Association. 22 (1). February 1986.
and Goe, W. Richard	
Northern Virginia Planning	Guidebook for Screening Urban Nonpoint Pollution Management Strategies. Metropolitan
District Commission.	Washington Council of governments. April 1980.
Rast, Jones, W., R. and	"Predictive Capability of U.S. OECD Phosphorus Loading - Eutrophication Response
Lee, G.F.	Models. Journal of Water Pollution Control Federation. v.55 no.7. 1983.

Ribaudo, Marc O.	"Consideration of Offsite Impacts in Targeting Soil Conservation Programs". Land Economics. v.62, no.4. November 1986.	
Sanders, Welford.	The Cluster Subdivision: A Cost-Effective Approach. APA. (PAS Report 356). Chicago. 1980.	
Sanders, Welford and Thurow, Charles.	<u>Water Conservation in Residential Development: Land-use, Techniques</u> . APA (PAS Report 373). Chicago 1982.	
Soil Conservation Service.	<u>TR-20, Project Formulation - Hydrology (</u> Technical Release No. 20). NTIS. Springfield, VA. May 1982 (manual), September 1983 (program).	
Soil Conservation Service.	TR-55 Computer Program. The Affordable Technology Group. December 1986.	
Soil Conservation Service.	U.S. Department of Agriculture Soil Survey Howard County, Maryland, 1968.	
Soil Conservation Service.	U.S. Department of Agriculture Soil Survey Montgomery County, Maryland. 1961.	
Soil Conservation Service.	Soil Survey, Montgomery County, Mary land. USDA. October 1984.	
Soil Conservation Service.	<u>Erosion and Sediment Surveys of Baltimore Regional Planning Council Area</u> . USDA. College Park, MD. 1977.	
Soil Conservation Service.	Ponds: Planning, Design, Construction. USDA. (Agriculture Handbook No. 590). 1982.	PAGE 51
Spangenberg, N. Earl.	"Implementation Strategies for Agricultural and Silvicultural Nonpoint Source Pollution Control in California and Wisconsin". <u>Water Resources Bulletin</u> . American Water Resources Association. 23 (1). February 1987.	
Stewart, B.A., et al.	<u>Control of Water Pollution from Cropland, Volume I: A Manual for Guideline Development</u> . USDA, Agricultural Research Service. Washington D.C. 1975.	
Summers, Robert.	"HSPF Modeling of the Patuxent River Basin". proceeding of <u>Effects of Upland and</u> <u>Shoreline Activities on the Chesapeake Bay: A Chesapeake Bay Research Conference</u> . Williamsburg, Virginia. March 20-21, 1986.	
Tiner, Ralph W.	<u>Wetlands of the United States: Current Status and Recent Trends</u> . US Fish and Wildlife Service. Washington D.C. 1984.	
Tobin, Graham A. and Newton, Thomas G.	"A Theoretical Framework of Flood Induced Changes in Urban Land Values". <u>Water Resources Bulletin</u> . American Water Resources Association. 22 (1). February 1986.	
University of Maryland.	Cooperative Extension Service. <u>Pest Control Recommendations for Field Crops.</u> <u>College Park, Maryland</u> . 1982-83.	

U.S. Army Corps of Engineers.	HEC-2 Water Surface Profiles Users Manual. September 1982.
U.S.D.A. Soil Conservation Service.	Early American Soil Conservationists. (Miscellaneous Publication no. 449). 1941.
U.S. Department of Housing and Urban Development	Federal Insurance Administration. <u>Flood Insurance Study.Montgomery County, Maryland</u> . July 1979.
U.S. Environmental Protection Agency	<u>National Environmental Policy Act</u> . (42 U.S.C. 4341; amended by PL 94-52 July 3, 1975; PL 94-83, August 9, 1975).
U.S. Environmental Protection Agency	(Office of Water Regulations and Standards.) <u>Nonpoint Sources: Agenda for the Future</u> . Office of Water Regulations Standards. 1989.
U.S. Environmental Protection Agency	<u>1990 Progress Report for the Baywide Nutrient Reduction Strategy. Chesapeake Bay</u> <u>Program.</u> Annapolis, MD. 1991.
U.S. Environmental Protection Agency	<u>Environmental Protection Agency Guidelines for Water Quality Management Program</u> <u>Development</u> - Water Quality Standards.
U.S. Environmental Protection Agency, Environmental Research Laboratory, Office of Research and Development.	<u>Hydrological Simulation Program - Fortran User's Manual for Release 8.0</u> . April1984.
Water Resources Council.	"Principles and Standards for Planning Water and Related Land Resources" (38 FR 24778, September 10, 1973; revised by 45 FR 72978, December 14, 1979). Bureau of National Affairs. Washington D.C. 1980.
Wolman, Abel.	"International Conference on Water and Human Health". <u>Water Resources Bulletin</u> . American Water Resources Association. 22 (6). December 1986.
WSSC.	Proposed Land Use Map. Montgomery County, MD. 1981.
WSSC.	Zoning Map, Patuxent Watershed. June 1981.

THE MARYLAND-NATIONAL CAPITAL PARK AND PLANNING COMMISSION

8787 Georgia Avenue, Silver Spring, Maryland 20910-3760

мсрв NO. 93-22 м-NCPPC NO. 93-20

#### RESOLUTION

#### WHEREAS,

The Maryland-National Capital Park and Planning Commission, by virtue of Article 28 of the Annotated Code of Maryland, is authorized and empowered, from time to time, to make and adopt, amend, extend, and add to a General Plan for the Physical Development of the Maryland-Washington Regional District; and

WHEREAS,

The Montgomery County Planning Board of The Maryland-National Capital Park and Planning Commission, pursuant to said law, held a duly advertised public hearing on July 23, 1992, on the Preliminary Draft Plan for the Functional Master Plan for the Patuxent River Watershed; being also an amendment to the General Plan for the Physical Development of the Maryland-Washington Regional District and the Master Plan of Highways within Montgomery County; and

#### WHEREAS,

The Montgomery County Planning Board, after said public hearing and due deliberation and consideration, on October 22, 1992, approved the Final Draft Plan, and recommended that it be approved by the District Council; and

### WHEREAS,

The Final Draft Plan as sent to the Montgomery County Executive requesting that review comments be forwarded to the Montgomery County Council; and

#### WHEREAS,

The Montgomery County Council, sitting as the District Council for the portion of the Maryland-Washington Regional District lying within Montgomery County, held a public hearing on July 27, 1993, wherein testimony was received concerning the Final Draft Plan; and

#### WHEREAS,

The District Council, on October 12, 1993, approved the Final Draft Plan for the Patuxent River Watershed subject to the modifications and revisions set forth in Resolution No. 12-1309.

#### NOW, THEREFORE, BE IT RESOLVED,

That the Montgomery County Planning Board and The Maryland-National Capital Park and Planning Commission hereby adopt the said Plan as an amendment to the General Plan for the Physical Development of the Maryland-Washington Regional district and the Master Plan of Highways within Montgomery County as approved by the Montgomery County District Council in the attached Resolution No. 12-1309; and

### BE IT FURTHER RESOLVED,

That appropriate certification of adoption shall be recorded on the maps, plan and descriptive matter, said certificate shall contain the signature of the Chairman, Vice-Chairman, and Secretary-Treasurer of this Commission; and

#### BE IT FURTHER RESOLVED,

That copies of said Plan shall be certified by The Maryland-National Capital Park and Planning Commission and filed with the Clerk of the Circuit Court of each Montgomery and Prince George's Counties, as required by law.

MCPB NO. 93-22 M-NCPPC NO. 93-20

This is to certify that the foregoing is a true

and correct copy of a resolution adopted by The Maryland-National Capital Park and Planning Commission on motion of Commissioner Baptiste, seconded by Commissioner Richardson, with Commissioners Floreen, Baptiste and Richardson voting in favor of the motion, with Commissioners Bauman and Aron being absent at its meeting held on Monday, November 8, 1993 in Silver Spring, Maryland.

**Executive Director** 

This is to certify that the foregoing is a true

and correct copy of a resolution adopted by The Maryland-National Capital Park and Planning Commission on motion of Commissioner Floreen, seconded by Commissioner Baptiste, with Commissioners Bauman, Baptiste, Boone, Brown, Dabney, Floreen, McNeill, and Rhoads voting in favor, and Commissioners Aron and Richardson being absent, at its regular meeting held Wednesday, November 17, 1993 in Silver Spring, Maryland.

**Executive Director** 



NOTES







# PATUXENT WATERSHED FUNCTIONAL MASTER PLAN CITIZEN'S ADVISORY Committee

The staff wishes to thank the members of the Citizen's Advisory Committee for their assistance in the development of this plan. Their discussions formed an extremely valuable part of this process. The committee members and their primary affiliations, where applicable, are listed below. The listing of the names of the Citizen's Advisory Committee members does not indicate the approval or disapproval of this preliminary draft plan by any member. Members were not asked to take positions or to vote on any aspect of the plan.

#### ROBERT STABLER Chair

Local farmer; 2,700 acre farm mostly in the Patuxent Watershed; Supervisor with Montgomery County Soil Conservation District; Member, Advisory Board, University of Maryland Agriculture Institute; Past director, Montgomery County Agricultural Stabilization and Conservation Service.

#### JOHN PHILIP V-Chair

Montgomery County Soil Conservation District; Employee, U.S. Department of Agriculture

# DONNA L. HAVILAND

Secretary, Brinklow/Bridgton Area Civic Association; Family has resided in the area since 1970.

# JOHN K. HARTSOCK

Representative of Ashton-Sandy Spring Citizens Association; Consulting Geologist; Past Visiting Professor, University of MD.

# JAY SHEPPARD

Represents Trout Unlimited; Potomac-Patuxent Chapter; Active in management of Special Trout Regulation Area on the Patuxent River.





# ACKNOWLEDGEMENTS

# PLANNING DEPARTMENT MANAGEMENT

Robert W. Marriott, Jr. Planning Director

Jorge A. Valladares, P.E. Chief, Environmental Planning Division

# PROJECT STAFF

Nazir Baig, P.E. Coordinator, Environmental Planning Division

Swam Ayya Environmental Planning Division, Project Planner

> Pamela Rowe Environmental Planning Division

> Katherine Nelson Environmental Planning Division

# TECHNICAL STAFF

Dave Fugitt Mapping and Graphics Section

Faye Smith Mapping and Graphics Section

> Sheila Sampson Word Processing Unit

> Francis Vaughn *Word Processing Unit*

Marie Elaine E. Lanza Publications Unit

# OTHER CONTRIBUTIONS

Community Relations

Administrative Services

Special acknowledgments are due to RICK BRUSH & CAMERON WEIGAND of the County Department of Environmental Protection, TIM WARMAN of the Office of Economic Development, MARSHALL RAE of Montgomery Soil Conservation District and DR, MOHAMMED HABIBIAN of the Washington Suburban Sanitary Commission for their contribution in preparing the plan TIM McCORMICK of Greenborne & O'Mara served as the project manager for the consultant technical study.





The Maryland-National Capital Park and Planning Commission



8787 Georgia Avenue Silver Spring, Maryland 20910-3760



Printed on recycled paper



PATUXENT RIVER MP